





WHAT IS AN ADVERSE EVENT FOLLOWING IMMUNIZATION?

An adverse event following immunization (AEFI) is an unwanted or unexpected health effect that happens after someone receives a vaccine, which may or may not be caused by the vaccine.

- Most people who receive vaccines
 experience no side effects; however, in some
 people, vaccines can cause minor events
 such as low-grade fever, or pain
 or redness at the injection site, from which
 they quickly recover.
- Vaccines can cause known, but rare, more serious reactions such as anaphylaxis, which can occur in approximately one out of every 1 million doses of vaccine given.
- Events reported as an AEFI may also occur by chance (i.e., not caused by the vaccine).

MONITORING OF ADVERSE EVENTS IS ESSENTIAL TO VACCINE SAFETY IN ONTARIO

- Vaccine safety is a top priority for Ontario.
- All vaccines are extensively tested before use and are monitored for safety and effectiveness.
- Provincial, federal, and international monitoring systems are in place to track vaccine safety after vaccines are in use.^{i,ii}
- In Ontario, local public health units investigate reported adverse events and provide support to immunizers, individuals, and their families.
- By reporting adverse events, possible vaccine safety issues can be detected early to lessen health effects on those who need vaccines.

DO YOUR PART TO MONITOR ADVERSE EVENTS!

Advise patients to contact you if they experience an adverse event after vaccination.

Report adverse events to your local public health unit, using Public Health Ontario's Report of Adverse Event Following Immunization Reporting Form.

www.publichealthontario.ca/en/eRepository/ Report_Adverse_Event_Following_ Immunization_Form_fillable_2013.pdf For more information on how to report an adverse event, please refer to Public Health Ontario's Adverse Event Following Immunization (AEFI) Reporting Form Provider Questions and Answers.

www.publichealthontario.ca/en/eRepository/ QsAs_Adverse_Event_Following_Immunization_ Reporting_Form_2012.pdf

References

- i Vaccine Safety [Internet]. Ottawa: Public Health Agency of Canada; 2014 July 7 [cited 2014 Sept 24]. Available from: http://www.phac-aspc.gc.ca/im/vs-sv/index-eng.php
- iii WHO Programme for International Drug Monitoring Members [Internet]. Uppsala: Uppsala Monitoring Centre; 2014 Sept 18 [cited 2014 Sept 24]. Available from: http://www.who-umc.org/DynPage.aspx?id=100653&mn1=7347&mn2=7252&mn3=7322&mn4=7442
- iii Harris T., Wong K., Seo C., Shing E., Fediurek J., Deeks SL. Annual report on Vaccine Safety in Ontario, 2013. Toronto: Public Health Ontario; 2015. www.publichealthontario.ca/VaccineSafety


By the numbers: 2013

8.2 million

Approximate number of publicly funded vaccine doses distributed in Ontario

642 adverse events following immunizations reported

Most reported events were mild



Serious events after vaccines are very rare.

27 serious events were reported, which represents:

3.3 in every 1 million doses distributed



Vaccines protect us from serious diseases and save lives.



The risk of serious effects from vaccines is very small compared to the risk of the diseases they prevent.



Health care providers play a vital role in keeping vaccines safe by reporting adverse events after immunization and communicating the benefits of vaccines to their patients.

For all AEFI inquiries, including questions about the form or determining if an AEFI should be reported, contact your local **public health unit**.

