

**Recreational Camps
(last updated 29-Nov-19)**

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bob Rumball Camp of the Deaf	236 Blackstone Crane Lake Road, Parry Sound ON P2A 0B7	Routine Inspection	13-Jul-18		Satisfactory - No Action(s) Taken
Camp Ak-O-Mak	240 Ak-O-Mak road, Ahmic Harbour ON P0A 1A0	Routine Inspection	11-Jul-18		Satisfactory - No Action(s) Taken
Camp Caritou	119 Maple Road, Bonfield ON P0H 1E0	Routine Inspection	15-Mar-19		Satisfactory - No Action(s) Taken
Camp Chikopi	373 Chikopi Road, Magetawan ON P0A 1P0	Routine Inspection	18-Jul-18		Satisfactory - No Action(s) Taken
Camp Ekon	Stanley Road, Rosseau ON P0C 1J0		18-Jul-18		Satisfactory - No Action(s) Taken
Camp Ekon	RR 1 Stanley House Road, Rosseau ON P0C 1J0	Routine Inspection	31-Jul-19	Every food handler in the food premises washes their hands as often as necessary to prevent the contamination of food or food areas	Corrected During Inspection
Camp George	3-45 Good Fellowship Road, Seguin ON P2A 0B2	Routine Inspection	9-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Satisfactory - No Action(s) Taken
Camp George	RR 3-45 Goodfellowship Road, Seguin ON P2A 0B2	Routine Inspection	12-Jul-19	Sanitary facilities are provided and properly maintained	Corrected During Inspection
Camp George	RR 3-45 Goodfellowship Road, Seguin ON P2A 0B2	Routine Inspection	12-Jul-19	Food preparation and storage areas are protected against the entrance of insects, rodents, vermin, dust and fumes	Corrected During Inspection
Camp George	RR 3-45 Goodfellowship Road, Seguin ON P2A 0B2	Routine Inspection	12-Jul-19	The premises is operated and maintained free from every condition that may be a health hazard	Corrected During Inspection
Camp George	RR 3-45 Goodfellowship Road, Seguin ON P2A 0B2	Routine Inspection	12-Jul-19	All refrigeration and freezer units are provided with accurate indicating thermometers that can be easily read	Corrected During Inspection
Camp Grundy	20400 Hwy 522, Britt ON P0G 1A0	Routine Inspection	25-Jul-19		Satisfactory - No Action(s) Taken
Camp Hurontario	Mi-Island 421, Township of the Archipelago	Routine Inspection	26-Jul-18		Satisfactory - No Action(s) Taken

Camp Hurontario	Hurontario summercamp, The Archipelago, ON	Routine Inspection	31-Jul-19	All equipment, utensils and multi-service articles that are used for the preparation, processing, packaging, serving, transportation, manufacture, handling, sale, offer for sale or display of food in a food premises is of sound and tight construction; kept in good repair; of such form and material that it can be readily cleaned and sanitized; and suitable for their intended purpose	Corrected During Inspection
Camp Hurontario	Hurontario summercamp, The Archipelago, ON	Routine Inspection	31-Jul-19	The food premises is protected against the entry of pests and kept free of conditions the lead to the harbouring or breeding of pests	Corrected During Inspection
Camp Hurontario	Hurontario summercamp, The Archipelago, ON	Routine Inspection	31-Jul-19	Surfaces of equipment and facilities other than utensils that come in contact with food are cleaned and sanitized as often as is necessary to maintain such surfaces in a sanitary condition	Corrected During Inspection
Camp Hurontario	Hurontario summercamp, The Archipelago, ON	Routine Inspection	31-Jul-19	The equipment listed in the regulation is easily accessible at every waterfront area	Corrected During Inspection
Camp Kahquah	A-1230 Nipissing Road, Magnetawan ON POA 1P0	Routine Inspection	5-Jul-18	Sufficient waterfront emergency equipment provided	Corrected During Inspection
Camp Kahquah	A-1230 Nipissing Road, Magnetawan ON POA 1P0	Routine Inspection	5-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Camp Kahquah	A-1230 Nipissing Road, Magnetawan ON POA 1P0	Routine Inspection	5-Jul-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Camp Kodiak	Balsam Lake Road, McKellar ON P0G 1C0	Routine Inspection	19-Jul-18		Satisfactory - No Action(s) Taken
Camp Leah Rivka	996 Chetwynd Road Burks Falls ON P0A 1C0	Routine Inspection	12-Jul-18		Satisfactory - No Action(s) Taken
Camp Manitou	10 Camp Road, McKellar ON P2A 2W7	Routine Inspection	13-Jul-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection

Camp Mi-A-Kon-Da	Hwy 520 W, Wah-wash-kesh-Lake ON P2A 2W8	Routine Inspection	24-Jul-18		Satisfactory - No Action(s) Taken
Camp Mi-A-Kon-Da	Hwy 520 W,Wah-wash-kesh Lake, ON	Routine Inspection	1-Aug-19		Satisfactory - No Action(s) Taken
Camp Norland	183 Norland Rd, Verner ON P0H 2M0	Routine Inspection	25-Jul-18	Proper fire protection provided for campers and employees	Re-inspection Scheduled
Camp Norland	183 Norland Rd, Verner ON P0H 2M0	Routine Inspection	25-Jul-18	Sufficient waterfront emergency equipment provided	Re-inspection Scheduled
Camp Norland	183 Norland Rd, Verner ON P0H 2M0	Routine Inspection	25-Jul-18	Written procedures/training are sufficient to deal with waterfront emergencies	Re-inspection Scheduled
Camp Norland	183 Norland Rd, Verner ON P0H 2M0	Re-inspection	24-Aug-18		Satisfactory - No Action(s) Taken
Camp Norland	183 Norland Road, Verner ON P0H 2M0	Routine Inspection	23-Jul-19	Equipment and utensils that come into direct contact with food are corrosion-resistant and nontoxic; and free from cracks, crevices and open seams	Corrected During Inspection
Camp Ozanam	3665 Eagle Lake Road, South River ON P0A 1X0	Routine Inspection	14-Aug-18	The premises is operated and maintained free from every condition that may be a health hazard	Re-inspection Scheduled
Camp Ozanam	3665 Eagle Lake Road, South River ON P0A 1X0	Routine Inspection	14-Aug-18	Proper fire protection provided for campers and employees	Re-inspection Scheduled
Camp Ozanam	3665 Eagle Lake Road, South River ON P0A 1X0	Routine Inspection	14-Aug-18	Sufficient waterfront emergency equipment provided	Re-inspection Scheduled
Camp Ozanam	3665 Eagle Lake Road, South River ON P0A 1X0	Re-inspection	17-Aug-18		Satisfactory - No Action(s) Taken
Camp Ozanam	3665 Eagle Lake Road, South River ON P0A 1X0	Routine Inspection	13-Jul-19		Satisfactory - No Action(s) Taken
CNIB Lake Joseph	4 Joe Finley Way, Mactier ON P0C 1H0	Routine Inspection	5-Jul-18		Satisfactory - No Action(s) Taken
CNIB Lake Joseph Centre	4 Finley Way, MacTire ON P0C 1H0	Routine Inspection	30-Jul-19		Satisfactory - No Action(s) Taken
Crane Lake Discovery Camp	200 South Crane Lake Road, Township of the Archipelago ON P2B 0E7	Routine Inspection	25-Jul-18		Re-inspection Scheduled

Crane Lake Discovery Camp	200 South Crane Lake Road, Township of the Archipelago ON	Routine Inspection	30-Jul-19	Surfaces of equipment and facilities other than utensils that come in contact with food are cleaned and sanitized as often as is necessary to maintain such surfaces in a sanitary condition	Corrected During Inspection
Doe Lake Girl Guide camp	1330 Hwy 518 West, Sprucedale ON P0A 1Y0	Routine Inspection	1-Aug-19	All equipment, utensils and multi-service articles that are used for the preparation, processing, packaging, serving, transportation, manufacture, handling, sale, offer for sale or display of food in a food premises is of sound and tight construction; kept in good repair; of such form and material that it can be readily cleaned and sanitized; and suitable for their intended purpose	Re-inspection Scheduled
Doe Lake Girl Guide camp	1330 Hwy 518 West, Sprucedale ON P0A 1Y0	Routine Inspection	1-Aug-19	Equipment and utensils that come into direct contact with food are corrosion-resistant and nontoxic; and free from cracks, crevices and open seams	Re-inspection Scheduled
Glen Bernard Camp	2066 South Lake Bernard Road, Sundridge ON P0A 1Z0	Routine Inspection	11-Jul-18		Satisfactory - No Action(s) Taken
Glen Bernard Camp	2066 South Lake Bernard Road, Sunridge ON P0A 1Z0	Routine Inspection	11-Jul-19	All equipment, utensils and multi-service articles that are used for the preparation, processing, packaging, serving, transportation, manufacture, handling, sale, offer for sale or display of food in a food premises is of sound and tight construction; kept in good repair; of such form and material that it can be readily cleaned and sanitized; and suitable for their intended purpose	Re-inspection Scheduled
Hidden Bay Leadership Camp	200 Shebeshekong Road, Nobel ON P0G 1G0		19-Jul-18		Satisfactory - No Action(s) Taken
Hidden Bay Leadership Camp	200 Shebeshekong Road, Nobel ON P0G 1G0	Routine Inspection	25-Jul-19	Every sanitary facility in the recreational camp is kept sanitary, properly equipped and in good repair at all times	Corrected During Inspection

Hidden Bay Leadership Camp	200 Shebeshekong Road, Nobel ON P0G 1G0	Routine Inspection	25-Jul-19	Equipment and utensils that come into direct contact with food are corrosion-resistant and nontoxic; and free from cracks, crevices and open seams	Corrected During Inspection
Hockey Opportunity Camp	961 Park Road S Sundridge	Routine Inspection	4-Jul-18		Satisfactory - No Action(s) Taken
Hockey Opportunity Camp	961 Park Road S, Sundridge ON P0A 1Z0	Routine Inspection	4-Jul-19	The premises is operated and maintained free from every condition that may be a health hazard	Corrected During Inspection
Leah Rivka Camp	996 Chetwynd Road Burks Falls ON P0A 1C0	Routine Inspection	23-Jul-19		Satisfactory - No Action(s) Taken
Reptile Adventure Camp	2101 South Shore Road, Bonfield ON P0H 1E0	Routine Inspection	7-Aug-19		Satisfactory - No Action(s) Taken
Scarborough Outdoor Education School	1511 Echo Ridge Road McKellar ON P0A 1M0	Routine Inspection	9-Jul-18		Satisfactory - No Action(s) Taken
Scarborough Outdoor Education School	1511 Echo Ridge Road, Kearney ON	Routine Inspection	18-Jul-19		Satisfactory - No Action(s) Taken
Swallowdale Camp	1967 Bright Dt. Rousseau.Ont	Routine Inspection	23-Jul-19		Satisfactory - No Action(s) Taken
Tim Horton Memorial Camp	539 Lorimer Lake Road, Parry Sound ON P2A 2W7	Routine Inspection	5-Jul-18		Satisfactory - No Action(s) Taken
Tim Hortons Memorial Camp	539 Lorimer Lake Road, McDougall ON P2A 2W7	Routine Inspection	17-Jul-19		Satisfactory - No Action(s) Taken
Winning techniques Camp	915 Hwy 592, Elmsdale ON P0A 1J0	Routine Inspection	10-Jul-18		Satisfactory - No Action(s) Taken
YMCA Camp Tapawingo	75 Glen Burney Road, Seguin ON P2A 3W8	Routine Inspection	6-Jul-18		Satisfactory - No Action(s) Taken
Youthdale Camp	2001 Youthdale Road, Magnetawan ON P0A 1P0	Routine Inspection	18-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Youthdale Camp	2001 Youthdale Road, Magnetawan ON P0A 1P0	Routine Inspection	18-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
YWCA Camp Tapawingo	75 Glenn Burney Road, Seguin ON P2A 8W2	Routine Inspection	6-Jul-18		Satisfactory - No Action(s) Taken

YWCA Camp Tapawingo	75 Glen Burney Road, Seguin ON	Routine Inspection	24-Jul-19	The handwashing stations prescribed in clause 7(3)(c) of the regulation are used only for the handwashing of employees	Corrected During Inspection
---------------------	--------------------------------	--------------------	-----------	--	-----------------------------