

Food Establishments
(last updated 27-December-19)

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
100 Elements	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	24-Sep-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
100 Elements	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	29-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
11/17 Food Services Inc.	1774 Main Street W, North Bay ON P1B 8G5	Re-inspection	8-Feb-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
11/17 Food Services Inc.	1774 Main Street W, North Bay ON P1B 8G5	Re-inspection	19-Feb-19		Satisfactory - No Action(s) Taken
170 - École élémentaire catholique Christ-Roi	7 Forget Avenue, River Valley ON P0H 2C	Routine Inspection	18-Jun-19		Satisfactory - No Action(s) Taken
170 - Northern Secondary School	175 Ethel Street, Sturgeon Falls ON P2B 2Z8	Routine Inspection	2-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
170 - Northern Secondary School	175 Ethel Street, Sturgeon Falls ON P2B 2Z8	Re-inspection	14-May-19		Satisfactory - No Action(s) Taken
1886 Lake House Bistro	329 Main Street South, Callander ON P0H 1H0	Re-inspection	5-Sep-18		Satisfactory - No Action(s) Taken
1886 Lake House Bistro	392 Main Street S, Callander ON P0H 1H0	Routine Inspection	13-Feb-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
1886 Lake House Bistro	392 Main Street S, Callander ON P0H 1H0	Routine Inspection	28-Jan-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
1886 Lake House Bistro	392 Main Street S, Callander ON P0H 1H0	Routine Inspection	28-Jan-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
1886 Lake House Bistro	392 Main Street S, Callander ON P0H 1H0	Routine Inspection	29-Jul-19		Satisfactory - No Action(s) Taken
1886 Lake House Bistro	392 Main Street S, Callander ON P0H 1H0	Routine Inspection	12-Mar-18		Satisfactory - No Action(s) Taken
1886 Lake House Bistro	392 Main Street S, Callander ON P0H 1H0	Routine Inspection	13-Nov-19		Satisfactory - No Action(s) Taken
1886 Lake House Bistro	392 Main Street S, Callander ON P0H 1H0	Routine Inspection	28-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
1886 Lake House Bistro	392 Main Street, S, Callander ON P0H 1H0	Routine Inspection	13-Feb-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
1886 Lake House Bistro	392 Main Street, S, Callander ON P0H 1H0	Routine Inspection	28-Jan-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
241 Pizza	178 Main Street E, North Bay ON P1B 1A8	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
241 Pizza	178 Main Street E, North Bay ON P1B 1A8	Routine Inspection	2-Dec-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
241 Pizza	178 Main Street, North Bay ON P1B 1A8	Routine Inspection	5-Jun-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
241 Pizza	178 Main Street, North Bay ON P1B 1A8	Routine Inspection	5-Jun-19	Walls clean and in good repair	Re-inspection Scheduled
241 Pizza	209 King Street, Sturgeon Falls ON P2B 1R8	Routine Inspection	21-Feb-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
241 Pizza	209 King Street, Sturgeon Falls ON P2B 1R8	Routine Inspection	21-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
241 Pizza	209 King Street, Sturgeon Falls ON P2B 1R8	Routine Inspection	4-Dec-18		Satisfactory - No Action(s) Taken
241 Pizza	209 King Street, Sturgeon Falls ON P2B 1R8	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
241 Pizza	209 King Street, Sturgeon Falls ON P2B 1R8	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
241 Pizza	209 King Street, Sturgeon Falls ON P2B 1R8	Routine Inspection	29-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
241 Pizza	209 King Street, Sturgeon Falls ON P2B 1R8	Routine Inspection	29-Nov-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
241 Pizza	209 King Street, Sturgeon Falls ON P2B 1R8	Routine Inspection	29-Nov-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
400 Treat Centre Ltd	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
6-Eleven Multimart	512 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	27-Aug-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
A & W	245 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	22-Feb-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
A & W	245 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	27-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
A & W	245 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	27-Sep-19	Walls clean and in good repair	Re-inspection Scheduled
A & W	245 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	27-Sep-19	Ceilings clean and in good repair	Re-inspection Scheduled
A & W	245 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	27-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
A & W	245 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	27-Sep-19	Walls clean and in good repair	Re-inspection Scheduled
A & W	245 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	27-Sep-19	Ceilings clean and in good repair	Re-inspection Scheduled
A & W	245 Front Street, Sturgeon Falls ON P2B 2J4	Re-inspection	28-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
A&W	A-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	24-Apr-18		Satisfactory - No Action(s) Taken
A&W	245 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	1-Aug-18		Satisfactory - No Action(s) Taken
A&W	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	9-Apr-19		Satisfactory - No Action(s) Taken
A&W	A-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	25-Jul-19		Satisfactory - No Action(s) Taken
A&W Food Services of Canada	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	8-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
A&W Food Services of Canada	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	8-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
A&W Food Services of Canada	300 Lakeshore Drive, North Bay ON P1A 3V2	Re-inspection	22-Oct-19		Satisfactory - No Action(s) Taken
Adoro North Bay	2690 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	26-Apr-18		Satisfactory - No Action(s) Taken
Adoro Oils & Vinegars	2690 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
AHCL	10416 Highway 124, Sundridge ON P0A 1Z0	Routine Inspection	10-Aug-18		Satisfactory - No Action(s) Taken
AHCL	10416 Highway 124, Sundridge ON P0A 1Z0	Routine Inspection	23-Sep-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Ahmic Lake Golf Club	311 Golf Course Road, Magnetawan ON P0A 1P0	Routine Inspection	21-Sep-18		Satisfactory - No Action(s) Taken
Ahmic Lake Golf Club	311 Golf Course Road, Magnetawan ON P0A 1P0	Routine Inspection	22-Aug-19		Satisfactory - No Action(s) Taken
Algonquin Nursing Home	207 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	7-Nov-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Algonquin Nursing Home	231 Tenth Street, Mattawa ON P0H 1V0	Routine Inspection	28-Mar-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Algonquin Nursing Home	231 Tenth Street, Mattawa ON P0H 1V0	Routine Inspection	28-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Algonquin Nursing Home	231 Tenth Street, Mattawa ON P0H 1V0	Routine Inspection	28-Mar-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Algonquin Nursing Home	231 Tenth Street, Mattawa ON P0H 1V0	Routine Inspection	11-Jul-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Algonquin Nursing Home	231 Tenth Street, Mattawa ON P0H 1V0	Routine Inspection	19-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Algonquin Nursing Home	231 Tenth Street, Mattawa ON P0H 1V0	Re-inspection	14-Mar-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Algonquin Nursing Home	231 Tenth Street, Mattawa ON P0H 1V0	Re-inspection	5-Apr-19		Satisfactory - No Action(s) Taken
Algonquin Nursing Home	231 Tenth Street, Mattawa ON P0H 1V0	Re-inspection	5-Apr-19		Satisfactory - No Action(s) Taken
Algonquin Pharmasave	1221 Algonquin Avenue, North Bay ON P1B 4Y3	Routine Inspection	29-Jul-19		Satisfactory - No Action(s) Taken
Algonquin Treats	392 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	20-Sep-19		Satisfactory - No Action(s) Taken
Alliance Public School	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	16-Nov-18		Satisfactory - No Action(s) Taken
Alliance Public School	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Almaguin Campground	415 Owl Lake Road, Katrine ON P0A 1L0	Routine Inspection	21-Jun-18		Satisfactory - No Action(s) Taken
Almaguin Campground	419 Owl Lake Road, Katrine ON P0A 1L0	Routine Inspection	17-Jun-19		Satisfactory - No Action(s) Taken
Almaguin Highland Cafeteria	25 Mountain View Drive, South River ON P0A 1X0	Routine Inspection	7-Dec-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Almaguin Highlands School Cafeteria	25 Mountain View Drive, South River ON P0A 1X0	Routine Inspection	28-May-18		Satisfactory - No Action(s) Taken
Almaguin Highlands School Nutritional Program	25 Mountain View Drive, South River ON P0A 1X0	Routine Inspection	27-Nov-18		Satisfactory - No Action(s) Taken
Almaguin Highlands Secondary School	21 Mountain View Road, South River ON P0A 1X0	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Almaguin Highlands Secondary School Cafeteria	25 Mountain View Drive, South River ON P0A 1X0	Routine Inspection	23-Sep-19		Satisfactory - No Action(s) Taken
Almaguin Highlands Secondary School Cafeteria	25 Mountainview Drive, South River ON P0A 1X0	Routine Inspection	19-Mar-19		Satisfactory - No Action(s) Taken
Amanda's Homemade Goodies	370 McIntyre Steet W, North Bay ON P1B 2Z1	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
Amanda's Homemade Goodies	402 Trout Pond Road, Rutherglen ON P0H20	Routine Inspection	14-May-19	Constant supply of potable running water adequate for the operation of the premises	Re-inspection Scheduled
Anglican Parish of the Good Shepherd	2190 Hwy 592 Emsdale ON P0A 1J0	Routine Inspection	6-Jun-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Anglican Parish of the Good Shepherd	2190 Hwy 592 Emsdale ON P0A 1J0	Routine Inspection	10-Oct-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Anglican Parish of the Good Shepherd	2190 ON-592, Emsdale ON P0A 1J0	Re-inspection	1-Aug-19		Satisfactory - No Action(s) Taken
Annmarie Westerberg's Bakery	6722 Hwy 522 Nipissing, ON P0H 1W0	Routine Inspection	27-Nov-18		Satisfactory - No Action(s) Taken
Antoine Mountain	596 Highway 656, Mattawa ON P0H 1V0	Routine Inspection	2-Feb-18		Satisfactory - No Action(s) Taken
Antoine Mountain	596 Hwy 656, Mattawa ON P0H1V0	Routine Inspection	11-Jan-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Antonio's Grill	314 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	20-Apr-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Antonio's Grill	314 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	20-Apr-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Antonio's Grill	314 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	20-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Antonio's Grill	314 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Antonio's Grill	314 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	17-May-19		Satisfactory - No Action(s) Taken
Antonio's Grill	314 Hwy 11, South River ON P0A 1X0	Re-inspection	29-May-18		Satisfactory - No Action(s) Taken
Antonio's Grill	314 Ontario Street, South River ON P0A 1Z0	Routine Inspection	1-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Antonio's Grill	314 Ontario Street, South River ON P0A 1Z0	Routine Inspection	1-Oct-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Antonio's Grill	315 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Antonio's Grill	315 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Antonio's Grill	315 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Antonio's Restaurant	314 Hwy 11 S, South River ON P0A 1X0	Routine Inspection	30-Oct-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Antonio's Sub & Ice Cream	B-314 Hwy 11, South River ON P0A 1X1	Routine Inspection	29-May-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Antonio's Sub & Ice Cream	B-314 Hwy 11, South River ON P0A 1X1	Routine Inspection	29-May-18	Dipper well with running water	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Aug-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Aug-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Re-inspection	13-Aug-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Re-inspection	13-Aug-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Aramark/Tim Hortons-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Complaint	13-Sep-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Aramark-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	6-Sep-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Aramark-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	6-Sep-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Aramark-North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	6-Sep-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Argyle Community Centre	10812 Hwy 522, Arnstein ON P0H 1A0	Routine Inspection	15-Oct-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Argyle Community Centre	10812 Hwy 522, Arnstein ON P0H 1A0	Routine Inspection	15-Oct-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Argyle Public School	11767 Hwy 522, Port Loring ON P0H 1S0	Routine Inspection	16-Dec-19		Satisfactory - No Action(s) Taken
Argyle Public School	1-11767 Hwy 522, Port Loring ON P0H 1S0	Routine Inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Arnold's Ice	278 Star Lake Road, Seguin ON P0C 1J0	Routine Inspection	1-Oct-18		Satisfactory - No Action(s) Taken
Arnold's Ice	278 Star Lake Road, Seguin ON P0C 1J0	Routine Inspection	1-Oct-18		Satisfactory - No Action(s) Taken
Arnold's Ice	278 Star Lake Road, Seguin ON P0C 1J0	Routine Inspection	1-Oct-18		Satisfactory - No Action(s) Taken
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K10	Routine Inspection	29-Oct-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K11	Routine Inspection	29-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K12	Routine Inspection	29-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	29-Oct-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	24-Jan-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	24-Jan-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	24-Jan-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	24-Jan-18	Dipper well with running water	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	28-May-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	28-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	28-May-19	Floors clean and in good repair	Re-inspection Scheduled
Aroy Dee	110-180 Shirreff Avenue, North Bay ON P1B 7K9	Re-inspection	7-Jun-19		Satisfactory - No Action(s) Taken
Arugula	1066 Fisher Street, North Bay ON P1B 2G5	Routine Inspection	3-Oct-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Arugula	1066 Fisher Street, North Bay ON P1B 2G5	Routine Inspection	3-Oct-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Arugula	1066 Fisher Street, North Bay ON P1B 2G5	Routine Inspection	3-Oct-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Arugula	1066 Fisher Street, North Bay ON P1B 2G5	Re-inspection	22-Oct-19		Satisfactory - No Action(s) Taken
Arugula	1066 Fisher Street, North Bay ON P1B 2G5	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Arugula	1066 Fisher Street, North Bay ON P1B 2G5	Routine Inspection	27-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Au Chateau	100 Michaud Street Sturgeon Falls ON P2B 2Z4	Routine Inspection	15-Apr-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Au Chateau	100 Michaud Street, Sturgeon Falls ON P2B 2Z4	Routine Inspection	7-Aug-18		Satisfactory - No Action(s) Taken
Au Chateau	100 Michaud Street, Sturgeon Falls ON P2B 2Z4	Routine Inspection	23-Jul-19	General housekeeping is satisfactory	Re-inspection Scheduled
Au Chateau	100 Michaud Street, Sturgeon Falls ON P2B 2Z4	Routine Inspection	13-Aug-19		Satisfactory - No Action(s) Taken
Au Chateau	100 Michaud Street, Sturgeon Falls ON P2B 2Z4	Routine Inspection	29-Oct-19		Satisfactory - No Action(s) Taken
Au Chateau	100 Michaud Street, Surgeon Falls ON P2B 2Z4	Routine Inspection	23-Nov-18		Satisfactory - No Action(s) Taken
Au Coin	31 Principal Street, Verner ON P0H 2M0	Routine Inspection	14-Aug-19		Satisfactory - No Action(s) Taken
Auntie Jane's	725 Main Street East, North Bay ON P1B 1C2	Routine Inspection	10-May-18		Satisfactory - No Action(s) Taken
Aurora Pizza	4247 Highway 520 Magnetawan ON P0A 1P0	Routine Inspection	30-Aug-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Aurora Pizza	4247 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	19-Apr-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Aurora Pizza	4247 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	19-Apr-18	Food handler hygiene	Re-inspection Scheduled
Aurora Pizza	4247 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	19-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Aurora Pizza	4247 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	19-Apr-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Aurora Pizza	4247 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	30-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Aurora Pizza	4247 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	14-Nov-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Aurora Pizza	4247 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	3-Jul-19		Satisfactory - No Action(s) Taken
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	2-Dec-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	2-Dec-19	Frozen food is kept in a frozen state until sold or prepared for use	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	2-Dec-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	2-Dec-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	2-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	23-Feb-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	23-Feb-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	3-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	10-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	10-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	10-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	10-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	10-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	10-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	24-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	24-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	31-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	17-Dec-18		Satisfactory - No Action(s) Taken
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	9-Apr-19		Satisfactory - No Action(s) Taken
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	9-Apr-19		Satisfactory - No Action(s) Taken
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	8-Aug-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	8-Aug-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	8-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	8-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	8-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Average Joe's Eatery	3501 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	8-Aug-19	Walls clean and in good repair	Re-inspection Scheduled
B & G Variety	12 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	10-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
B. LePage Fishery	149 Nobel Rd, Nobel ON P0G 1G0	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
B. LePage Fishery	149 Nobel Road, Nobel ON P0G 1G0	Routine Inspection	10-Oct-19		Satisfactory - No Action(s) Taken
Bar Burrito	1 Horseshoe Lake Road, Seguin Ontario P2A 2W8	Routine Inspection	2-Jul-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Bar Burrito	1 Horseshoe Lake Road, Seguin Ontario P2A 2W8	Routine Inspection	2-Jul-19	Floors clean and in good repair	Corrected During Inspection
Bar Burrito	1 Horseshoe Lake Road, Seguin P2A 2W8	Routine Inspection	5-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Routine Inspection	18-Jan-18		Satisfactory - No Action(s) Taken
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Re-inspection	26-Jun-18		Satisfactory - No Action(s) Taken
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Routine Inspection	13-Sep-18		Satisfactory - No Action(s) Taken
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Routine Inspection	14-Jan-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Routine Inspection	14-Jan-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Routine Inspection	14-Jan-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Re-inspection	8-Mar-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Routine Inspection	27-May-19		Satisfactory - No Action(s) Taken
Barclay House Retirement Residence	600 Chippewa Street W, North Bay ON P1B 9E7	Routine Inspection	2-Oct-19		Satisfactory - No Action(s) Taken
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	7-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	14-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	14-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	14-Aug-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	14-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	16-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	16-Aug-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	16-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	23-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	23-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	23-Aug-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	23-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	24-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	24-Sep-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	24-Sep-18	General housekeeping is satisfactory	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	18-Oct-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	18-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	18-Oct-18	General housekeeping is satisfactory	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	22-Oct-18		Satisfactory - No Action(s) Taken
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	4-Dec-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	4-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	4-Dec-19	Walls clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	15-Apr-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	15-Apr-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	15-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	15-Apr-19	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Corrected During Inspection
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	15-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	6-May-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	9-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	9-May-19	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Re-inspection Scheduled
Bavarian Meat and Deli	699 Wallace Road, North Bay ON P1A 0E6	Re-inspection	16-May-19	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Corrected During Inspection
Bavarian Meats	699 Wallace Road, North Bay ON P1A 0E6	Routine Inspection	21-Dec-18		Satisfactory - No Action(s) Taken
Bay Frost	Memorial Drive North Bay ON P1A 1T5	Routine Inspection	15-Aug-18		Satisfactory - No Action(s) Taken
Bay Street Café	22 Bay Street, Parry Sound ON P2A 1S5	Routine Inspection	1-Aug-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Bay Street Café	22 Bay Street, Parry Sound ON P2A 1S5	Routine Inspection	1-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bay Street Café	22 Bay Street, Parry Sound ON P2A 1S5	Re-inspection	14-Aug-18		Satisfactory - No Action(s) Taken
Bay Truck Stop	3060 Hwy 11 N, North Bay ON P1B 8G3	Routine Inspection	12-Mar-18		Satisfactory - No Action(s) Taken
Bay Truck Stop	3060 Hwy 11 N, North Bay ON P1B 8G3	Routine Inspection	17-Oct-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Bay Truck Stop	3060 Hwy 11 N, North Bay ON P1B 8G3	Routine Inspection	26-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Bay Truck Stop	3060 Hwy 11 N, North Bay ON P1B 8G3	Routine Inspection	3-Oct-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bayfield Lodge	Box 98-260 Hwy 529A Pointe au Baril ON P0G 1K0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Bayfield Lodge	Box 98-260 Hwy 529A, Pointe au Baril ON P0G 1K0	Routine Inspection	18-Sep-18		Satisfactory - No Action(s) Taken
Bayside Depot	17 Bay Street - Unit E, Parry Sound ON P2A 1S4	Routine Inspection	9-May-19		Satisfactory - No Action(s) Taken
Bayside Inn	10 Gibson Street, Parry Sound ON P2A 1W7	Routine Inspection	15-Nov-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Bayside Inn	10 Gibson Street, Parry Sound ON P2A 1W7	Routine Inspection	3-Oct-19		Satisfactory - No Action(s) Taken
Bear's Fish Fry	A-12151 Hwy 17 East, Sturgeon Falls ON P2B 3K8	Routine Inspection	30-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Bear's Fish Fry Catering	Community Event Vendor	Routine Inspection	31-Aug-18		Satisfactory - No Action(s) Taken
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	28-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	23-May-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	23-May-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	23-May-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	23-May-18	Only Grade A or B eggs permitted	Corrected During Inspection
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	23-May-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Re-inspection	1-Jun-18		Satisfactory - No Action(s) Taken
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	24-Sep-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Re-inspection	9-Oct-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Beau Soleil	245 Yonge Street, Bonfield ON P0H 1E0	Re-inspection	15-Nov-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
BeaverTails North Ontario	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	1-Jun-18		Satisfactory - No Action(s) Taken
BeaverTails North Ontario	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	29-Nov-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
BeaverTails North Ontario	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	11-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
BeaverTails North Ontario	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	11-Jun-19	General housekeeping is satisfactory	Re-inspection Scheduled
BeaverTails North Ontario	555 McKeown Avenue, North Bay ON P1B 9E4	Re-inspection	19-Jun-19		Satisfactory - No Action(s) Taken
BeaverTails North Ontario	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	18-Oct-19		Satisfactory - No Action(s) Taken
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	5-Nov-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	6-Nov-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	19-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	19-Dec-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	19-Dec-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	19-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	19-Dec-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Re-inspection	11-Jan-19		Satisfactory - No Action(s) Taken
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	22-Feb-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	22-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	22-Feb-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	22-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Re-inspection	1-Mar-19		Satisfactory - No Action(s) Taken
Beef N Brand	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	14-Aug-19		Satisfactory - No Action(s) Taken
Beef N Brand Bar and Grill	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	14-Mar-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Beef N' Brand Bar and Grill	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Re-inspection	16-Mar-18		Satisfactory - No Action(s) Taken
Belanger Gas (MacEwen)	310 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	17-Sep-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Bella Hill Maple Syrup	47 Bella Hill Road, Powassan ON P0H 1Z0	Routine Inspection	29-Jan-19		Satisfactory - No Action(s) Taken
Belvedere Heights	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	19-Mar-18		Satisfactory - No Action(s) Taken
Belvedere Heights	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	20-Aug-18		Satisfactory - No Action(s) Taken
Belvedere Heights	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	19-Nov-18		Satisfactory - No Action(s) Taken
Belvedere Heights	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	19-Feb-19		Satisfactory - No Action(s) Taken
Belvedere Heights	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	5-Nov-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Apr-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Apr-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Apr-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Apr-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Apr-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	9-Apr-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	9-Apr-18		Satisfactory - No Action(s) Taken
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	14-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	14-Aug-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	14-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	14-Aug-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	14-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	14-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	14-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	14-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	20-Aug-18		Satisfactory - No Action(s) Taken
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Dec-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	17-Dec-18		Satisfactory - No Action(s) Taken
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	20-Feb-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	20-Feb-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	20-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	22-Feb-19		Satisfactory - No Action(s) Taken
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	4-Jul-19		Satisfactory - No Action(s) Taken
Bento Box	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	4-Nov-19		Satisfactory - No Action(s) Taken
Bernards Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	23-Jul-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Bernards Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	23-Jul-18	Dipper well with running water	Corrected During Inspection
Bernards Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	23-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Bernards Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	23-Jul-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Bernards Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Re-inspection	30-Nov-18		Satisfactory - No Action(s) Taken
Bernards Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	6-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Bernards Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	6-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Bernards Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	19-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	18-Jan-18	Food handler hygiene	Corrected During Inspection
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	18-Jan-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	18-Jan-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	18-Jan-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	18-Jan-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Re-inspection	10-Apr-18		Satisfactory - No Action(s) Taken
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	25-Oct-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	25-Oct-18	General housekeeping is satisfactory	Re-inspection Scheduled
Bernard's Bistro on the Lake	93 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Jan-19		Satisfactory - No Action(s) Taken
Best Pierogi	108 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	25-Apr-18		Satisfactory - No Action(s) Taken
Best Pierogi	108 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	8-Mar-19		Satisfactory - No Action(s) Taken
Best Pierogi	108 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	29-Nov-19		Satisfactory - No Action(s) Taken
Best Western Hotel - Farina	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	11-Feb-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Best Western Hotel - Farina	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	11-Feb-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Best Western Hotel - Farina	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	11-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Best Western Hotel - Farina	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	11-Feb-19	General housekeeping is satisfactory	Re-inspection Scheduled
Best Western Hotel - Farina	700 Lakeshore Dr, North Bay ON P1A 2G4	Re-inspection	18-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Best Western Hotel - Farina	700 Lakeshore Dr, North Bay ON P1A 2G4	Re-inspection	27-Mar-19		Satisfactory - No Action(s) Taken
Best Western Hotel - Farina	700 Lakeshore Dr, North Bay ON P1A 2G4	Re-inspection	27-Mar-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Best Western Hotel - Farina	700 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	21-Nov-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Best Western Hotel - Farina	700 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	21-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Best Western Hotel - Farina	700 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	21-Nov-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Best Western Hotel - Farina	700 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	21-Nov-19	Walls clean and in good repair	Re-inspection Scheduled
Best Western Hotel - Farina	700 Lakeshore Drive, North Bay ON P1A 2G4	Re-inspection	27-Nov-19		Satisfactory - No Action(s) Taken
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	13-Mar-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	13-Mar-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	13-Mar-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	13-Mar-18	General housekeeping is satisfactory	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	1-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	1-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Re-inspection	3-Aug-18		Satisfactory - No Action(s) Taken
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	17-Oct-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	17-Oct-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	17-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	17-Oct-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	17-Oct-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	17-Oct-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	17-Oct-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	17-Oct-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Re-inspection	19-Oct-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Re-inspection	19-Oct-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Re-inspection	19-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Washing hands thoroughly before and after handling food	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Best Western Hotel- Farinas	700 Lakeshore Dr, North Bay ON P1A 2G4	Routine Inspection	15-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Between the Bun	406 Main Street E, North Bay ON P1B 1B5	Routine Inspection	7-May-19		Satisfactory - No Action(s) Taken
Between the Bun	406 Main Street E, North Bay ON P1B 1B5	Routine Inspection	26-Feb-18		Satisfactory - No Action(s) Taken
Beyond Sushi	1-501 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	18-Oct-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Beyond Sushi	1-501 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	18-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Bins & Bins	107 Shirreff Avenue, North Bay ON P1B 7K8	Routine Inspection	26-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Bins & Bins	107 Shirreff Avenue, North Bay ON P1B 7K8	Routine Inspection	9-Sep-19		Satisfactory - No Action(s) Taken
Birch Waffles	150 Main Street E, North Bay ON P1B 1A8	Routine Inspection	29-Mar-18		Satisfactory - No Action(s) Taken
Birch Waffles	150 Main Street E, North Bay ON P1B 1A8	Routine Inspection	7-May-19		Satisfactory - No Action(s) Taken
Bistro by the Bay	2 James Street, Parry Sound ON P2A 1T2	Routine Inspection	21-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Bistro by the Bay	2 James Street, Parry Sound ON P2A 1T2	Routine Inspection	21-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Bistro by the Bay	2 James Street, Parry Sound ON P2A 1T2	Routine Inspection	21-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Bistro by the Bay	2 James Street, Parry Sound ON P2A 1T2	Routine Inspection	21-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Bistro by the Bay	2 James Street, Parry Sound ON P2A 1T2	Re-inspection	13-Sep-18		Satisfactory - No Action(s) Taken
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	5-Mar-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	5-Mar-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	5-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	5-Mar-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	5-Mar-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	5-Mar-18	General housekeeping is satisfactory	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Re-inspection	21-Mar-18		Satisfactory - No Action(s) Taken
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	17-Aug-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	17-Aug-18	Food is frozen at -18°C (0°F) or less	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	17-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	17-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	17-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	17-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Complaint	13-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Complaint	13-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Re-inspection	26-Sep-18		Satisfactory - No Action(s) Taken
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Re-inspection	16-Oct-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	8-Jul-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	8-Jul-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	8-Jul-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	8-Jul-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	8-Jul-19	General housekeeping is satisfactory	Corrected During Inspection
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Re-inspection	12-Jul-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	27-Nov-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Blakes Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	27-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Blake's Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Re-inspection	20-Aug-18		Satisfactory - No Action(s) Taken
Blake's Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	15-Mar-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Blake's Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Routine Inspection	15-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Blake's Memories of Muskoka	1200 Lake Joseph Road, Seguin ON P2A 2W8	Re-inspection	22-Mar-19		Satisfactory - No Action(s) Taken
Blue Roof Café	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	6-Feb-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Blue Roof Café	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	6-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Blue Roof Café	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	28-Jan-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Blue Roof Café	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	3-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Blue Roof Café	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	3-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Blue Roof Café	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	3-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Feb-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Feb-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	26-Jul-18	General housekeeping is satisfactory	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Re-inspection	2-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Re-inspection	2-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Re-inspection	2-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Re-inspection	2-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Re-inspection	10-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Re-inspection	10-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Re-inspection	23-Aug-18		Satisfactory - No Action(s) Taken
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	5-Jun-19		Satisfactory - No Action(s) Taken
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Blue Sky Bingo	420 Airport Road, North Bay ON P1B 1A6	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Board's Honey Farm	RR 1-6866 Hwy 534 Restoule ON P0H 1W0	Routine Inspection	16-Nov-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Board's Honey Farm	RR 1-6866 Hwy 534 Restoule ON P0H 1W0	Routine Inspection	16-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Board's Honey Farm	RR 1-6866 Hwy 534 Restoule ON P0H 1W0	Routine Inspection	Aug-28-19		Satisfactory - No Action(s) Taken
Bobby Orr Community Centre	7 Mary Street, Parry Sound ON P2A 1C8	Routine Inspection	15-Aug-19	Floors clean and in good repair	Corrected During Inspection
Bobby Orr Community Centre	7 Mary Street, Parry Sound ON P2A 1C8	Routine Inspection	15-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Bobby Orr Community Centre	7 Mary Street, Parry Sound ON P2A 1C8	Routine Inspection	13-Dec-19		Satisfactory - No Action(s) Taken
Bobby Orr Community Centre	7 May Street, Parry Sound ON P2A 1C8	Routine Inspection	7-Oct-19		Satisfactory - No Action(s) Taken
Bobby Orr Community Centre (Food Take Out)	7 Mary Street, Parry Sound ON P2A 1C8	Routine Inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Bobby Orr Community Centre (Kitchen)	7 Mary Street, Parry Sound ON P2A 1C8	Routine Inspection	13-Dec-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Bobby Orr Community Centre (Kitchen)	7 Mary Street, Parry Sound ON P2A 1C8	Routine Inspection	20-Feb-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Bobby Orr Community Centre (Kitchen)	7 Mary Street, Parry Sound ON P2A 1C8	Routine Inspection	20-Feb-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Bobby Orr Community Centre (Kitchen)	7 Mary Street, Parry Sound ON P2A 1C8	Re-inspection	6-Mar-19		Satisfactory - No Action(s) Taken
Bohemian Market	166 Main Street E, North Bay ON P1B 1A8	Routine Inspection	9-Nov-19		Satisfactory - No Action(s) Taken
Bonfield & District Lion Club	350 Line 3 S, Bonfield ON P0H 1E0	Routine Inspection	18-Dec-19		Satisfactory - No Action(s) Taken
Bonfield Kwik way	309 Church Street, Bonfield ON P0H 1E0	Routine Inspection	30-Jan-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Bonfield Kwik way	309 Church Street, Bonfield ON P0H 1E0	Routine Inspection	30-Jan-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint	9-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint	11-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint	11-Jul-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint	11-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint	19-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint & Compliance	21-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint & Compliance	21-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint & Compliance	21-Aug-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Complaint & Compliance	21-Aug-19	Liquid wastes handled and collected in sanitary manner	Re-inspection Scheduled
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H 1E0	Re-inspection	12-Sep-19		Satisfactory - No Action(s) Taken
Bonfield Parish Hall	100 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	29-Oct-19		Satisfactory - No Action(s) Taken
Bonfield-Rutherglen Food Bank	408 Gagnon St, Bonfield ON P0H 1E0	Routine Inspection	29-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Bonfield-Rutherglen Food Bank	408 Gagnon Street, Bonfield ON P0H 1E9	Routine Inspection	3-Dec-18		Satisfactory - No Action(s) Taken
Bonfield Kwik Way	309 Church Street, Bonfield ON P0H1E0	Re-inspection	11-Feb-19		Satisfactory - No Action(s) Taken
Booster Juice	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	12-Mar-18		Satisfactory - No Action(s) Taken
Booster Juice	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	19-Sep-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Booster Juice	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	20-Mar-19		Satisfactory - No Action(s) Taken
Booster Juice	K16-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	5-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Booster Juice	K16-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	5-Apr-18	Separate hand washing basin provided for food handlers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Booster Juice	K16-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	19-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Booster Juice	K16-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	27-Apr-18		Satisfactory - No Action(s) Taken
Booster Juice	K16-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	10-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Booster Juice	K16-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Booster Juice	K16-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Apr-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Booster Juice	K16-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	28-May-19		Satisfactory - No Action(s) Taken
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	25-Jul-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	25-Jul-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	25-Jul-18	Mechanical ventilation operable where required	Corrected During Inspection
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	25-Jul-18	General housekeeping is satisfactory	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-Aug-18		Satisfactory - No Action(s) Taken
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	2-Nov-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	2-Nov-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	2-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	2-Nov-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	2-Nov-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	General housekeeping is satisfactory	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	The premises is operated and maintained free from every condition that may be a health hazard	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	18-Apr-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	Floors clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	Walls clean and in good repair	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Re-inspection	9-May-19	General housekeeping is satisfactory	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	21-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	21-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	5-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Boston Café	15 Seguin Street, Parry Sound ON P2A 1A9	Routine Inspection	5-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	18-Apr-18	General housekeeping is satisfactory	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	27-Jul-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	27-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	27-Jul-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	27-Jul-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	27-Jul-18	General housekeeping is satisfactory	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Re-inspection	7-Aug-18		Satisfactory - No Action(s) Taken
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	2-Nov-18		Satisfactory - No Action(s) Taken
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	The premises is operated and maintained free from every condition that may be a health hazard	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Re-inspection	7-Feb-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Re-inspection	26-Mar-19		Satisfactory - No Action(s) Taken
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	14-Aug-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	14-Aug-19	Lighting adequate for food handling and cleaning	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Re-inspection	21-Nov-19		Satisfactory - No Action(s) Taken
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	21-Nov-19		Satisfactory - No Action(s) Taken
Boston Pizza	50 Josephine Street, North Bay ON P1B 0A7	Routine Inspection	23-Apr-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Boston Pizza	50 Josephine Street, North Bay ON P1B 0A7	Routine Inspection	22-Nov-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Boston Pizza	50 Josephine Street, North Bay ON P1B 0A7	Routine Inspection	31-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Boston Pizza	50 Josephine Street, North Bay ON P1B 0A7	Routine Inspection	31-May-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Routine Inspection	6-Feb-19	General housekeeping is satisfactory	Re-inspection Scheduled
Boston Pizza	10 Bay Street, Parry Sound ON P2A 1S3	Re-inspection	7-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Boston Pizza - North Bay	50 Josephine Street, North Bay ON P1B 0A7	Routine Inspection	28-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bowhey's West Nipissing Resort Wrap Shak	10448 Hwy 64, Lavigne ON P0H 1R0	Routine Inspection	25-Jun-19		Satisfactory - No Action(s) Taken
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	12-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	12-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	12-Jun-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	12-Jun-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	12-Jun-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	12-Jun-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Re-inspection	14-Jun-18		Satisfactory - No Action(s) Taken
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	7-Sep-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	7-Sep-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	26-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Brewer's Burgers	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	26-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Britt Public School	841 Riverside Drive, Britt ON P0G 1A0	Routine Inspection	5-Mar-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Britt Public School	841 Riverside Drive, Britt ON P0G 1A0	Re-inspection	5-Apr-18		Satisfactory - No Action(s) Taken
Britt Public School	841 Riverside Drive, Britt ON P0G 1A0	Routine Inspection	18-Mar-19		Satisfactory - No Action(s) Taken
Britt Public School	841 Riverside Drive, Britt ON P0G 1A0	Routine Inspection	18-Sep-19		Satisfactory - No Action(s) Taken
Britt, Bying Inlet and Community Senior Citizens Club 945	843 Hwy 526, Britt ON P0G 1A0	Routine Inspection	19-Aug-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Brunswick Sport Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	1-Mar-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Brunswick Sport Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	1-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Brunswick Sport Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	1-Mar-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Brunswick Sport Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	1-Mar-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Brunswick Sport Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	1-Mar-18	Mechanical ventilation operable where required	Re-inspection Scheduled
Brunswick Sport Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	1-Mar-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Brunswick Sport Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	1-Mar-18	General housekeeping is satisfactory	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	13-Mar-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	13-Mar-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	13-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	13-Mar-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	13-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	13-Mar-19	General housekeeping is satisfactory	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	13-Mar-19	The premises is operated and maintained free from every condition that may be a health hazard	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	11-Apr-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	11-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	11-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	11-Apr-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	11-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	11-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	17-Apr-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Brunswick Sports Bar & Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	17-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Mechanical ventilation operable where required	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Feb-18	General housekeeping is satisfactory	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	21-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	22-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	22-Aug-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	29-Aug-19		Satisfactory - No Action(s) Taken
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	2-Dec-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	2-Dec-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	2-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	2-Dec-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	2-Dec-19	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	2-Dec-19	Floors clean and in good repair	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	2-Dec-19	General housekeeping is satisfactory	Re-inspection Scheduled
Brunswick Sports Bar and Grill	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Brunswick Sports Bar and Grill (Bar in Basement)	72 James Street, Parry Sound ON P2A 1T5	Complaint	21-Feb-18	Floors, walls, and ceilings clean and in good repair	Closure

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Brunswick Sports Bar and Grill (Bar in Basement)	72 James Street, Parry Sound ON P2A 1T5	Complaint	21-Feb-18	The premises is operated and maintained free from every condition that may be a health hazard	Closure
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	1-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	1-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	1-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	1-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	14-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	14-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	21-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	21-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Re-inspection	22-Nov-18		Satisfactory - No Action(s) Taken
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	22-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Brunswick Sports Grill & Bar	72 James Street, Parry Sound ON P2A 1T5	Routine Inspection	22-Nov-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Brutus Express	249 Levesque Street, Sturgeon Falls ON P2B 1M9	Routine Inspection	29-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Buchanan's Pro Hardware	11518 Hwy 522, Port Loring, ON P0H 1Y0	Routine Inspection	31-May-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Buchanan's Pro Hardware	11518 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	15-Oct-19		Satisfactory - No Action(s) Taken
Buchanan's Pro Hardware	11518 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	9-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Buddy's	Mobile premises	Routine Inspection	14-May-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Bulk Barn	1 bldg D-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	4-Oct-19		Satisfactory - No Action(s) Taken
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	30-Jan-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	30-Jan-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	30-Jan-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	30-Jan-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	30-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	8-Mar-19	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	8-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Re-inspection	13-Mar-19		Satisfactory - No Action(s) Taken
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	28-Jun-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	28-Jun-19	Floors clean and in good repair	Corrected During Inspection
Burger World	1404 Hammond Street, North Bay ON P1B 2J4	Routine Inspection	25-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Burger World	1404 Hammond Street, North Bay ON P1B 2J4	Routine Inspection	25-Nov-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Burger World	1404 Hammond Street, North Bay ON P1B 2J4	Routine Inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	24-Oct-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Burger World	1308 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	24-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Burks Falls Arena- Banquet	220 Centre Street, Burk's Falls ON POA 1C0	Routine Inspection	7-May-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Burks Falls Arena- Canteen	220 Centre Street, Burk's Falls ON P0A 1C0	Routine Inspection	7-May-18		Satisfactory - No Action(s) Taken
Burks Falls Food Bank	205 Ontario Street, Burks Falls, ON P0A 1C0	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Burk's Falls Food Bank	200 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	10-Aug-18		Satisfactory - No Action(s) Taken
Burks Falls Welcome Centre	170 Ryerson Crescent, Burks Falls ON P0A 1C0	Routine Inspection	23-May-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Burks Falls Welcome Centre	170 Ryerson Crescent, Burks Falls ON P0A 1C0	Routine Inspection	23-May-18	Dipper well with running water	Corrected During Inspection
Burks Falls Welcome Centre	170 Ryerson Crescent, Burks Falls ON P0A 1C0	Routine Inspection	02-May-19		Satisfactory - No Action(s) Taken
Burk's Falls Welcome Centre	170 Ryerson Crescent, Burks Falls ON P0A 1C0	Routine Inspection	13-Sep-19		
Butter Tarts and Belgium	11 Doe Lake Road, Katrine ON P0A 1L0	Routine Inspection	22-Oct-19		Satisfactory - No Action(s) Taken
BVD Petroleum	280 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	17-Dec-18		Satisfactory - No Action(s) Taken
BVD Petroleum	280 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	12-Sep-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
BVD Petroleum	280 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	12-Sep-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
BVD Petroleum	280 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	12-Sep-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
BVD Petroleum	280 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	12-Sep-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Cache Bay Community Centre	55 Cache Street, Cache Bay ON P0H 1G0	Routine Inspection	11-Jan-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Cache Bay Community Centre	55 Cache Street, Cache Bay ON P0H 1G0	Routine Inspection	11-Jan-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Cache Bay Community Centre	55 Cache Street, Cache Bay ON P0H 1G0	Routine Inspection	11-Jan-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Cache Bay Community Centre	55 Cache Street, Cache Bay ON P0H 1G0	Routine Inspection	11-Jan-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Cache Bay Community Centre	55 Cache Street, Cache Bay ON P0H 1G0	Routine Inspection	11-Jan-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Cache Bay Community Centre	55 Cache Street, Cache Bay ON P0H 1G0	Routine Inspection	2-May-19		Satisfactory - No Action(s) Taken
Café Botanica	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	27-Nov-19		Satisfactory - No Action(s) Taken
Café Botanica	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Café Botanica	300 Lakeshore Drive, North Bay ON P1A 3V2	Complaint	13-Mar-19		Satisfactory - No Action(s) Taken
Caldwell Ellam Community Centre	398 Carruthers Street, North Bay ON P1B 9T6	Routine Inspection	6-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Calhoun's Country Café	174 Main Street West, Burks Falls ON P0A 1C0	Routine Inspection	29-Jan-19		Satisfactory - No Action(s) Taken
Calhoun's Country Café	174 Main Street West, Burks Falls ON P0A 1C0	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
Calhoun's Country Café	174 Main Street West, Burks Falls ON P0A 1C0	Routine Inspection	24-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Calhoun's Country Café	174 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	3-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Calhoun's Country Café	174 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	3-Dec-19	Walls clean and in good repair	Re-inspection Scheduled
Callander & District Food Bank	78 Lansdowne Street, Callander ON P0H 1H0	Routine Inspection	11-Jun-19		Satisfactory - No Action(s) Taken
Callander Community Centre	1984 Swale Street, Callander ON P0H 1H0	Routine Inspection	12-Sep-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Callander Community Centre	1984 Swale Street, Callander ON P0H 1H0	Routine Inspection	1-Mar-19		Satisfactory - No Action(s) Taken
Callander IDA Pharmacy	93 Main Street N, Callander ON P0H 1H0	Routine Inspection	12-Jun-19		Satisfactory - No Action(s) Taken
Callander Tavern	5 Main Street S, Callander ON P0H 1H0	Routine Inspection	24-Jan-18		Satisfactory - No Action(s) Taken
Callander Tavern/Lu Lu's	5 Main Street S, Callander ON P0H 1H0	Routine Inspection	19-Nov-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Callander Tavern/Lu Lu's	5 Main Street S, Callander ON P0H 1H0	Routine Inspection	19-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Callander Tavern/Lu Lu's	5 Main Street S, Callander ON P0H 1H0	Routine Inspection	19-Nov-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Callander Tavern/Lu Lu's	5 Main Street S, Callander ON P0H 1H0	Routine Inspection	24-May-19	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Callander Tavern/Lu Lu's	5 Main Street S, Callander ON P0H 1H0	Re-inspection	29-May-19		Satisfactory - No Action(s) Taken
Callander Tavern/Lu Lu's	5 Main Street S, Callander ON P0H 1H0	Routine Inspection	20-Sep-19		Satisfactory - No Action(s) Taken
Calvin Community Centre	1355 Peddler's Drive, Mattawa ON P0H 1V0	Routine Inspection	3-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Camp Conewango	1875 Songis Road, Redbridge ON P0H 2A0	Routine Inspection	5-Mar-18		Satisfactory - No Action(s) Taken
Camp Conewango	1875 Songis Road, Redbridge ON P0H 2A0	Routine Inspection	4-Sep-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Camp Conewango	1875 Songis Road, Redbridge ON P0H 2A0	Routine Inspection	4-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Camp George	RR 3-45 Goodfellowship Road, Parry Sound ON P2A 2W9	Routine Inspection	16-Oct-18		Satisfactory - No Action(s) Taken
Camp George	RR 3-45 Goodfellowship Road, Seguin ON P2A 0B2	Routine Inspection	12-Jul-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Camp George	RR 3-45 Goodfellowship Road, Seguin ON P2A 0B2	Routine Inspection	12-Jul-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Camp Klahanie	1681 Lakeside Trail, Magnetawan ON P0A 1P0	Routine Inspection	26-Aug-19		Satisfactory - No Action(s) Taken
Camp Klahanie	RR 1-248B George Point Road, Magnetawan ON P0A 1P0	Routine Inspection	21-Sep-18		Satisfactory - No Action(s) Taken
Camp Norland	183 Norland Road, Verner ON P0H 2M0	Routine Inspection	25-Jul-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Camp Norland	183 Norland Road, Verner ON P0H 2M0	Re-inspection	24-Aug-18		Satisfactory - No Action(s) Taken
Camp Norland	183 Norland Road, Verner ON P0H 2M0	Routine Inspection	23-Jul-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Canada's Best Value Inn & Suites	48 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	19-Jun-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Canada's Best Value Inn & Suites	48 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	29-Oct-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Canadian Ecology Centre	6902 Highway 17 E, Mattawa ON P0H 1V0	Routine Inspection	10-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Canadian Tire	30 Pine Drive, Parry Sound ON P2A 3B8	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
Canadian Tire	30 Pine Drive, Parry Sound ON P2A 3B8	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Canadian Tire Gas Bar	294 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	22-Jan-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Canadian Tire Gas Bar	294 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	22-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Canadian Tire Gas Bar	294 Louisa Street, Parry Sound ON P2A 0A1	Re-inspection	24-Jan-18	Food protected from potential contamination and adulteration	Satisfactory - No Action(s) Taken
Canadian Tire Gas Bar	294 Louisa Street, Parry Sound ON P2A 0A1	Re-inspection	24-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Satisfactory - No Action(s) Taken
Canadian Tire Gas Bar	294 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	14-Nov-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Canadian Tire Gas Bar	294 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Canadian Tire Gas Bar	294 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	14-Mar-19		Satisfactory - No Action(s) Taken
Canadian Tire Gas Bar	60 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	13-Feb-19		Satisfactory - No Action(s) Taken
Canadian Tire Gas Bar	1403 Algonquin Avenue, North Bay ON P1B 4Y6	Routine Inspection	17-Jul-19		Satisfactory - No Action(s) Taken
Canadore College	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	29-Jan-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Canadore College	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	29-Jan-19	Separate hand washing basin provided for food handlers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Canadore College	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	29-Jan-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Canadore College	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	17-Jul-19		Satisfactory - No Action(s) Taken
Canadore College - School of Hospitality	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	15-Mar-18		Satisfactory - No Action(s) Taken
Canadore College Aviation Cafeteria	55 Aviation Avenue, North Bay ON P1B 9N8	Routine Inspection	26-Feb-18		Satisfactory - No Action(s) Taken
Canadore College Aviation Cafeteria	55 Aviation Avenue, North Bay ON P1B 9N8	Routine Inspection	3-Jun-19		Satisfactory - No Action(s) Taken
Canadore College Aviation Cafeteria	55 Aviation Avenue, North Bay ON P1B 9N8	Routine Inspection	19-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Canadore College Aviation Cafeteria	55 Aviation Avenue, North Bay ON P1B 9N8	Routine Inspection	19-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Canadore College Commerce Court Campus - Cafeteria	60 Commerce Court, North Bay ON P1B 8G4	Routine Inspection	28-Feb-18		Satisfactory - No Action(s) Taken
Canadore College Commerce Court Campus-Cafeteria	60 Commerce Court, North Bay ON P1B 8G4	Routine Inspection	28-May-19		Satisfactory - No Action(s) Taken
Canadore College Commerce Court Campus-Cafeteria	60 Commerce Court, North Bay ON POG 1C0	Routine Inspection	20-Nov-19		Satisfactory - No Action(s) Taken
Canoe Algonquin	1914 Hwy 518 E, Kearney ON P0A 1M0	Routine Inspection	30-Apr-18		Satisfactory - No Action(s) Taken
Canoe Algonquin	RR 1-69 Hwy 124, Parry Sound ON P2A 2W7	Routine Inspection	16-May-19		Satisfactory - No Action(s) Taken
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	22-Feb-18		Satisfactory - No Action(s) Taken
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	27-Sep-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	27-Sep-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	27-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	27-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	6-Mar-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	6-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	6-Mar-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	7-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Canton Express	1107 Cassells Street, North Bay ON P1B 4B3	Routine Inspection	7-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Capstone Market	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	16-Jan-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Capstone Market	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	16-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Capstone Market	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	16-Jan-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Capstone Market	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	4-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Capstone Market	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	16-Jan-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	24-Jan-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	24-Jan-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	24-Jan-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Re-inspection	29-Jan-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	8-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	Mechanical ventilation operable where required	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	18-Dec-18	General housekeeping is satisfactory	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Re-inspection	1-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Re-inspection	1-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Re-inspection	1-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	7-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	7-Jun-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	7-Jun-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	7-Jun-19	Floors clean and in good repair	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	9-Sep-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	9-Sep-19	Floors clean and in good repair	Re-inspection Scheduled
Casey's Grill Bar	20 Maplewood Avenue, North Bay ON P1B 5H2	Re-inspection	10-Sep-19		Satisfactory - No Action(s) Taken
Cassellholme	400 Olive Street North Bay ON P1B 6J4	Routine Inspection	15-Apr-19		Satisfactory - No Action(s) Taken
Cassellholme	400 Olive Street, North Bay ON P1B 6J4	Routine Inspection	25-Apr-18		Satisfactory - No Action(s) Taken
Cassellholme	400 Olive Street, North Bay ON P1B 6J4	Routine Inspection	17-Aug-18		Satisfactory - No Action(s) Taken
Cassellholme	400 Olive Street, North Bay ON P1B 6J4	Routine Inspection	18-Dec-18		Satisfactory - No Action(s) Taken
Cassellholme	400 Olive Street, North Bay ON P1B 6J4	Routine Inspection	14-Aug-19		Satisfactory - No Action(s) Taken
Cassellholme	400 Olive Street, North Bay ON P1B 6J4	Routine Inspection	22-Oct-19		Satisfactory - No Action(s) Taken
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	17-Jan-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	17-Jan-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	9-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	9-Aug-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	9-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Oct-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Re-inspection	12-Nov-18		Satisfactory - No Action(s) Taken
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	28-Jan-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	28-Jan-19	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	28-Jan-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	28-Jan-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Re-inspection	8-Feb-19		Satisfactory - No Action(s) Taken
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Jul-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Jul-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Jul-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Caswell Resort Hotel	77 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Nov-19	Walls clean and in good repair	Re-inspection Scheduled
Catholic Center Food Bank Program	387 Algonquin Avenue, North Bay ON P1B 4W4	Routine Inspection	19-Mar-19		Satisfactory - No Action(s) Taken
Catholic Centre Food Ban	387 Algonquin Ave., North Bay ON P1B 4W4	Routine Inspection	23-Oct-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
CCY General Store-Home Hardware	31 South Shore Road, Hwy 644 Pointe Au Baril ON P0G 1K0	Routine Inspection	16-Aug-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Cecil's Brewhouse & Kitchen / The Grand Event Centre	300 Wyld Street, North Bay ON P1B 9S8	Routine Inspection	7-Jun-18		Satisfactory - No Action(s) Taken
Cecil's Brewhouse & Kitchen / The Grand Event Centre	300 Wyld Street, North Bay ON P1B 9S8	Routine Inspection	19-Nov-18		Satisfactory - No Action(s) Taken
Cecil's Brewhouse & Kitchen / The Grand Event Centre	300 Wyld Street, North Bay ON P1B 9S8	Routine Inspection	15-Apr-19		Satisfactory - No Action(s) Taken
Cecil's Brewhouse & Kitchen / The Grand Event Centre	300 Wyld Street, North Bay ON P1B 9S8	Routine Inspection	22-Jul-19		Satisfactory - No Action(s) Taken
Cecil's Brewhouse & Kitchen / The Grand Event Centre	300 Wyld Street, North Bay ON P1B 9S8	Routine Inspection	15-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Cedar Gables Bed & Breakfast	43 Line 3 North, Bonfield ON P0H 1E0	Routine Inspection	20-Dec-19		Satisfactory - No Action(s) Taken
Cedar Gables Bed and Breakfast	43 Line 3 North, Bonfield On P0H 1E0	Routine Inspection	14-May-19		Satisfactory - No Action(s) Taken
Centre d'Apprentissage du Nord-Est de l'Ontario	310 Algonquin Avenue, North Bay ON P1B 4W2	Routine Inspection	25-Oct-18		Satisfactory - No Action(s) Taken
Centre d'Apprentissage du Nord-Est de l'Ontario	310 Algonquin Avenue, North Bay ON P1B 4W2	Routine Inspection	26-Nov-19		Satisfactory - No Action(s) Taken
Centre d'Apprentissage du Nord-Est de l'Ontario	310 Algonquin Avenue, North Bay ON P1B4W2	Routine Inspection	19-Jun-18		Satisfactory - No Action(s) Taken
Centre Social et Culturel de Lavigne	10 Caron Road RR 1, Lavigne ON P0H 1R0	Routine Inspection	20-Feb-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Centre Social et Culturel de Lavigne	10 Caron Road RR 1, Lavigne ON P0H 1R0	Routine Inspection	20-Feb-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Centre Social et Culturel de Lavigne	10 Caron Road RR 1, Lavigne ON P0H 1R0	Re-inspection	13-Mar-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Centre Social et Culturel de Lavigne	10 Caron Road RR 1, Lavigne ON P0H 1R0	Re-inspection	25-Apr-19		Satisfactory - No Action(s) Taken
Centre Social et Culturel de Lavigne	10 Caron Road RR 1, Lavigne ON P0H 1R0	Routine Inspection	28-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Chalmers United Church	131 Ottawa Street W, South River ON P0A 1X0	Routine Inspection	28-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Charles W. Stockey Centre	2 Bay Street, Parry Sound ON P2A 1S3	Complaint & Compliance	4-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Chatelanes Bowling	12025 Hwy 17 E, Sturgeon Falls ON P0H 1R0	Routine Inspection	26-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Chatelanes Bowling	12025 Hwy 17 E, Sturgeon Falls ON P0H 1R0	Routine Inspection	26-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Chaudiere Lodge	Island WB9-97, Lake Nipissing, Monetville ON P0M 2K0	Routine Inspection	7-Aug-18		Satisfactory - No Action(s) Taken
Chaudiere Lodge	Island WB9-97, Lake Nipissing, Monetville ON P0M 2K0	Routine Inspection	18-Jun-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Chaudiere Lodge	Island WB9-97, Lake Nipissing, Monetville, ON P0M 2K0	Routine Inspection	6-Jun-18		Satisfactory - No Action(s) Taken
Chaudiere Lodge	Island WB9-97, Lake Nipissing, Monetville, ON P0M 2K0	Routine Inspection	13-Aug-19		Satisfactory - No Action(s) Taken
Cheffy's Last Stop	406 Lakeshore Drive, North Bay ON P1A 2C6	Routine Inspection	27-Nov-18		Satisfactory - No Action(s) Taken
Cheffy's Last Stop	406 Lakeshore Drive, North Bay ON P1A 2C6	Routine Inspection	27-Nov-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Cheffy's Last Stop	406 Lakeshore Drive, North Bay ON P1A 2C6	Routine Inspection	27-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Cheffy's Last Stop	406 Lakeshore Drive, North Bay ON P1A 2C6	Routine Inspection	27-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Chetwynd Chip Stand	2519 Chetwynd Road, Burks Falls ON P0A 1C0	Routine Inspection	27-Jun-19		Satisfactory - No Action(s) Taken
Chevaliers De Colombe	13643 Hwy 64, Field ON P0H 1M0	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Chevaliers De Colombe	13643 Hwy 64, Field ON P0H 1M0	Routine Inspection	3-Dec-19		Satisfactory - No Action(s) Taken
Chez Jean Marc Bakery Boulangerie	C-48 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	1-Feb-18		Satisfactory - No Action(s) Taken
Chez Jean Marc Bakery Boulangerie	C-48 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	26-Sep-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Chez Jean Marc Bakery Boulangerie	C-48 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	7-Feb-19		Satisfactory - No Action(s) Taken
Chez Nous Cafeteria	50 Queen Street, Sturgeon Falls ON P2B 2C8	Routine Inspection	7-Mar-18		Satisfactory - No Action(s) Taken
Chez Nous Cafeteria	50 Queen Street, Sturgeon Falls ON P2B 2C8	Routine Inspection	4-Dec-18		Satisfactory - No Action(s) Taken
Chez Nous Cafeteria	50 Queen Street, Sturgeon Falls ON P2B 2C8	Routine Inspection	16-May-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Chez Nous Cafeteria	50 Queen Street, Sturgeon Falls ON P2B 2C8	Routine Inspection	13-Sep-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	7-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	7-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	7-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	26-Nov-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	20-Mar-19		Satisfactory - No Action(s) Taken
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	19-Jul-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	19-Jul-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	19-Jul-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Corrected During Inspection
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	19-Jul-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Routine Inspection	19-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
China Garden Restaurant	458 Main Street, Powassan ON P0H 1Z0	Re-inspection	22-Jul-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Chippewa High School - Breakfast Program	539 Chippewa Street, North Bay ON P1B 6G8	Routine Inspection	16-Nov-18		Satisfactory - No Action(s) Taken
Chippewa High School - Breakfast Program	539 Chippewa Street, North Bay ON P1B 6G8	Routine Inspection	25-Nov-19		Satisfactory - No Action(s) Taken
Chippewa Intermediate School	539 Chippewa Street W, North Bay ON P1B 6G8	Routine Inspection	19-Oct-18		Satisfactory - No Action(s) Taken
Chippewa Intermediate School	539 Chippewa Street W, North Bay ON P1B 6G8	Routine Inspection	4-Jun-18		Satisfactory - No Action(s) Taken
Chippewa Intermediate School	539 Chippewa Street W, North Bay ON P1B 6G8	Routine Inspection	22-Oct-19		Satisfactory - No Action(s) Taken
Chips "R" us	Box 74, Britt ON P0G 1AC	Routine Inspection	19-Aug-19		Satisfactory - No Action(s) Taken
Chips 'R' Us	Box 74, Britt ON P0G 1A0	Routine Inspection	4-Sep-18	Mechanical ventilation operable where required	Re-inspection Scheduled
Chisholm Country Market and Feed	1497 Alderdale Road, Chisholm ON P0H 1Z0	Routine Inspection	15-Feb-19		Satisfactory - No Action(s) Taken
Chisholm Country Market and Feed	1497 Alderdale Road, Chisholm ON P0H 1Z0	Routine Inspection	28-Nov-18		Satisfactory - No Action(s) Taken
Chocpaw Expeditions	1 Industrial Park Road, South River ON P0A 1X0	Routine Inspection	25-Jan-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Chocpaw Expeditions	1 Industrial Park Road, South River ON P0A 1X0	Routine Inspection	25-Jan-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Chocpaw Expeditions	1 Industrial Park Road, South River ON P0A 1X0	Re-inspection	26-Jan-18		Satisfactory - No Action(s) Taken
Chocpaw Expeditions	1 Industrial Park Road, South River ON P0A 1X0	Routine Inspection	20-Dec-18		Satisfactory - No Action(s) Taken
Chocpaw Expeditions	1 Industrial Park Road, South River ON P0A 1X0	Routine Inspection	19-Mar-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	23-Nov-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food is cooled from 60°C (140°F) to 20°C (68°F) within 2 hours	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food is cooled from 20°C (68°F) to 4°C (40°F) within 4 hours	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food is cooled from 60°C (140°F) to 20°C (68°F) within 2 hours	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food is cooled from 20°C (68°F) to 4°C (40°F) within 4 hours	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	12-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Re-inspection	17-Apr-19		Satisfactory - No Action(s) Taken
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	16-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	16-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Re-inspection	23-Aug-19		Satisfactory - No Action(s) Taken
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	6-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	6-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Chopsticks	1160 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	6-Dec-19	Walls clean and in good repair	Re-inspection Scheduled
Church of the Redeemer	15 Oak Street, Rosseau ON P0C 1J0	Routine Inspection	29-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Churchills Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	21-Feb-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Churchills Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	28-Mar-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Churchills Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Apr-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Churchills Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	13-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	13-Dec-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	13-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	13-Dec-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	13-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	13-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	13-Dec-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	13-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Dec-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Dec-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	18-Dec-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	16-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	16-Apr-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	16-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	16-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Churchill's Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	8-May-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Churchills Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	20-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Churchills Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Routine Inspection	20-Aug-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Churchills Restaurant	631 Lakeshore Drive, North Bay ON P1A 2E7	Re-inspection	21-Aug-19		Satisfactory - No Action(s) Taken
Circle K	113 Front Street, Sturgeon Falls ON P2B 2H5	Routine Inspection	20-Nov-19	Floors clean and in good repair	Corrected During Inspection
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	12-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Circle K	621 Cassells Street, North Bay ON P1B 4A1	Re-inspection	17-Apr-19		Satisfactory - No Action(s) Taken
Circle K	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	8-May-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Circle K	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	8-May-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Circle K	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	8-May-19	Floors clean and in good repair	Re-inspection Scheduled
Circle K # 1276	617 Main Street East, North Bay ON P1B 1B9	Re-inspection	13-Dec-19		Satisfactory - No Action(s) Taken
Circle K # 5	183 Lakeshore Drive, North Bay ON P1A 2B4	Routine Inspection	4-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Circle K # 5	183 Lakeshore Drive, North Bay ON P1A 2B4	Routine Inspection	4-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Circle K # 5	183 Lakeshore Drive, North Bay ON P1A 2B4	Re-inspection	26-Nov-19		Satisfactory - No Action(s) Taken
Circle K #34	1128 Fisher Street, North Bay ON P1B 2G7	Routine Inspection	2-Oct-19		Satisfactory - No Action(s) Taken
Circle K #66	95 Church Street, Parry Sound ON P2A 1Z2	Routine Inspection	11-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Circle K #66	95 Church Street, Parry Sound ON P2A 1Z2	Re-inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Circle K #66	95 Church Street, Parry Sound ON P2A 1Z2	Routine Inspection	31-Oct-19		Satisfactory - No Action(s) Taken
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	1-Feb-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	1-Feb-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	1-Feb-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	1-Feb-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	1-Feb-18	Frequency of garbage removal	Re-inspection Scheduled
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	1-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Re-inspection	2-Feb-18		Satisfactory - No Action(s) Taken
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Re-inspection	22-Feb-18		Satisfactory - No Action(s) Taken
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	20-Jul-18		Satisfactory - No Action(s) Taken
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	13-Mar-19		Satisfactory - No Action(s) Taken
Circle K #71	3 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	4-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Circle K 26	1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	23-Jul-19		Satisfactory - No Action(s) Taken
Circle K 4	1100 Lavery Street, North Bay ON P1B 5B1	Routine Inspection	19-Jul-19		Satisfactory - No Action(s) Taken
Circle K Store	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	26-Nov-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Circle K Store	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	26-Nov-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Circle K Store	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	26-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Circle K Store	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	26-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Circle K Store	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	26-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Circle K Store	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	26-Nov-19	Walls clean and in good repair	Re-inspection Scheduled
Circle K Store	1146 Cassells Street, North Bay ON P1B 4B5	Re-inspection	3-Dec-19		Satisfactory - No Action(s) Taken
Circle K Store 22	524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	24-Sep-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Circle K Store 28	Callander Square, Callander ON P0H 1H0	Routine Inspection	25-Sep-19		Satisfactory - No Action(s) Taken
Circle K# 66	95 Church Street, Parry Sound ON P2A 1Z2	Routine Inspection	13-Jun-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Clear Springs Golf	870 Golf Course Road, Chisholm ON P0H 1Z0	Routine Inspection	14-Sep-18		Satisfactory - No Action(s) Taken
Clear Springs Golf	870 Golf Course Road, Chisholm ON P0H 1Z0	Routine Inspection	30-May-19		Satisfactory - No Action(s) Taken
Clear Springs Golf Course	870 Golf Course Road, Chisholm Township, ON P0H 1Z0	Routine Inspection	9-May-18		Satisfactory - No Action(s) Taken
Clear Springs Golf Course	870 Golf Course Road, Powassan ON P0H 1Z0	Routine Inspection	13-Sep-19		Satisfactory - No Action(s) Taken
Clement's IDA Pharmacy	497 Main Street North, Powassan ON P0H 1Z0	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Club D'Age D'Or	1-109 Third Street, Sturgeon Falls ON P2B 3A7	Routine Inspection	27-Mar-18		Satisfactory - No Action(s) Taken
Club D'Age D'Or	1-109 Third Street, Sturgeon Falls ON P2B 3A7	Routine Inspection	16-May-19		Satisfactory - No Action(s) Taken
Club D'Age D'Or (Golden Age Club)	109 Third Street, Sturgeon Falls ON P2B 1Y6	Routine Inspection	22-Nov-18		Satisfactory - No Action(s) Taken
Club D'Age D'Or (Golden Age Club)	109 Third Street, Sturgeon Falls ON P2B 1Y6	Routine Inspection	13-Nov-19		Satisfactory - No Action(s) Taken
Club D'Age D'Or	116 Jacques Street, River Valley ON P0H 2C0	Routine Inspection	4-Dec-18		Satisfactory - No Action(s) Taken
Club D'Age D'Or	116 Jacques Street, River Valley ON P0H 2C0	Routine Inspection	6-Dec-19		Satisfactory - No Action(s) Taken
Club D'Age D'Or	65 Jarbeau Street, Field ON P0H 1M0	Routine Inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Club D'Age D'Or	65 Jarbeau Street, Field ON P0H 1M0	Routine Inspection	4-Dec-19		Satisfactory - No Action(s) Taken
Cold Cow	C204 Main Street E, North Bay ON P1B 1B2	Routine Inspection	9-Sep-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Collin's Valu-Mart	24 Commercial Drive, Burks Falls ON P0A 1C0	Routine Inspection	10-Apr-18		Satisfactory - No Action(s) Taken
Collin's Valu-Mart	24 Commercial Drive, Burks Falls ON P0A 1C0	Routine Inspection	16-Nov-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Collin's Valu-Mart	24 Commercial Drive, Burks Falls ON P0A 1C0	Re-inspection	23-Nov-18		Satisfactory - No Action(s) Taken
Collin's Valu-Mart	24 Commercial Drive, Burks Falls ON P0A 1C0	Routine Inspection	03-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Collin's Valu-Mart	24 Commercial Drive, Burks Falls ON P0A 1C0	Routine Inspection	03-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Collin's Valu-Mart	24 Commercial Drive, Burks Falls ON P0A 1C0	Re-inspection	26-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Collin's Valu-Mart	24 Commercial Drive, Burks Falls ON P0A 1C0	Routine Inspection	2-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Collin's Valu-Mart	24 Commercial Drive, Burks Falls ON P0A 1C0	Routine Inspection	2-Dec-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Comfort Inn	120 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	15-Mar-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Comfort Inn	120 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	15-Mar-18	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Comfort Inn	120 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	15-Mar-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Comfort Inn	120 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	14-Nov-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Comfort Inn	120 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Comfort Inn	120 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	9-May-19		Satisfactory - No Action(s) Taken
Comfort Inn	1200 O'Brien St, North Bay ON P1B 9B3	Routine Inspection	13-Mar-19		Satisfactory - No Action(s) Taken
Comfort Inn	1200 O'Brien Street, North Bay ON P1B 9B3	Routine Inspection	14-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Comfort Inn	1200 O'Brien Street, North Bay ON P1B 9B3	Routine Inspection	14-Jun-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Comfort Inn	1200 O'Brien Street, North Bay ON P1B 9B3	Routine Inspection	14-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Comfort Inn	1200 O'Brien Street, North Bay ON P1B 9B3	Routine Inspection	14-Jun-18	Milk and milk products	Corrected During Inspection
Comfort Inn	1200 O'Brien Street, North Bay ON P1B 9B3	Re-inspection	29-Jun-18		Satisfactory - No Action(s) Taken
Comfort Inn	1200 O'Brien Street, North Bay ON P1B 9B3	Routine Inspection	24-Sep-18	General housekeeping is satisfactory	Corrected During Inspection
Comfort Inn	676 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	10-Dec-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Comfort Inn	676 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	10-Dec-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Comfort Inn	676 Lakeshore Drive, North Bay ON P1A 2G4	Re-inspection	5-Feb-19		Satisfactory - No Action(s) Taken
Comfort Inn	676 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	5-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Comfort Inn	11 Front Street, Sturgeon Falls ON P2B 3L3	Routine Inspection	23-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Comfort Inn	11 Front Street, Sturgeon Falls ON P2B 3L3	Routine Inspection	28-Jan-19		Satisfactory - No Action(s) Taken
Comfort Inn	1200 O'Brien Street, North Bay ON P1B 9B3	Routine Inspection	30-Jul-19		Satisfactory - No Action(s) Taken
Commanda Community Centre	Nipissing-Lot 4, Conc. A Commanda ON P0H 1J0	Routine Inspection	16-May-19		Satisfactory - No Action(s) Taken
Commanda Museum	Hwy 522, Commanda ON P0H1J0	Routine Inspection	29-Aug-18		Satisfactory - No Action(s) Taken
Copper Grill	222 Main Street, Sturgeon Falls ON P2B 2Z6	Routine Inspection	12-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Copper Grill	222 Main Street, Sturgeon Falls ON P2B 2Z6	Routine Inspection	15-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Copper Grill	222 Main Street, Sturgeon Falls ON P2B 2Z6	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Copper Grill	222 Main Street, Sturgeon Falls ON P2B 2Z6	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Copper Grill	222 Main Street, Sturgeon Falls ON P2B 2Z6	Routine Inspection	4-Dec-19		Satisfactory - No Action(s) Taken
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Routine Inspection	6-Mar-18		Satisfactory - No Action(s) Taken
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Routine Inspection	14-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Routine Inspection	14-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Routine Inspection	14-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Routine Inspection	14-Aug-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Re-inspection	23-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Re-inspection	23-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Re-inspection	23-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Re-inspection	11-Oct-18		Satisfactory - No Action(s) Taken
Corbeil Four Seasons Club	1482 Corbeil Road, Corbeil ON P0H 1K0	Routine Inspection	11-Jun-19		Satisfactory - No Action(s) Taken
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	17-Oct-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	17-Oct-18	Food handler hygiene	Re-inspection Scheduled
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	17-Oct-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	17-Oct-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	17-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	17-Oct-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	12-Sep-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	12-Sep-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	12-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	12-Sep-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Corbeil Park Hall	392 Highway 94, Corbeil ON, P0H 1K0	Routine Inspection	12-Sep-19	Ceilings clean and in good repair	Re-inspection Scheduled
Cottage Lawn Canteen	1141 Hwy 141, Rosseau ON P0C 1J0	Routine Inspection	7-Nov-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Re-inspection	16-Nov-18		Satisfactory - No Action(s) Taken
Country Style Donuts	211 King Street, Eldee, ON P0H 2J0	Complaint	7-Jun-18		Satisfactory - No Action(s) Taken
Country Style Donuts - Eldee	211 King Street, Eldee, ON P0H 2J0	Routine Inspection	14-Feb-18		Satisfactory - No Action(s) Taken
Country Style Donuts-Eldee	211 King Street, Eldee ON P0H 2J0	Routine Inspection	5-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Country Style Donuts-Eldee	211 King Street, Eldee ON P0H 2J0	Routine Inspection	5-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Country Style Donuts-Eldee	211 King Street, Eldee ON P0H 2J0	Routine Inspection	5-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Country Style Donuts-Eldee	211 King Street, Eldee ON P0H 2J0	Routine Inspection	12-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Country Style Donuts-Eldee	211 King Street, Eldee ON P0H 2J0	Routine Inspection	12-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Country Style Donuts-Eldee	211 King Street, Eldee, ON P0H 2J0	Routine Inspection	20-Dec-18		Satisfactory - No Action(s) Taken
Country Style Donuts-Eldee	211 King Street, Eldee, ON P0H 2J0	Routine Inspection	5-Jun-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Country Style Donuts-Eldee	211 King Street, Eldee, ON P0H 2J0	Routine Inspection	5-Jun-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Country Style Donuts-Eldee	211 King Street, Eldee, ON P0H 2J0	Routine Inspection	5-Jun-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Cox's General store	P.O. Box 1158, Sundridge ON P0A 1Z0	Routine Inspection	9-Aug-18		Satisfactory - No Action(s) Taken
Craganmor Point Resort	85 B704 McLaren Island, Archipelago ON	Routine Inspection	20-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Craganmor Point Resort	General Delivery, Parry Sound ON P2A 2X2	Routine Inspection	24-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Crepe Expectations	Community Event Vendor	Routine Inspection	10-May-18		Satisfactory - No Action(s) Taken
Crisis Centre North Bay Nipissing Detention Centre	45 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	14-Mar-18		Satisfactory - No Action(s) Taken
Crisis Centre North Bay Nipissing Detention Centre	45 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	24-Oct-18		Satisfactory - No Action(s) Taken
Crisis Centre North Bay Nipissing Detention Centre	45 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	23-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Crisis Centre North Bay Nipissing Detention Centre	45 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
Crossroad Restaurant	10401 Highway 17, Verner ON P0H 2M0	Routine Inspection	24-Apr-18		Satisfactory - No Action(s) Taken
Crossroad Restaurant	10401 Highway 17, Verner ON P0H 2M0	Routine Inspection	26-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Crossroad Restaurant	10401 Highway 17, Verner ON P0H 2M0	Routine Inspection	26-Mar-19	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Crossroad Restaurant	10401 Highway 17, Verner ON P0H 2M0	Routine Inspection	24-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Crossroad Restaurant	10401 Highway 17, Verner ON P0H 2M0	Routine Inspection	24-Sep-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Crossroad Restaurant	10401 Hwy 17, Verner ON P0H 2M0	Routine Inspection	24-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Crossroad Restaurant	10401 Hwy 17, Verner ON P0H 2M0	Routine Inspection	24-Sep-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Crossroads Gourmet Coffee Shop	5 Cardwell Road, Rosseau ON P0C 1J0	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
Crossroads Pub & Grill	2 Cardwell Road Rosseau ON P0C 1J0	Routine Inspection	6-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Crossroads Pub & Grill	2 Cardwell Road, Rosseau ON P0C 1J0	Routine Inspection	6-Nov-19		Satisfactory - No Action(s) Taken
Crossroads Pub & Grill	5 Cardwell Road, Rosseau ON P0C 1J0	Routine Inspection	28-Mar-18		Satisfactory - No Action(s) Taken
Crossroads Pub & Grill	5 Cardwell Road, Rosseau ON P0C 1J0	Routine Inspection	29-Mar-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Crossroads Pub & Grill	5 Cardwell Road, Rosseau ON P0C 1J0	Routine Inspection	29-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Crossroads Pub & Grill	5 Cardwell Road, Rosseau ON P0C 1J0	Routine Inspection	4-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Crossroads Pub & Grill	5 Cardwell Road, Rosseau ON P0C 1J0	Routine Inspection	4-Jul-19	Mechanical ventilation operable where required	Corrected During Inspection
Crown and Beaver Pub (The)	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	28-Aug-18		Satisfactory - No Action(s) Taken
Crow's Nest Lodge	7044 Hwy 534, Nipissing ON P0H 1W0	Routine Inspection	6-Feb-18		Satisfactory - No Action(s) Taken
Crow's Nest Lodge	7044 Hwy 534, Nipissing ON P0H 1W0	Routine Inspection	4-Mar-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Crow's Nest Lodge	7044 Hwy 534, Nipissing ON P0H 1W0	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
Curb Your Appetite	108 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	25-Apr-18		Satisfactory - No Action(s) Taken
Curb Your Appetite	108 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	25-Apr-18		Satisfactory - No Action(s) Taken
Curb Your Appetite	108 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	26-Apr-19		Satisfactory - No Action(s) Taken
Curb Your Appetite	108 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	10-Aug-19		Satisfactory - No Action(s) Taken
Curb Your Appetite	108 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	10-Aug-19		Satisfactory - No Action(s) Taken
Curbside Fries Mobile	North Bay Water Front, North Bay, ON	Routine Inspection	24-May-19		Satisfactory - No Action(s) Taken
Curry in a Hurry	327 Dudley Avenue, North Bay ON P1B 7A4	Routine Inspection	16-Feb-18		Satisfactory - No Action(s) Taken
Curry in a Hurry BTI	327 Dudley Avenue, North Bay ON P1B 7A4	Routine Inspection	18-Sep-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Dairy Queen	231 Lakeshore Drive, North Bay ON P1A 2B8	Routine Inspection	9-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Dairy Queen	231 Lakeshore Drive, North Bay ON P1A 2B8	Routine Inspection	21-Nov-18		Satisfactory - No Action(s) Taken
Dairy Queen	93 Church Street, Parry Sound ON P2A 1Z2	Routine Inspection	25-Jun-18		Satisfactory - No Action(s) Taken
Dairy Queen Orange Julius	FC7 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	22-May-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Dairy Queen Orange Julius	FC7 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	22-May-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Dairy Queen Orange Julius	FC7 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	6-Dec-18		Satisfactory - No Action(s) Taken
Dairy Queen Orange Julius	FC7 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	20-Feb-19		Satisfactory - No Action(s) Taken
Dalew Farms	10781 Hwy 65, Lavigne ON P0H 1R0	Routine Inspection	17-Jan-19		Satisfactory - No Action(s) Taken
Danny's Justa Pasta	367 Valley View Road, Sundridge Ontario P0A 1C0	Routine Inspection	18-Apr-19		Satisfactory - No Action(s) Taken
Danny's Justa Pasta	367 Valley View Road, Sundridge Ontario P0A 1C0	Routine Inspection	29-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Danny's Justa Pasta	367-Valley View Road, Sundridge ON P0A 1Z0	Routine Inspection	8-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Routine Inspection	17-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Re-inspection	17-Sep-18		Satisfactory - No Action(s) Taken
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	28-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Re-inspection	5-Jul-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Re-inspection	5-Jul-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Re-inspection	5-Jul-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Re-inspection	27-Jul-18		Satisfactory - No Action(s) Taken
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Re-inspection	22-Nov-18		Satisfactory - No Action(s) Taken
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	7-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	7-Mar-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	7-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	7-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Re-inspection	15-Mar-19		Satisfactory - No Action(s) Taken
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	10-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	26-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	26-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	26-Nov-19	Walls clean and in good repair	Re-inspection Scheduled
Dave's Green Papaya	652 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	26-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
Day's Inn	340 Main Street W, North Bay ON P1B 9V1	Routine Inspection	8-May-18		Satisfactory - No Action(s) Taken
Day's Inn	340 Main Street W, North Bay ON P1B 9V1	Routine Inspection	28-Sep-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Day's Inn	340 Main Street W, North Bay ON P1B 9V1	Routine Inspection	28-Sep-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Day's Inn	340 Main Street W, North Bay ON P1B 9V1	Routine Inspection	28-Sep-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Days Inn & Suites	340 Main Street W, North Bay ON P1B 9V1	Routine Inspection	28-Mar-19		Satisfactory - No Action(s) Taken
Days Inn & Suites	340 Main Street W, North Bay ON P1B 9V1	Routine Inspection	11-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Days Inn & Suites	340 Main Street W, North Bay ON P1B 9V1	Routine Inspection	11-Oct-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
De Novo Treatment Centre	279 Adams Road, Sundridge ON P0A 1Z0	Routine Inspection	30-Apr-18		Satisfactory - No Action(s) Taken
De Novo Treatment Centre	279 Adams Road, Sundridge ON P0A 1Z0	Routine Inspection	30-Apr-18		Satisfactory - No Action(s) Taken
Deals North Bay	1334 Harriet Street, North Bay ON P1B 2X2	Routine Inspection	4-Sep-19		Satisfactory - No Action(s) Taken
Deals North Bay	1334 Harriet Street, North Bay ON P1B 2X2	Routine Inspection	28-Nov-19		Satisfactory - No Action(s) Taken
Debanna Farms Feed & Variety Store	2352 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
Deer Run Golf Course	RR 1-290 McDougall Road E, Parry Sound ON P2A 2W7	Routine Inspection	4-Jun-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Deer Run Golf Course	RR 1-290 McDougall Road E, Parry Sound ON P2A 2W7	Routine Inspection	4-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Deer Run Golf Course	RR 1-290 McDougall Road E, Parry Sound ON P2A 2W7	Routine Inspection	4-Jun-18	Frequency of garbage removal	Re-inspection Scheduled
Deer Run Golf Course	RR 1-290 McDougall Road E, Parry Sound ON P2A 2W7	Routine Inspection	4-Jun-18	Exclusion of live animals on the premises, subject to exemptions	Corrected During Inspection
Deer Run Golf Course	RR 1-290 McDougall Road E, Parry Sound ON P2A 2W7	Routine Inspection	13-Sep-18		Satisfactory - No Action(s) Taken
Deer Run Golf Course	RR 1-290 McDougall Road E, Parry Sound ON P2A 2W7	Routine Inspection	25-Jun-19		Satisfactory - No Action(s) Taken
Di Salvo's Bella Cucina	2 Bay Street, Parry Sound ON P2A 1T2	Routine Inspection	7-May-19		Satisfactory - No Action(s) Taken
Di Salvo's Bella Cucina	2 James Street, Parry Sound ON P2A 1T2	Routine Inspection	17-Dec-19		Satisfactory - No Action(s) Taken
Dianne's Catering	406 Lakeshore Drive, North Bay ON P1A 2C6	Routine Inspection	4-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Dillon Cove Marina & Resort - Store	1 Parker Lane, Nobel ON P0G 1G0	Routine Inspection	28-Jun-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Dillon Cove Marina & Resort - Store	1 Parker Lane, Nobel ON P0G 1G0	Routine Inspection	28-Jun-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Dillon Cove Marina & Resort - Store	1 Parker Lane, Nobel ON P0G 1G0	Routine Inspection	28-Jun-18	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Dillon Cove Marina and Resort Inc.	1 Parker Lane, Nobel ON P0G 1G0	Routine Inspection	22-Aug-19		Satisfactory - No Action(s) Taken
Dinnerbell	4-531 Highway 17, Bonfield ON P0H 1E0	Routine Inspection	28-Mar-19		Satisfactory - No Action(s) Taken
Dinnerbell Restaurant & Motel	4-531 Highway 17, Bonfield ON P0H 1E0	Routine Inspection	7-Mar-18		Satisfactory - No Action(s) Taken
Dinnerbell Restaurant & Motel	4-531 Highway 17, Bonfield ON P0H 1E0	Routine Inspection	26-Jul-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Dinnerbell Restaurant & Motel	Unit 4, 531 Hwy 17, Bonfield ON P0H 1E0	Routine Inspection	22-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Dino's Dairy Bar & Deli	173B King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	6-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Dino's Dairy Bar & Deli	173B King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	6-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Dino's	Hwy 94 & 17, Corbeil ON P1B 8G2	Routine Inspection	9-May-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Dino's	Hwy 94 & 17, Corbeil ON P1B 8G2	Routine Inspection	9-May-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
Dino's	Hwy 94 & 17, Corbeil ON P1B 8G2	Routine Inspection	9-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Dippin' Dots	Community Event Vendor	Routine Inspection	1-Mar-18		Satisfactory - No Action(s) Taken
Dollarama	194 Front Street, Sturgeon Falls ON P2B 2J3	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
Domino's Pizza	41 Lakeshore Drive, North Bay ON P1A 2A1	Routine Inspection	7-May-18		Satisfactory - No Action(s) Taken
Domino's Pizza	41 Lakeshore Drive, North Bay ON P1A 2A1	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	16-Jan-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Re-inspection	18-Jan-18		Satisfactory - No Action(s) Taken
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Re-inspection	16-Feb-18		Satisfactory - No Action(s) Taken
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	27-Jul-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	27-Jul-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	27-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Re-inspection	30-Jul-18		Satisfactory - No Action(s) Taken
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	22-Nov-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	22-Nov-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	22-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	22-Nov-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	22-Nov-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	13-Feb-19	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	13-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	13-Feb-19	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	19-Aug-19	Frozen food is kept in a frozen state until sold or prepared for use	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	19-Aug-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	19-Aug-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	19-Aug-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	19-Aug-19	General housekeeping is satisfactory	Re-inspection Scheduled
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	25-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	25-Nov-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	25-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	25-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Don Cherry's	6 Bowes Street, Parry Sound ON P2A 2K6	Re-inspection	27-Nov-19		Satisfactory - No Action(s) Taken
Don's Butcher Shop	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	27-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Don's Pub & Grill	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	27-Sep-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Don's Pub & Grill	172 King Street, Sturgeon Falls ON P2B 1R5	Re-inspection	16-Oct-18		Satisfactory - No Action(s) Taken
Don's Butcher Shop	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	19-Mar-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Don's Butcher Shop	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	11-Feb-19		Satisfactory - No Action(s) Taken
Don's Butcher Shop	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	13-Sep-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Don's Butcher Shop	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	13-Sep-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Don's Pub & Grill	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	19-Mar-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Don's Pub & Grill	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	11-Feb-19		Satisfactory - No Action(s) Taken
Don's Pub & Grill	172 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	13-Sep-19		Satisfactory - No Action(s) Taken
Double Decker Take-out	59 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	6-Feb-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Double Decker Take-Out	59 Ontario Street, Sundridge ON P0A 1Z0	Re-inspection	12-Apr-18		Satisfactory - No Action(s) Taken
Double Decker Take-Out	59 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	21-Sep-18		Satisfactory - No Action(s) Taken
Double Decker Take-Out	59 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	02-May-19		Satisfactory - No Action(s) Taken
Double Decker Take-Out	59 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	26-Sep-19		Satisfactory - No Action(s) Taken
Downtown Variety & Video	180 Main Street E, North Bay ON P1B 1A8	Routine Inspection	19-Nov-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Downtown Variety & Video	180 Main Street E, North Bay ON P1B 1A8	Routine Inspection	4-Jun-19		Satisfactory - No Action(s) Taken
Downtown Variety & Video	180 Main Street E, North Bay ON P1B 1A8	Routine Inspection	4-Jun-19		Satisfactory - No Action(s) Taken
Downtown Variety & Video	180 Main Street E, North Bay ON P1B 1A8	Routine Inspection	9-Sep-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-May-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-May-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-May-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	19-Mar-19		Satisfactory - No Action(s) Taken
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	4-Nov-19	Ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	4-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	4-Nov-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Dr. Pizza	9-1495 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	4-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Dragon's Café	RR2-2246 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	14-Sep-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Dragon's Café	RR2-2246 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	14-Sep-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Dragon's Café	RR2-2246 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	14-Sep-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Dragon's Café	RR2-2246 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	14-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Dragon's Café	RR2-2246 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	14-Sep-18	General housekeeping is satisfactory	Re-inspection Scheduled
Dragon's Café	RR2-2246 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	8-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Dragon's Café	RR2-2246 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	8-Aug-19	Floors clean and in good repair	Corrected During Inspection
Dragon's Café	RR2-2246 Highway 124, Dunchurch ON P0A 1G0	Re-inspection	9-Aug-19		Satisfactory - No Action(s) Taken
Dual Rill Farms	8154 Hwy 522, Golden Valley ON P0H 1N0	Routine Inspection	19-Feb-19		Satisfactory - No Action(s) Taken
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	15-Mar-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	15-Mar-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	15-Mar-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	15-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Re-inspection	23-Mar-18		Satisfactory - No Action(s) Taken
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	18-Oct-18		Satisfactory - No Action(s) Taken
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	11-Apr-19		Satisfactory - No Action(s) Taken
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	11-Apr-19		Satisfactory - No Action(s) Taken
Duck Rock Resort	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	28-Oct-19		Satisfactory - No Action(s) Taken
Duck Rock Restaurant	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	11-Apr-19		Satisfactory - No Action(s) Taken
Duck Rock Restaurant	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	11-Apr-19		Satisfactory - No Action(s) Taken
Duck Rock Restaurant	2093 Hwy 124, Dunchurch ON P0A 1G0	Routine Inspection	24-Oct-19		Satisfactory - No Action(s) Taken
Dunchurch Community Centre	21 Church Street, Dunchurch ON P0A 1G0	Routine Inspection	9-Mar-18		Satisfactory - No Action(s) Taken
Dunchurch Community Centre	21 Church Street, Dunchurch ON P0A 1G0	Routine Inspection	25-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Dunchurch Community Centre	21 Church Street, Dunchurch ON P0A 1G0	Routine Inspection	25-Jun-19	Proper storage of single-service containers/articles (utensils)	Re-inspection Scheduled
Dunchurch Community Centre	21 Church Street, Dunchurch ON P0A 1G0	Re-inspection	10-Jul-19		Satisfactory - No Action(s) Taken
Eagle Lake Golf Club	2035 Eagle Lake Road, South River Ontario P0A 1X0	Routine Inspection	29-May-18		Satisfactory - No Action(s) Taken
Eagle Lake Golf Club	2035 Eagle Lake Road, South River Ontario P0A 1X0	Routine Inspection	12-Jun-19		Satisfactory - No Action(s) Taken
Eagle Lake Narrows Country Store	2370 Eagle Lake Road, South River Ontario P0A 1X0	Routine Inspection	29-May-18	Dipper well with running water	Corrected During Inspection
Eagle Lake Narrows Country Store	2370 Eagle Lake Road, South River Ontario P0A 1X0	Routine Inspection	30-Apr-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Eagle Lake Narrows Country Store	2370 Eagle Lake Road, South River Ontario P0A 1X0	Routine Inspection	30-Apr-19	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Eagle Lake Store	2370 Eagle Lake Road, South River Ontario P0A 1X0	Routine Inspection	30-Sep-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
East Ferris Community Centre	1267 Village Road, Astorville ON P0H 1B0	Routine Inspection	15-Feb-18		Satisfactory - No Action(s) Taken
East Ferris Community Centre	1267 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Apr-19		Satisfactory - No Action(s) Taken
East Ferris Community Centre	1267 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Apr-19		Satisfactory - No Action(s) Taken
East Side Mario's	285 Lakeshore Drive, North Bay ON P1A 2B9	Routine Inspection	6-Mar-18		Satisfactory - No Action(s) Taken
East Side Mario's	285 Lakeshore Drive, North Bay ON P1A 2B9	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
East Side Mario's	285 Lakeshore Drive, North Bay ON P1A 2B9	Routine Inspection	1-Apr-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
East Side Mario's	285 Lakeshore Drive, North Bay ON P1A 2B9	Routine Inspection	30-Sep-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
East Side Mario's	285 Lakeshore Drive, North Bay ON P1A 2B9	Routine Inspection	30-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
East Side Mario's	285 Lakeshore Drive, North Bay ON P1A 2B9	Routine Inspection	30-Sep-19	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Eastend Variety	908 Maher Street, North Bay ON P1B 2L7	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	27-Mar-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	27-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	13-Jul-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	13-Jul-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	13-Jul-18	General housekeeping is satisfactory	Re-inspection Scheduled
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Re-inspection	25-Jul-18		Satisfactory - No Action(s) Taken
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	18-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	19-Jul-19		Satisfactory - No Action(s) Taken
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	25-Nov-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Eastholme Home for the Aged	62 Big Bend Avenue, Powassan ON P0H 1Z0	Routine Inspection	25-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Eaton, Wally & Bonnie	1331 Miller Road, Magnetawan ON P0A 1P0	Routine Inspection	6-Jul-18		Satisfactory - No Action(s) Taken
Eau Claire Missionary Church	991 Highway 630, Mattawa ON P0H 1V0	Routine Inspection	17-Dec-19		Satisfactory - No Action(s) Taken
Echoes Restaurant	522 Main Street, Powassan ON P0H 1Z0	Routine Inspection	1-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Echoes Restaurant	522 Main Street, Powassan ON P0H 1Z0	Routine Inspection	19-Mar-19		Satisfactory - No Action(s) Taken
Ecofitter	400 Hwy 529, Pointe Au Baril ON P0G 1K0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Ecofitter	400 ON-529, Pointe Au Baril ON P0G 1K0	Routine Inspection	8-Aug-18		Satisfactory - No Action(s) Taken
Ecole Christ-Roi	7 Forget Avenue, River Valley ON P0H 2C0	Routine Inspection	20-Apr-18		Satisfactory - No Action(s) Taken
Ecole elementaire catholique St. Thomas D'Aquin	1245 Village Road, Astorville ON P0H 1B0	Routine Inspection	17-Dec-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
École élémentaire catholique St- Raymond	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	25-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
École élémentaire catholique St- Raymond	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	25-Sep-19	No condemnation/seizure required	Corrected During Inspection
Ecole Elementaire Heritage	2345 Connaught Avenue, North Bay, ON P1B 0A3	Routine Inspection	22-Nov-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Ecole Elementaire Heritage	2345 Connaught Avenue, North Bay, ON P1B 0A3	Routine Inspection	22-Nov-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Ecole Elementaire Heritage	2345 Connaught Avenue, North Bay, ON P1B 0A3	Routine Inspection	22-Nov-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Ecole Elementaire Heritage	2345 Connaught Avenue, North Bay, ON P1B 0A3	Routine Inspection	22-Nov-18	Food handler hygiene	Corrected During Inspection
École élémentaire publique de la région de Parry Sound	1 College Drive, Parry Sound ON P2A 2W9	Routine Inspection	5-Dec-19		Satisfactory - No Action(s) Taken
École élémentaire publique Heritage	2345 Connaught Avenue, North Bay, ON P1B 0A3	Routine Inspection	28-May-19		Satisfactory - No Action(s) Taken
Ecole Elementaire Publique Heritage	2345 Connaught Avenue, North Bay ON P1B 0A3	Routine Inspection	12-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Ecole Elementaire Publique Heritage	2345 Connaught Avenue, North Bay, ON P1B 0A3	Routine Inspection	9-Apr-18		Satisfactory - No Action(s) Taken
Ecole Elementaire Saints-Anges	B-681 Chippewa Street West, North Bay ON P1B 6G8	Routine Inspection	10-Apr-18		Satisfactory - No Action(s) Taken
Ecole Elementaire Saints-Anges	B-681 Chippewa Street West, North Bay ON P1B 6G8	Routine Inspection	18-Apr-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Ecole Elementaire Saints-Anges	B-681 Chippewa Street West, North Bay ON P1B 6G8	Routine Inspection	18-Apr-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Ecole Elementaire Saints-Anges	B-681 Chippewa Street West, North Bay ON P1B 6G8	Re-inspection	2-May-19		Satisfactory - No Action(s) Taken
Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	23-Mar-18		Satisfactory - No Action(s) Taken
Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
Ecole Lorrain	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	9-Apr-18		Satisfactory - No Action(s) Taken
Ecole Lorrain	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	29-Apr-19		Satisfactory - No Action(s) Taken
Ecole Mariale	1000 Birch Street, Thorne ON P0H 2J0	Routine Inspection	23-Apr-18		Satisfactory - No Action(s) Taken
Ecole Mariale	1000 Birch Street, Thorne ON P0H 2J0	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
Ecole Publique Jeunesse Active	130 rue Lisgar, Sturgeon Falls ON P2B 3H4	Routine Inspection	7-Oct-19		Satisfactory - No Action(s) Taken
Ecole Secondaire Algonquin -Cafeteria	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	5-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Ecole Secondaire Algonquin -Cafeteria	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	5-Apr-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Ecole Secondaire Algonquin -Cafeteria	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	5-Apr-19	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Ecole Secondaire Algonquin -Cafeteria	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	5-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Ecole Secondaire Algonquin -Cafeteria	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	5-Apr-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Ecole Secondaire Algonquin -Cafeteria	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	5-Apr-19	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Ecole Secondaire Algonquin Nourishment Program	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	20-Mar-19		Satisfactory - No Action(s) Taken
Ecole Secondaire Algonquin-Cafeteria	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	20-Apr-18		Satisfactory - No Action(s) Taken
Ecole Secondaire Algonquin-Nourishment Program	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	20-Apr-18		Satisfactory - No Action(s) Taken
Ecole secondaire catholique Algonquin - Cafeteria	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	28-Oct-19		Satisfactory - No Action(s) Taken
Ecole secondaire catholique Algonquin - Student Nutrition	555 Algonquin Avenue, North Bay ON P1B 4W8	Routine Inspection	28-Oct-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Ecole Secondaire Catholique Elisabeth-Bruyere- School Nutrition	359 Brydges Street, Mattawa ON P0H 1V0	Routine Inspection	26-Apr-18		Satisfactory - No Action(s) Taken
Ecole Secondaire Catholique Elisabeth-Bruyere- School Nutrition	359 Brydges Street, Mattawa ON P0H 1V0	Routine Inspection	29-Apr-19		Satisfactory - No Action(s) Taken
Ecole Secondaire Franco-Cité	90 Main Street, Sturgeon Falls ON P2B 2Z7	Routine Inspection	23-Apr-18		Satisfactory - No Action(s) Taken
Ecole Secondaire Franco-Cité	90 Main Street, Sturgeon Falls ON P2B 2Z7	Routine Inspection	25-Apr-19		Satisfactory - No Action(s) Taken
Ecole Secondaire Franco-Cité	90 Main Street, Sturgeon Falls ON P2B 2Z7	Routine Inspection	20-Sep-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Ecole Secondaire Franco-Cité	90 Main Street, Sturgeon Falls ON P2B 2Z7	Routine Inspection	20-Sep-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Ecole Secondaire Odyssee	480 Norman Street, North Bay ON P1B 8B7	Routine Inspection	4-Nov-19		Satisfactory - No Action(s) Taken
Ecole Secondaire Odyssee	480 Norman Street, North Bay ON P1B 8B7	Routine Inspection	11-Jun-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Ecole Secondaire Odyssee	480 Norman Street, North Bay ON P1B 8B7	Routine Inspection	24-Apr-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Ecole Secondaire Odyssee	480 Norman Street, North Bay ON P1B 8B7	Routine Inspection	24-Apr-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Ecole Secondaire Odyssee	480 Norman Street, North Bay ON P1B 8B7	Re-inspection	25-Apr-19		Satisfactory - No Action(s) Taken
Ecole St. Joseph	93 Michaud Street, Sturgeon Falls ON P2B 1C9	Routine Inspection	11-Apr-18		Satisfactory - No Action(s) Taken
Ecole St. Joseph	93 Michaud Street, Sturgeon Falls ON P2B 1C9	Routine Inspection	24-Jun-19	General housekeeping is satisfactory	Re-inspection Scheduled
Ecole St. Joseph	93 Michaud Street, Sturgeon Falls ON P2B 1C9	Routine Inspection	24-Jun-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Ecole St. Vincent	124 King Street East, North Bay ON P1B 1P2	Routine Inspection	6-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Ecole St. Vincent	124 King Street East, North Bay ON P1B 1P2	Routine Inspection	6-Nov-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Ecole Ste Marguerite D'Youville	73 Principale Street E, Verner ON P0H 2M0	Routine Inspection	30-Apr-18		Satisfactory - No Action(s) Taken
Ecole Ste Marguerite D'Youville	73 Principale Street E, Verner ON P0H 2M0	Routine Inspection	5-Apr-19		Satisfactory - No Action(s) Taken
Ecole Ste-Anne	298 Brydges Street, Mattawa ON P0H 1V0	Routine Inspection	26-Apr-18		Satisfactory - No Action(s) Taken
Ecole Ste-Anne	298 Brydges Street, Mattawa ON P0H 1V0	Routine Inspection	29-Apr-19		Satisfactory - No Action(s) Taken
Edgewater Main	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	15-Mar-18		Satisfactory - No Action(s) Taken
Edgewater Main	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	16-Aug-18		Satisfactory - No Action(s) Taken
Edgewater Main	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	20-Sep-19		Satisfactory - No Action(s) Taken
Edgewater Main Restaurant	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	7-Mar-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Edgewater Park	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	21-Mar-19		Satisfactory - No Action(s) Taken
Edgewater Park	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	9-Aug-19		Satisfactory - No Action(s) Taken
Edgewater Park	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Edgewater Park	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	24-May-18		Satisfactory - No Action(s) Taken
Edgewater Park Main	45 Edgewater Park Road, Kearney ON P0A 1M0	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Eide's Residential Home	532 Main Street, Powassan ON P0H 1Z0	Routine Inspection	5-Nov-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Corrected During Inspection
Eide's Residential Home	532 Main Street, Powassan ON P0H 1Z0	Routine Inspection	5-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Eide's Residential Home	532 Main Street, Powassan ON P0H 1Z0	Routine Inspection	5-Nov-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Eide's Residential Home	532 Main Street, Powassan ON P0H 1Z0	Routine Inspection	15-Feb-19		Satisfactory - No Action(s) Taken
Eide's Residential Home	532 Main Street, Powassan ON P0H 1Z0	Routine Inspection	10-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Eide's Residential Home	532 Main Street, Powassan ON P0H 1Z0	Routine Inspection	10-Jul-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Eide's Residential Home	532 Main Street, Powassan ON P0H 1Z0	Re-inspection	19-Jul-19		Satisfactory - No Action(s) Taken
Elaine's Mini-Donuts	188 Littledown Lane, North Bay ON P1B 8G2	Routine Inspection	26-Apr-18		Satisfactory - No Action(s) Taken
Elaine's Mini-Donuts	188 Littledown Lane, North Bay ON P1B 8G2	Routine Inspection	14-May-19		Satisfactory - No Action(s) Taken
Elaine's Mini-Donuts	188 Littledown Lane, North Bay ON P1B 8G2	Routine Inspection	30-Aug-19		Satisfactory - No Action(s) Taken
Elks Lodge 25	325 Elks Lane, North Bay ON P1B 7Z4	Routine Inspection	26-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Empire Living Centre	425 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	13-Mar-18		Satisfactory - No Action(s) Taken
Empire Living Centre	425 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Empire Living Centre	425 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Empire Living Centre	425 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	16-Aug-18		Satisfactory - No Action(s) Taken
Empire Living Centre	425 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	15-Aug-19		Satisfactory - No Action(s) Taken
Empire Living Centre	425 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	21-Oct-19		Satisfactory - No Action(s) Taken
Emsdale Community Centre	25 Joseph Street, Emsdale ON P0A 1J0	Routine Inspection	1-Mar-18	Food handler hygiene	Re-inspection Scheduled
Emsdale Community Centre	25 Joseph Street, Emsdale ON P0A 1J0	Re-inspection	13-Apr-18		Satisfactory - No Action(s) Taken
Emsdale Community Centre	25 Joseph Street, Emsdale ON P0A 1J0	Routine Inspection	18-Oct-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Emsdale Community Centre	25 Joseph Street, Emsdale ON P0A 1J0	Routine Inspection	18-Oct-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Emsdale Community Centre	25 Joseph Street, Emsdale ON P0A 1J0	Routine Inspection	18-Oct-18	General housekeeping is satisfactory	Re-inspection Scheduled
Emsdale Community Centre	25 Joseph Street, Emsdale ON P0A 1J0	Re-inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Emsdale Community Centre	25 Joseph Street, Emsdale ON P0A 1J0	Routine Inspection	7-Feb-19		Satisfactory - No Action(s) Taken
Emsdale Community Centre	25 Joseph Street, Emsdale ON P0A 1J0	Routine Inspection	18-Jul-19		Satisfactory - No Action(s) Taken
Emsdale Snack Bar	12- On Hwy 518, Emsdale ON P0A 1J0	Routine Inspection	25-Jun-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Erb Transport Limited	4 Commerce Crescent, North Bay P1B 8G4	Routine Inspection	6-Dec-19		Satisfactory - No Action(s) Taken
Esso - Parkland Fuels	1575 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	18-Sep-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Esso - Parkland Fuels	1575 Seymour Street, North Bay ON P1B 8G4	Re-inspection	20-Sep-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Esso- Parkland Fuels	1575 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	29-May-19		Satisfactory - No Action(s) Taken
Esso Service	RR3-Hwy 69, Nobel ON P0G 1G0	Routine Inspection	21-Nov-18		Satisfactory - No Action(s) Taken
Esso Service	RR3-Hwy 69, Nobel ON P0G 1G0	Routine Inspection	5-Sep-19		Satisfactory - No Action(s) Taken
ET Carmichael After School Program	1351 Chapais Street, North Bay ON	Routine Inspection	11-Jun-18		Satisfactory - No Action(s) Taken
ET Carmichael After School Program	1351 Chapais Street, North Bay ON	Routine Inspection	4-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
ET Carmichael Public School	1351 Chapais Street, North Bay ON P1B 6M6	Routine Inspection	10-Sep-18		Satisfactory - No Action(s) Taken
ET Carmichael Public School	1351 Chapais Street, North Bay ON P1B 6M6	Routine Inspection	5-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Eurest Cafeteria	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	30-Jan-18		Satisfactory - No Action(s) Taken
Eurest Cafeteria	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	22-May-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Eurest Cafeteria	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	22-May-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Eurest Cafeteria	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	30-Jul-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Eurest Cafeteria	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	30-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Eurest Cafeteria	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	12-Aug-19		Satisfactory - No Action(s) Taken
Evergreen Before and After School Program	2510 Hwy 592, Emsdale ON P0A1J0	Routine Inspection	25-Nov-19		Satisfactory - No Action(s) Taken
Evergreen Heights Education Centre	2510 Hwy 592, Emsdale ON P0A1J0	Routine Inspection	25-Nov-19		Satisfactory - No Action(s) Taken
EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	20-Feb-18		Satisfactory - No Action(s) Taken
EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	18-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	18-Nov-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
EW Norman Public School - Early ON Child and Family Centre	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	4-Dec-18		Satisfactory - No Action(s) Taken
EW Norman Public School - Early ON Child and Family Centre	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	13-Dec-19		Satisfactory - No Action(s) Taken
Extreme Pizza	A68 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	13-Nov-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Extreme Pizza	A68 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	13-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
F.J. McElligott Secondary School	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	18-Apr-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
F.J. McElligott Secondary School	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	18-Apr-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
F.J. McElligott Secondary School	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	19-Nov-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
F.J. McElligott Secondary School	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	19-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
F.J. McElligott Secondary School	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	19-Nov-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
F.J. McElligott Secondary School	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	19-Nov-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
F.J. McElligott Secondary School	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	19-Nov-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
F.J. McElligott Secondary School- Cooking Class	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	29-Apr-19	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
F.J. McElligott Secondary School- Cooking Class	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	29-Apr-19	Food protected from potential contamination and adulteration	Corrected During Inspection
F.J. McElligott Secondary School- Cooking Class	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	28-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
F.J. McElligott Secondary School- Cooking Class	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	28-Nov-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
F.J. McElligott Secondary School- Cooking Class	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	28-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
F.J. McElligott Secondary School- Cooking Class	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	28-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
F.J. McElligott Secondary School- Cooking Class	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	28-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
F.J. McElligott Secondary School- Cafeteria	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	29-Apr-19		Satisfactory - No Action(s) Taken
F.J. McElligott Secondary School- Cafeteria	370 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	28-Nov-19		Satisfactory - No Action(s) Taken
Fairview Childrens Centre	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	25-Jan-18		Satisfactory - No Action(s) Taken
Fairview Childrens Centre	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	1-May-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Fairview Childrens Centre	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	1-May-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Fairview Childrens Centre	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Fairview Childrens Centre	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	11-Jan-19		Satisfactory - No Action(s) Taken
Fairview Childrens Centre	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Fairview Childrens Centre - St. Gregory School	152 Fairview Lane, Powassan ON P0H 1Z0	Re-inspection	18-May-18		Satisfactory - No Action(s) Taken
Fairview Early Learning and Child Care Centre	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	29-May-19		Satisfactory - No Action(s) Taken
Fairview Motel & Trailer Park	444 Lakeshore Drive, North Bay ON P1A 2E1	Routine Inspection	14-Aug-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Fairview Motel & Trailer Park	444 Lakeshore Drive, North Bay ON P1A 2E1	Routine Inspection	14-Aug-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Fairview Motel & Trailer Park	444 Lakeshore Drive, North Bay ON P1A 2E1	Routine Inspection	14-Aug-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Fairview Motel & Trailer Park	444 Lakeshore Drive, North Bay ON P1A 2E1	Routine Inspection	14-Aug-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fairview Motel & Trailer Park	444 Lakeshore Drive, North Bay ON P1A 2E1	Routine Inspection	14-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fanny's	A-1420A Seymour Street, North Bay ON P1B 8G4	Routine Inspection	18-Dec-19		Satisfactory - No Action(s) Taken
Farquar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-18		Satisfactory - No Action(s) Taken
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Apr-18		Satisfactory - No Action(s) Taken
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	15-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	15-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	15-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	15-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	15-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	15-Aug-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	15-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	15-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	23-Aug-18		Satisfactory - No Action(s) Taken
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	18-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	18-Mar-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	18-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	18-Mar-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	18-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	25-Mar-19		Satisfactory - No Action(s) Taken
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	17-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Farquhar's Orchards Fine Foods	2621 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	23-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	30-Oct-19	General housekeeping is satisfactory	Re-inspection Scheduled
Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	30-Oct-19	Proper storage of single-service containers/articles (utensils)	Re-inspection Scheduled
Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	30-Oct-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	30-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Feta & Olives	FC3-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	22-May-18		Satisfactory - No Action(s) Taken
Feta & Olives	FC3-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Feta & Olives	FC3-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	10-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Feta & Olives	FC3-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	10-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Fetterley's Garage	1770 Hwy 518 East, Kearney ON P0A 1M0	Routine Inspection	30-Jul-18		Satisfactory - No Action(s) Taken
Fetterley's Garage	1770 Hwy 518 East, Kearney ON P0A 1M0	Routine Inspection	20-Sep-19		Satisfactory - No Action(s) Taken
Field of Dreams	1105 Lakeshore Dr., North Bay ON P1B 8Z4	Routine Inspection	28-Jun-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Field of Dreams	1105 Lakeshore Dr., North Bay ON P1B 8Z4	Routine Inspection	28-Jun-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Field of Dreams	1105 Lakeshore Dr., North Bay ON P1B 8Z4	Re-inspection	12-Jul-19		Satisfactory - No Action(s) Taken
Field of Dreams	1105 Lakeshore Dr., North Bay ON P1B 8Z4	Routine Inspection	30-Jul-19		Satisfactory - No Action(s) Taken
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Liquid wastes handled and collected in sanitary manner	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	30-Jul-18	General housekeeping is satisfactory	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Food handler hygiene	Corrected During Inspection
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Liquid wastes handled and collected in sanitary manner	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	2-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	7-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	7-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	7-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	7-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	7-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	7-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	7-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	7-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	20-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	20-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	6-Sep-18		Satisfactory - No Action(s) Taken
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	27-Dec-18	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	27-Dec-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	27-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	27-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	27-Dec-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	27-Dec-18	General housekeeping is satisfactory	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	16-Jan-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	16-Jan-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	16-Jan-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	16-Jan-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	16-Jan-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	16-Jan-19	General housekeeping is satisfactory	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	12-Mar-19	General housekeeping is satisfactory	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	19-Mar-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	19-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	28-Aug-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	28-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	28-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	Walls clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	Ceilings clean and in good repair	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	General housekeeping is satisfactory	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	10-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Dec-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Dec-19	Walls clean and in good repair	Re-inspection Scheduled
Fifty's Diner	2555 Trout Lake Road, North Bay ON P1B 7S8	Re-inspection	13-Dec-19	General housekeeping is satisfactory	Re-inspection Scheduled
Fire Fries	171 Oastler Park Drive, Seguin ON P2A 2W8	Routine Inspection	13-May-19		Satisfactory - No Action(s) Taken
Fire Fries	714 Healey Lake Road, Township of the Archipelago ON P2B OR7	Routine Inspection	7-Sep-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Fire Fries	714 Healey Lake Road, Township of the Archipelago ON P2B OR7	Routine Inspection	7-Sep-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Fire Fries	714 Healey Lake Road, Township of the Archipelago ON P2B OR7	Routine Inspection	7-Sep-18	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Fire Fries	714 Healey Lake Road, Township of the Archipelago ON P2B OR7	Routine Inspection	7-Sep-18	The premises is operated and maintained free from every condition that may be a health hazard	Re-inspection Scheduled
First Steps Child Care Centre	16 Toronto Avenue, South River ON P0A 1X0	Routine Inspection	25-Jan-18		Satisfactory - No Action(s) Taken
First Steps Child Care Centre	16 Toronto Avenue, South River ON P0A 1X0	Routine Inspection	16-Jul-18		Satisfactory - No Action(s) Taken
First Steps Child Care Centre	16 Toronto Avenue, South River ON P0A 1X0	Routine Inspection	14-Nov-18		Satisfactory - No Action(s) Taken
Fisher Street Shell	1180 Fisher Street, North Bay ON P1B 2G9	Routine Inspection	20-Sep-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
FJ McElligott Secondary School - Cafeteria	370 Pine Street, Mattawa ON P0H 1V0	Re-inspection	10-May-18		Satisfactory - No Action(s) Taken
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	12-Jul-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Thermometers used to verify food preparation and storage temperatures	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Food is prepared in a safe manner	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Food protected from potential contamination and/or adulteration	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Manual dishwashing: Wash, rinse, sanitize technique	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Floors clean and in good repair	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Ceilings clean and in good repair	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	General housekeeping is satisfactory	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Routine Inspection	19-Aug-19	Adequate protection against the entrance of pests, vermin and rodents.	Closure
Flight Deck Grill	11A Bay Street, Parrys Sound ON P2A 1S4	Re-inspection	21-Aug-19		Satisfactory - No Action(s) Taken
Flynn's Irish Pub	31 Pengally Bay Road, Nobel ON P0G 1G0	Routine Inspection	23-Jul-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Flynn's Irish Pub	31 Pengally Bay Road, Nobel ON P0G 1G0	Routine Inspection	23-Jul-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Flynn's Irish Pub	31 Pengally Bay Road, Nobel ON P0G 1G0	Re-inspection	7-Aug-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Foley Community Hall & Resources Centre	76 Rankin Lake Road, Seguin ON P2A 2W8	Routine Inspection	7-Dec-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Foley Community Hall & Resources Centre	76 Rankin Lake Road, Seguin ON P2A 2W8	Routine Inspection	7-Dec-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Foley Community Hall & Resources Centre	76 Rankin Lake Road, Seguin ON P2A 2W8	Routine Inspection	7-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Foley Community Hall & Resources Centre	76 Rankin Lake Road, Seguin ON P2A 2W8	Routine Inspection	7-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Foley Community Hall & Resources Centre	76 Rankin Lake Road, Seguin ON P2A 2W8	Routine Inspection	7-Dec-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Foley Community Hall & Resources Centre	76 Rankin Lake Road, Seguin ON P2A 2W8	Re-inspection	4-Jan-19		Satisfactory - No Action(s) Taken
Foley Community Hall & Resources Centre	76 Rankin Lake Road, Seguin ON P2A 2W8	Routine Inspection	6-Jun-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Foley Community Hall & Resoure Centre	76 Rankin Lake Road, Seguin ON P2A 2W8	Routine Inspection	28-Oct-19		Satisfactory - No Action(s) Taken
Food and Fervour - Lifestyle Menu	1146 Hwy 141, Rosseau ON P0C 1J0	Routine Inspection	1-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Food and Fervour - Lifestyle Menu	1146 Hwy 141, Rosseau ON P0C 1J0	Routine Inspection	1-Jun-18	Food is frozen at -18°C (0°F) or less	Re-inspection Scheduled
Food and Fervour - Lifestyle Menu	1146 Hwy 141, Rosseau ON P0C 1J0	Routine Inspection	1-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Food and Fervour - Lifestyle Menu	1146 Hwy 141, Rosseau ON P0C 1J0	Routine Inspection	1-Jun-18	Food is frozen at -18°C (0°F) or less	Re-inspection Scheduled
Food Basics	1901 Cassells Street, North Bay ON P1B 4E1	Routine Inspection	20-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Food Basics	1901 Cassells Street, North Bay ON P1B 4E1	Routine Inspection	20-Feb-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Food Basics	1901 Cassells Street, North Bay ON P1B 4E1	Re-inspection	26-Feb-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Food Basics	1901 Cassells Street, North Bay ON P1B 4E1	Routine Inspection	18-Jan-19	Food is frozen at -18°C (0°F) or less	Corrected During Inspection
Food Basics	1901 Cassells Street, North Bay ON P1B 4E1	Routine Inspection	18-Jan-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Food Basics	1901 Cassells Street, North Bay ON P1B 4E1	Routine Inspection	18-Jan-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Food Basics	1901 Cassells Street, North Bay ON P1B 4E1	Re-inspection	1-Mar-19		Satisfactory - No Action(s) Taken
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON P1B 7R2	Routine Inspection	6-Jun-18		Satisfactory - No Action(s) Taken
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON P1B 7R2	Routine Inspection	19-Oct-18		Satisfactory - No Action(s) Taken
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON P1B 7R2	Routine Inspection	23-Apr-19		Satisfactory - No Action(s) Taken
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON	Routine Inspection	23-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON	Routine Inspection	23-Oct-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON	Routine Inspection	23-Oct-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON	Routine Inspection	23-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON	Re-inspection	30-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON	Re-inspection	30-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON	Re-inspection	6-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
food4thought - Widdifield Secondary School	320 Ski Club Road, North Bay ON	Re-inspection	6-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Foodland	30 Bay Street, Callander ON P0H 1H0	Routine Inspection	29-Jan-18		Satisfactory - No Action(s) Taken
Foodland	30 Bay Street, Callander ON P0H 1H0	Routine Inspection	22-Nov-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Foodland	30 Bay Street, Callander ON P0H 1H0	Routine Inspection	30-May-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Foodland	30 Bay Street, Callander ON P0H 1H0	Routine Inspection	23-Sep-19		Satisfactory - No Action(s) Taken
Foodland	327 Main Street, Mattawa ON P0H 1V0	Routine Inspection	11-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Foodland	327 Main Street, Mattawa ON P0H 1V0	Routine Inspection	11-Nov-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Foodland	327 Main Street, Mattawa ON P0H 1V0	Routine Inspection	11-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Foodland	327 Main Street, Mattawa ON P0H 1V0	Re-inspection	20-Nov-19		Satisfactory - No Action(s) Taken
Foote's General Store	RR 3-2633 Hwy 534 and Hwy 654, Powassan ON P0H 1Z0	Routine Inspection	24-Jan-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Foote's General Store	RR 3-2633 Hwy 534 and Hwy 654, Powassan ON P0H 1Z0	Routine Inspection	24-Jan-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Foote's General Store	RR 3-2633 Hwy 534 and Hwy 654, Powassan ON P0H 1Z0	Routine Inspection	24-Jan-19	Exclusion of live animals on the premises, subject to exemptions	Corrected During Inspection
Foote's General Store	RR 3-2633 Hwy 534 and Hwy 654, Powassan ON P0H 1Z0	Routine Inspection	24-Jan-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Foote's General Store	RR 3-2633 Hwy 534 and Hwy 654, Powassan ON P0H 1Z0	Routine Inspection	19-Sep-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Foote's General Store	RR 3-2633 Hwy 534 and Hwy 654, Powassan ON P0H 1Z0	Routine Inspection	27-Aug-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
For Your Convenience	150 Mountainview Drive, North Bay ON P1A 3V5	Routine Inspection	29-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Fork On the Road	Star Lake Road & Hwy 518, Emsdale, Ontario	Routine Inspection	13-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Fork on the Road	Star Lake Road and Hwy 518, Emsdale ON P0A 1J0	Routine Inspection	5-Jul-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Fork on the Road	Star Lake Road and Hwy 518, Emsdale ON P0A 1J0	Re-inspection	15-Aug-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fork on the Road	Star Lake Road and Hwy 518, Emsdale ON P0A 1J0	Routine Inspection	02-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Fork on the Road	Star Lake Road and Hwy 518, Emsdale ON P0A 1J1	Routine Inspection	02-May-19	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Fort Knox Island Grill	5A Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	16-May-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Fort Knox Island Grill	5A Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	16-May-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
Fort Knox Island Grill	5A Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	16-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Fort Knox Island Grill	5A Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	16-May-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Fort Knox Island Grill	5A Great North Road, Parry Sound ON P2A 2X8	Re-inspection	17-May-19		Satisfactory - No Action(s) Taken
Fort Knox Island Grill	5A Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	25-Nov-19		Satisfactory - No Action(s) Taken
Fort Knox Island Grill - Trailer	5A Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	18-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Fort Knox Island Grill - Trailer	5A Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	18-Jun-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Fort Knox Island Grill - Trailer	5A Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	18-Jun-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	4-Dec-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	4-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	4-Dec-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	10-Dec-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	12-Feb-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	12-Feb-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	12-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	26-Feb-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	26-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	27-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	27-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	11-Sep-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	24-Sep-18		Satisfactory - No Action(s) Taken
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	6-Dec-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	6-Dec-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	6-Dec-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	6-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	6-Dec-18	Mechanical ventilation operable where required	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	17-Dec-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	17-Dec-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	17-Dec-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	17-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	17-Dec-18	General housekeeping is satisfactory	Re-inspection Scheduled
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Re-inspection	8-Feb-19		Satisfactory - No Action(s) Taken
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	12-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Fox and Fiddle	112 Spencer Avenue, North Bay ON P1B 7K6	Routine Inspection	12-Aug-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Fraser Tavern	680 Fraser Street, North Bay ON P1B 3X4	Routine Inspection	24-Apr-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Fresh Mart	298 Hwy 11 South, South River ON P0A 1X0	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Freshco	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	28-Dec-18		Satisfactory - No Action(s) Taken
Freshco	2555 Trout Lake Road, North Bay ON P1B 7S8	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Freshii	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	24-Jan-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Freshii	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	17-Sep-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Freshii	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	17-Sep-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Freshii	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	17-Sep-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Freshii	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	17-Sep-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Freshii	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	17-Sep-18	General housekeeping is satisfactory	Re-inspection Scheduled
Freshii	975 McKeown Avenue, North Bay ON P1B 9P2	Re-inspection	19-Sep-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Freshii	M5a-975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	4-Mar-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Freshii	M5a-975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	4-Mar-19	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
Freshii	M5a-975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	26-Jul-19		Satisfactory - No Action(s) Taken
Friends Forever Childcare Centre	1140 Front Street, North Bay ON P1B 6P2	Routine Inspection	6-Apr-18		Satisfactory - No Action(s) Taken
Friends Forever Childcare Centre	1140 Front Street, North Bay ON P1B 6P2	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Friends Forever Childcare Centre	1140 Front Street, North Bay ON P1B 6P2	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Friends Forever Childcare Centre	1140 Front Street, North Bay ON P1B 6P2	Routine Inspection	23-Oct-19		Satisfactory - No Action(s) Taken
Gagne's Red & White	1402 Highway 17 East, Rutherglen ON P0H 2E0	Routine Inspection	12-Sep-19		Satisfactory - No Action(s) Taken
Galaxy Cinemas	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Galaxy Cinemas	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	30-Sep-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Garderie Beausoleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	14-Feb-19		Satisfactory - No Action(s) Taken
Garderie Beausoleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	18-Jun-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Garderie Beausoleil	245 Yonge Street, Bonfield ON P0H 1E0	Re-inspection	19-Jun-19		Satisfactory - No Action(s) Taken
Garderie Beausoleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	17-Oct-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Garderie Beausoleil	245 Yonge Street, Bonfield ON P0H 1E0	Routine Inspection	17-Oct-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Garderie Rayons De Soleil	361 Brydges Steet, Mattawa P0H 1V0	Routine Inspection	7-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Garderie Rayons De Soleil	361 Brydges Steet, Mattawa ON P0H 1V0	Routine Inspection	3-Apr-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Garderie Rayons De Soleil	361 Brydges Steet, Mattawa ON P0H 1V0	Routine Inspection	3-Apr-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Garderie Rayons De Soleil	361 Brydges Steet, Mattawa ON P0H 1V0	Routine Inspection	11-Jul-18		Satisfactory - No Action(s) Taken
Garderie Rayons De Soleil	361 Brydges Steet, Mattawa ON P0H 1V0	Routine Inspection	15-Oct-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Garderie Rayons De Soleil	361 Brydges Steet, Mattawa ON P0H 1V0	Re-inspection	15-Nov-18		Satisfactory - No Action(s) Taken
Garderie Rayons De Soleil	361 Brydges Steet, Mattawa ON P0H 1V0	Routine Inspection	27-Feb-19		Satisfactory - No Action(s) Taken
Garderie Rayons De Soleil	361 Brydges Steet, Mattawa ON P0H 1V0	Routine Inspection	28-Jun-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Garderie Sol	1245 Village Road, Astorville ON P0H 1B0	Routine Inspection	25-Jan-18		Satisfactory - No Action(s) Taken
Garderie Sol	1245 Village Road, Astorville ON P0H 1B0	Re-inspection	19-Jun-18		Satisfactory - No Action(s) Taken
Garderie Sol	1245 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Garderie Sol	1245 Village Road, Astorville ON P0H 1B0	Routine Inspection	1-Feb-19		Satisfactory - No Action(s) Taken
Garderie Sol	1245 Village Road, Astorville ON P0H 1B0	Routine Inspection	6-Jun-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Garderie Sol	1245 Village Road, Astorville ON P0H 1B0	Routine Inspection	10-Oct-19		Satisfactory - No Action(s) Taken
Garderie Soleil	A-681 Chippewa Street W, North Bay ON P1B 6G8	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Garderie Soleil	A-681 Chippewa Street W, North Bay ON P1B 6G8	Routine Inspection	1-Apr-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Garderie Soleil	A-681 Chippewa Street W, North Bay ON P1B 6G8	Routine Inspection	1-Apr-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Garderie Soleil	A-681 Chippewa Street W, North Bay ON P1B 6G8	Re-inspection	24-Apr-19		Satisfactory - No Action(s) Taken
Garderie Soleil	A-681 Chippewa Street W, North Bay ON P1B 6G8	Routine Inspection	10-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Garderie Soleil	A-681 Chippewa Street W, North Bay ON P1B 6G8	Routine Inspection	27-Jul-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Garderie Soleil- Le Petit Dragon	2345 Connaught Avenue, North Bay ON P1B 0A3	Routine Inspection	13-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Garderie Soleil: Ecole Publique Heritage	2345 Connaught Avenue, North Bay ON P1B 0A3	Routine Inspection	27-Mar-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	19-Jan-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	14-Jun-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	11-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	11-Oct-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Re-inspection	18-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	21-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	21-Feb-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	21-Feb-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Re-inspection	1-Apr-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Re-inspection	1-Apr-19		Satisfactory - No Action(s) Taken
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	27-Jun-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Re-inspection	19-Jul-19		Satisfactory - No Action(s) Taken
Garderie Tournesol	22 Borge Street, North Bay ON P1A 2S7	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	3-Apr-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	3-Apr-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	3-Apr-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	3-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Re-inspection	6-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Re-inspection	6-Apr-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	19-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	19-Mar-19	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	23-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	23-Sep-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	23-Sep-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
gd2go - College Dr	100 College Drive, North Bay ON P1B 8K9	Routine Inspection	23-Sep-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Gd2go - Foran St	375 Foran St, North Bay ON P1B 9S6	Routine Inspection	14-Mar-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Gd2go - Foran St	375 Foran St, North Bay ON P1B 9S6	Routine Inspection	14-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Gd2go - Foran St	375 Foran St, North Bay ON P1B 9S6	Re-inspection	15-Mar-19		Satisfactory - No Action(s) Taken
Gd2go - Foran St	375 Foran St, North Bay ON P1B 9S6	Routine Inspection	3-Sep-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Routine Inspection	19-Jun-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Routine Inspection	18-Sep-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Routine Inspection	18-Sep-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Routine Inspection	18-Sep-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Routine Inspection	18-Sep-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Routine Inspection	18-Sep-18	Dipper well with running water	Corrected During Inspection
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Routine Inspection	18-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Routine Inspection	18-Sep-18	General housekeeping is satisfactory	Re-inspection Scheduled
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Re-inspection	19-Sep-18	Dipper well with running water	Corrected During Inspection
Gd2go - Foran St	375 Foran Street, North Bay ON P1B 9S6	Re-inspection	19-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
George's China Kitchen	70 Lakeshore Drive, North Bay ON P1A 2A3	Routine Inspection	21-Nov-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
George's China Kitchen	70 Lakeshore Drive, North Bay ON P1A 2A3	Routine Inspection	21-Nov-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
George's China Kitchen	70 Lakeshore Drive, North Bay ON P1A 2A3	Routine Inspection	21-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
George's China Kitchen	70 Lakeshore Drive, North Bay ON P1A 2A3	Routine Inspection	21-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
George's China Kitchen	70 Lakeshore Drive, North Bay ON P1A 2A3	Re-inspection	9-Dec-19		Satisfactory - No Action(s) Taken
George's China Kitchen	70 Lakeshore Drive, North Bay ON P1A 2A3	Routine Inspection	15-Mar-18		Satisfactory - No Action(s) Taken
George's China Kitchen	70 Lakeshore Drive, North Bay ON P1A 2A3	Routine Inspection	27-Nov-18		Satisfactory - No Action(s) Taken
George's China Kitchen	70 Lakeshore Drive, North Bay ON P1A 2A3	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
Georgian Bay Whole Foods	20 James Street, Parry Sound ON P2A 1T4	Re-inspection	30-Nov-18		Satisfactory - No Action(s) Taken
Georgian Bay Whole Foods	20 James Street, Parry Sound ON P2A 1T4	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	5-Mar-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	5-Mar-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	5-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	5-Mar-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	5-Mar-18	Mechanical ventilation operable where required	Re-inspection Scheduled
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	5-Mar-18	General housekeeping is satisfactory	Re-inspection Scheduled
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Re-inspection	7-Mar-18	General housekeeping is satisfactory	Re-inspection Scheduled
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Re-inspection	12-Mar-18		Satisfactory - No Action(s) Taken
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	27-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	1-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Georgian Lanes	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Gerry's General Store	6950 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	17-Oct-19		Satisfactory - No Action(s) Taken
Gerry's General Store	6950 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	16-Nov-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Gerry's General Store	6950 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	16-Nov-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Gerry's General Store	6950 Hwy 534, Restoule ON P0H 2R0	Re-inspection	3-Dec-18		Satisfactory - No Action(s) Taken
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	12-Apr-18		Satisfactory - No Action(s) Taken
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	11-Sep-18	General housekeeping is satisfactory	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Re-inspection	28-Sep-18		Satisfactory - No Action(s) Taken
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	28-Jan-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	28-Jan-19	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	28-Jan-19	Food handler hygiene	Corrected During Inspection
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	28-Jan-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	28-Jan-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	28-Jan-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	27-May-19		Satisfactory - No Action(s) Taken
Gervais Restaurant & Tavern	C-169 Front Street, Sturgeon Falls ON P2B 2H9	Routine Inspection	9-Oct-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Get Satisfied	1146 Highway 141, Rosseau ON P0C 1J0	Routine Inspection	14-May-19		Satisfactory - No Action(s) Taken
Giant Tiger	276 Lakeshore Drive, North Bay ON P1A 2C2	Routine Inspection	30-Sep-19		Satisfactory - No Action(s) Taken
Giant Tiger	42 Williams Street, Sturgeon Falls, P2B 2A5	Routine Inspection	29-Nov-19		Satisfactory - No Action(s) Taken
Giant Tiger	42 Williams Street, Sturgeon Falls, P2B 2A5	Routine Inspection	11-Dec-18		Satisfactory - No Action(s) Taken
Gilly's Snug Harbour Restaurant	138 Snug Harbour Road, Nobel ON P0G 1G0	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
Gilly's Snug Harbour Restaurant & Marina	RR 1-138 Snug Harbour, Nobel ON P0G 1G0	Routine Inspection	31-Aug-18		Satisfactory - No Action(s) Taken
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	19-Jan-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	19-Jan-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	19-Jan-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	19-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	19-Jan-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	23-Jan-18		Satisfactory - No Action(s) Taken
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	2-Aug-18		Satisfactory - No Action(s) Taken
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	4-Jul-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Glenn Burney Provisions Company	97 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	25-Jul-19		Satisfactory - No Action(s) Taken
Glenrock Cottages and Trailer Park	100 Glenrock Road, Sturgeon Falls ON P2B 2M5	Routine Inspection	5-Jun-18		Satisfactory - No Action(s) Taken
Glenwood Cottages - Food Store	Box 73 - Highway 124, McKellar ON P0G 1C0	Routine Inspection	6-Sep-18		Satisfactory - No Action(s) Taken
Glenwood Cottages Store	P.O. Box 73-10 Glenwood Drive, McKellar ON P0G 1C0	Routine Inspection	9-Sep-19		Satisfactory - No Action(s) Taken
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	22-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	22-Nov-19	All foods at the premises are from an inspected source	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	22-Nov-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Thermometers used to verify food preparation and storage temperatures	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Washing hands thoroughly before and after handling food	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Food handler hygiene	Closure

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Food protected from potential contamination and adulteration	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Food contact surfaces properly designed, constructed, installed and maintained	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Floors, walls, and ceilings clean and in good repair	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	Lighting adequate for food preparation and cleaning	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	25-Apr-18	General housekeeping is satisfactory	Closure
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Re-inspection	2-May-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Food handler hygiene	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	9-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Re-inspection	16-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Re-inspection	21-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	18-Oct-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	18-Oct-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	18-Oct-18	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	18-Oct-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	18-Oct-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	18-Oct-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Re-inspection	26-Oct-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	7-Mar-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	7-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	7-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Re-inspection	15-Mar-19		Satisfactory - No Action(s) Taken
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	7-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Golden China	1006 Cassells Street, North Bay ON P1B 4A9	Re-inspection	14-Aug-19		Satisfactory - No Action(s) Taken
Good Happenings Food Bank	93 Ottawa Avenue, South River ON P0A 1X0	Routine Inspection	6-Sep-18		Satisfactory - No Action(s) Taken
Good Happenings Food Bank	93 Ottawa Avenue, South River ON P0A 1X0	Routine Inspection	28-Nov-19		Satisfactory - No Action(s) Taken
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	5-Sep-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	5-Sep-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	5-Sep-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	5-Sep-18	Dipper well with running water	Corrected During Inspection
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	5-Sep-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	5-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	18-Sep-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	11-Mar-19		Satisfactory - No Action(s) Taken
Gormanville Grocery	504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	25-Jul-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Gourmet Fries and More	70 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	11-May-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Gourmet Fries and More	70 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	14-May-19		Satisfactory - No Action(s) Taken
Grand Tappattoo Resort	30 Tapatoo Trail, Seguin ON P2A 0B2	Routine Inspection	19-Jan-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Grand Tappattoo Resort	30 Tapatoo Trail, Seguin ON P2A 0B2	Routine Inspection	19-Jan-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Grand Tappattoo Resort	30 Tapatoo Trail, Seguin ON P2A 0B2	Re-inspection	30-Jan-18		Satisfactory - No Action(s) Taken
Grand Tappattoo Resort	30 Tapatoo Trail, Seguin ON P2A 0B2	Routine Inspection	3-Aug-18		Satisfactory - No Action(s) Taken
Grand Tappattoo Resort	30 Tapatoo Trail, Seguin ON P2A 0B2	Routine Inspection	13-Jun-19		Satisfactory - No Action(s) Taken
Grand Tappattoo Resort	30 Tapatoo Trail, Seguin ON P2A 0B2	Routine Inspection	17-Dec-19		Satisfactory - No Action(s) Taken
Grandma's Kitchen	80 Lansdown Sreet, Callander ON P0H 1H0	Routine Inspection	31-Dec-18		Satisfactory - No Action(s) Taken
Grandma's Kitchen	80 Lansdown Street, Callander ON P0H 1H0	Routine Inspection	18-Oct-19		Satisfactory - No Action(s) Taken
Greco's Lakeshore	221 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	26-Nov-18		Action
Greco's Lakeshore	221 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	5-Feb-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	5-Feb-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	5-Feb-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	5-Feb-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	5-Feb-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	5-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Re-inspection	9-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Apr-19	Food is cooled from 60°C (140°F) to 20°C (68°F) within 2 hours	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Apr-19	Food is cooled from 20°C (68°F) to 4°C (40°F) within 4 hours	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Apr-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Apr-19	Frequency of garbage removal	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Apr-19	General housekeeping is satisfactory	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Complaint	22-May-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Re-inspection	19-Nov-19		Satisfactory - No Action(s) Taken
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	28-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Re-inspection	2-Dec-19		Satisfactory - No Action(s) Taken
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Aug-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	2-Aug-19	Walls clean and in good repair	Re-inspection Scheduled
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Complaint	20-Sep-19	Walls clean and in good repair	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Complaint	20-Sep-19	Ceilings clean and in good repair	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	28-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Greco's Pizza	344 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	28-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Greco's Pizza & Pasta	221 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	11-Dec-19		Satisfactory - No Action(s) Taken
Grundy Lake Supply Post (Store)	1 Highway 522, Britt ON P0G 1A0	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Grundy Lake Supply Post (Take Out)	1 Highway 522, Britt ON P0G 1A0	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
Grundy Lake Supply Post, Conv. Store	RR 1-Hwy 69, Britt ON P0G 1A0	Routine Inspection	30-Aug-18		Satisfactory - No Action(s) Taken
Grundy Lake Supply Post, Restaurant	RR 1-Hwy 69, Britt ON P0G 1A0	Routine Inspection	30-Aug-18		Satisfactory - No Action(s) Taken
Guylaine's Catering	327 Dudley Avenue, North Bay ON P1B 7A4	Routine Inspection	20-Jun-18		Satisfactory - No Action(s) Taken
H & H Resort Ltd. - Food Store	60 Kapikog Lake Road, Mactier ON P0C 1H0	Routine Inspection	24-Jul-19		Satisfactory - No Action(s) Taken
H & H Resort Ltd. - Restaurant	60 Kapikog Lake Road, Mactier ON P0C 1H0	Routine Inspection	24-Jul-19		Satisfactory - No Action(s) Taken
H & H Resort Ltd. Restaurant	60 Kapikog Lake Road, Mactier ON P0C 1H0	Routine Inspection	11-Oct-18		Satisfactory - No Action(s) Taken
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Re-inspection	29-Oct-18		Satisfactory - No Action(s) Taken
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Routine Inspection	14-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Routine Inspection	14-Feb-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Routine Inspection	14-Feb-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Routine Inspection	14-Feb-19	General housekeeping is satisfactory	Re-inspection Scheduled
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Re-inspection	21-Feb-19		Satisfactory - No Action(s) Taken
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Routine Inspection	13-Jun-19	Exclusion of live animals on the premises, subject to exemptions	Re-inspection Scheduled
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Re-inspection	20-Jun-19		Satisfactory - No Action(s) Taken
H. White Memorial Legion Br.276	58 Park Road, Kearney ON P0A 1M0	Routine Inspection	22-Nov-19		Satisfactory - No Action(s) Taken
Hampton Inn	950 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	8-May-18		Satisfactory - No Action(s) Taken
Hampton Inn by Hilton North Bay	950 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	27-Mar-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Hampton Inn by Hilton North Bay	950 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	22-Oct-19		Satisfactory - No Action(s) Taken
Happy Tummy	323 Adams Road, Sundridge ON P0A 1Z0	Routine Inspection	30-Apr-18		Satisfactory - No Action(s) Taken
Happy Tummy	323 Adams Road, Sundridge ON P0A 1Z0	Routine Inspection	30-Apr-18		Satisfactory - No Action(s) Taken
Happy Tummy	323 Adams Road, Sundridge ON P0A 1Z0	Routine Inspection	18-Apr-19		Satisfactory - No Action(s) Taken
Happy Tummy	323 Adams Road, Sundridge ON P0A 1Z0	Routine Inspection	22-Nov-19		Satisfactory - No Action(s) Taken
Harris Lake Marina	Box 128, Harris Lake Road, Pointe Au Baril ON P0G 1K0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Harvest Share	93A James Street, Parry Sound ON P2A 1T7	Routine Inspection	3-Oct-19		Satisfactory - No Action(s) Taken
Harvey's Swiss Chalet	121 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	6-Feb-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Harvey's Swiss Chalet	121 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	6-Feb-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Harvey's Swiss Chalet	121 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	6-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Harvey's Swiss Chalet	121 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	9-Apr-18		Satisfactory - No Action(s) Taken
Harvey's Swiss Chalet	121 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	27-Jul-18		Satisfactory - No Action(s) Taken
Harvey's Swiss Chalet	121 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	7-May-19		Satisfactory - No Action(s) Taken
Harvey's Swiss Chalet	121 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	4-Dec-19		Satisfactory - No Action(s) Taken
Harvey's Swiss Chalet	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	13-Jun-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Harvey's Swiss Chalet	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	25-Oct-18		Satisfactory - No Action(s) Taken
Harvey's Swiss Chalet	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	20-Mar-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Harvey's Swiss Chalet	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	28-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Ha's Restaurant	57 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	1-Mar-18	Food handler hygiene	Corrected During Inspection
Ha's Restaurant	57 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	1-Mar-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Ha's Restaurant	57 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	9-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Ha's Restaurant	57 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	28-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Ha's Restaurant	57 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	22-Nov-19		Satisfactory - No Action(s) Taken
Hava Java Kiosk	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
Hava Java Kiosk	6 Allbert Street, Parry Sound ON P2A 3A4	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Hawk and Fox	500 Main Street N, Powassan ON P0H 1Z0	Routine Inspection	3-May-18		Satisfactory - No Action(s) Taken
Hawk and Fox	500 Main Street N, Powassan ON P0H 1Z0	Routine Inspection	2-May-19		Satisfactory - No Action(s) Taken
Hazel's House	11516 Hwy 522, Port Loring ON P0H1Y0	Routine Inspection	29-Aug-18		Satisfactory - No Action(s) Taken
Hazel's House	11516 Hwy 522, Port Loring ON P0H1Y0	Routine Inspection	21-Aug-19		Satisfactory - No Action(s) Taken
Helene's Antiques & Other Things	17 Davis Dr, Port Loring ON P0H 1Y0	Routine Inspection	9-Aug-18		Satisfactory - No Action(s) Taken
Helene's Antiques and Other Things	17 Davis Dr, Port Loring ON P0H 1Y0	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Helene's Antiques and Other Things	17 Davis Dr, Port Loring ON P0H 1Y0	Routine Inspection	20-Aug-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Henry's San Souci	Frying Pan Island, Sans Souci ON	Routine Inspection	24-Aug-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Henry's Sans Souci	Frying Pan Island, Sans Souci ON	Routine Inspection	20-Aug-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Corrected During Inspection
Henry's Sans Souci	Frying Pan Island, Sans Souci ON	Routine Inspection	20-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
High Ball Billiards & Bar	236 Second Avenue W, North Bay P1B 3K9	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
High Ball Billiards & Bar	236 Second Avenue W, North Bay P1B 3K9	Routine Inspection	23-Aug-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Highland Children Centre	301 Birchdale Road, Emsdale ON P0A 1J0	Routine Inspection	26-Feb-18		Satisfactory - No Action(s) Taken
Highland Children Centre	301 Birchdale Road, Emsdale ON P0A 1J0	Routine Inspection	16-Aug-18		Satisfactory - No Action(s) Taken
Highlander Brewing Co	B-309 Hwy 124, South River ON P0H 1X0	Routine Inspection	7-Mar-19	thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Highlands Early Learning & Childcare Centre	2500 Hwy 592 N, Emsdale ON P0A 1J0	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Highlands Early Learning & Childcare Centre	2500 Hwy 592 N, Emsdale ON P0A 1J0	Routine Inspection	27-May-19		Satisfactory - No Action(s) Taken
Highlands Early Learning & Childcare Centre	2500 Hwy 592 N, Emsdale ON P0A 1J0	Routine Inspection	17-Oct-19		Satisfactory - No Action(s) Taken
Highview Golf Course	60 Golf Course Line, Powassan ON P0H 1Z0	Routine Inspection	9-May-18		Satisfactory - No Action(s) Taken
Highview Golf Course	60 Golf Course Line, Powassan ON P0H 1Z0	Routine Inspection	30-May-19		Satisfactory - No Action(s) Taken
Highview Golf Course	60 Golf Course Line, Powassan ON P0H 1Z0	Routine Inspection	13-Sep-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Highway 64 Chip Stop	107 Hwy 64, Field ON P0H 1M0	Routine Inspection	14-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Highway 64 Chip Stop	107 Hwy 64, Field ON P0H 1M0	Routine Inspection	14-Jun-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Highway 64 Chip Stop	107 Hwy 64, Field ON P0H 1M0	Routine Inspection	14-Jun-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Highway Chipstand	18 Front Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	27-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Highway Chipstand	18 Front Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	2-May-19		Satisfactory - No Action(s) Taken
Hillcrest Groceries	108 William Street, Parry Sound ON P2A 1V7	Routine Inspection	13-Feb-19		Satisfactory - No Action(s) Taken
Hillcrest Groceries	108 William Street, Parry Sound ON P2A 1V7	Routine Inspection	5-Jul-19		Satisfactory - No Action(s) Taken
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Routine Inspection	23-May-18		Satisfactory - No Action(s) Taken
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Routine Inspection	17-Sep-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Routine Inspection	17-Sep-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Routine Inspection	17-Sep-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Routine Inspection	17-Sep-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Routine Inspection	17-Sep-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Routine Inspection	17-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Re-inspection	24-Sep-18		Satisfactory - No Action(s) Taken
Hit the Spot	150 Mountainview Road, North Bay ON P1A 3V5	Routine Inspection	19-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	25-Jun-19		Satisfactory - No Action(s) Taken
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	22-Nov-19		Satisfactory - No Action(s) Taken
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	27-Jun-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	27-Jun-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	27-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	27-Jun-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	27-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	27-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Re-inspection	31-Jul-18		Satisfactory - No Action(s) Taken
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	24-Oct-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	24-Oct-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	24-Oct-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	24-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	24-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	24-Oct-18	General housekeeping is satisfactory	Re-inspection Scheduled
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	7-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	7-Mar-19	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Hoagie's Diner	1128 O'Brien Street, North Bay ON P1B 5X6	Routine Inspection	7-Mar-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Holiday Inn Hotel & Suites	1325 Seymour Street, North Bay ON P1B 9V6	Routine Inspection	2-Dec-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Holiday Inn Hotel & Suites	1325 Seymour Street, North Bay ON P1B 9V6	Routine Inspection	2-Dec-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Holiday Inn Hotel & Suites	1325 Seymour Street, North Bay ON P1B 9V6	Routine Inspection	2-Dec-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Holiday Inn Hotel & Suites	1325 Seymour Street, North Bay ON P1B 9V6	Routine Inspection	2-Dec-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
Holiday Inn Hotel & Suites	1325 Seymour Street, North Bay ON P1B 9V6	Re-inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Holy Cross Catholic School	602 Lake Heights Road, North Bay ON P1A 2Z8	Routine Inspection	27-Apr-18		Satisfactory - No Action(s) Taken
Holy Cross Catholic School	602 Lake Heights Road, North Bay ON P1A 2Z8	Routine Inspection	3-Apr-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Holy Cross Catholic School	602 Lake Heights Road, North Bay ON P1A 2Z8	Routine Inspection	3-Apr-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Home Style Café	741 Wallace Road, North Bay ON P1B 8G4	Routine Inspection	9-May-18		Satisfactory - No Action(s) Taken
Home Style Café	741 Wallace Road, North Bay ON P1B 8G4	Routine Inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Home Style Café	741 Wallace Road, North Bay ON P1B 8G4	Routine Inspection	19-Mar-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Home Style Café	741 Wallace Road, North Bay ON P1B 8G4	Routine Inspection	19-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Home Style Café	741 Wallace Road, North Bay ON P1B 8G4	Re-inspection	25-Mar-19		Satisfactory - No Action(s) Taken
Home Style Café	741 Wallace Road, North Bay ON P1B 8G4	Routine Inspection	6-Nov-19		Satisfactory - No Action(s) Taken
Homewood Suites by Hilton	495 Oak Street W, North Bay ON P1B 2T3	Routine Inspection	29-Jan-18		Satisfactory - No Action(s) Taken
Homewood Suites by Hilton	495 Oak Street W, North Bay ON P1B 2T3	Routine Inspection	30-Apr-18		Satisfactory - No Action(s) Taken
Hope's	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	1-Nov-19		Satisfactory - No Action(s) Taken
Hope's Foodland	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	24-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Hope's Foodland	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	24-Apr-18	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Re-inspection Scheduled
Hope's Foodland	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	24-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Hope's Foodland	18 Peter Street, Novar ON P0A 1R0	Re-inspection	30-Oct-18		Satisfactory - No Action(s) Taken
Hope's Foodland	18 Peter Street, Novar ON P0A 1R0	Re-inspection	25-May-18		Satisfactory - No Action(s) Taken
Hope's Foodland	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	17-Oct-18		Satisfactory - No Action(s) Taken
Hope's Grocery store	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	7-Feb-19	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Horseshoe Lake Camp & Cottages	Box 55-Sandy Plains Road N, Seguin ON P2A 2W8	Routine Inspection	19-Aug-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Horseshoe Pines Marina	9 Haven Drive, Seguin ON P2A 2W8	Routine Inspection	19-Aug-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Howard Johnson	255 McIntyre Street W, North Bay ON P1B 2Y9	Routine Inspection	21-Nov-18		Satisfactory - No Action(s) Taken
Howard Johnson	255 McIntyre Street W, North Bay ON P1B 2Y9	Routine Inspection	10-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Huard's Freshmart	1016 John Street, Mattawa ON P0H 1V0	Routine Inspection	11-Oct-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
Huard's Freshmart	1016 John Street, Mattawa ON P0H 1V0	Re-inspection	13-Nov-19		Satisfactory - No Action(s) Taken
Huard's Freshmart	1016 John Street, Mattawa ON P0H 1V0	Routine Inspection	16-Oct-18		Satisfactory - No Action(s) Taken
Humphrey Community Centre	15 Humphrey Drive, Seguin ON P2A 2W8	Routine Inspection	28-Oct-19		Satisfactory - No Action(s) Taken
Humphrey Community Centre	15 Humphrey Drive, Seguin ON P2A 2W8	Routine Inspection	28-Oct-19		Satisfactory - No Action(s) Taken
Humphrey Community Centre - Concession	15 Humphrey Drive, Seguin ON P2A 2W8	Routine Inspection	23-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Humphrey Community Centre - Concession	15 Humphrey Drive, Seguin ON P2A 2W8	Routine Inspection	23-Oct-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Humphrey Community Centre - Concession	15 Humphrey Drive, Seguin ON P2A 2W8	Routine Inspection	23-Oct-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Humphrey Community Centre, Concessions	15 Humphrey Drive, Seguin ON P2A 2W8	Routine Inspection	1-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Humphrey Community Centre, Kitchen	15 Humphrey Drive, Seguin ON P2A 2W8	Routine Inspection	1-May-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Humphrey School Nutrition Prog.	120 Hwy 141, Seguin ON P2A 2W8	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Humphrey School Nutrition Program	120 Hwy 141, Seguin ON P2A 2W8	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
Humphrey School Nutrition Program	120 Hwy 141, Seguin ON P2A 2W8	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
Humphrey School Nutrition Program	120 Hwy 141, Seguin ON P2A 2W8	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
Humphrey Scool Nutrition Program	120 Hwy 141, Seguin ON P2A 2W8	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Ice Palace Golf Simulator	173 Rankin Lake Road, Seguin ON P2A 0B2	Routine Inspection	25-Oct-19		Satisfactory - No Action(s) Taken
Independence	145 Hughes Road, North Bay ON P1A 3E9	Routine Inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Independence	145 Hughes Road, North Bay ON P1A 3E9	Routine Inspection	18-Mar-19		Satisfactory - No Action(s) Taken
Independence	145 Hughes Road, North Bay ON P1A 3E9	Routine Inspection	31-Jul-19		Satisfactory - No Action(s) Taken
Independence	145 Hughes Road, North Bay ON P1A 3E9	Routine Inspection	4-Dec-19		Satisfactory - No Action(s) Taken
Indra's Curry House	454 Main Street East, North Bay ON P1B 1B5	Routine Inspection	27-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Indra's Curry House	454 Main Street East, North Bay ON P1B 1B5	Routine Inspection	27-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Indra's Curry House	454 Main Street, North Bay ON P1B 1B5	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Island Queen Cruise	9 Bay Street, Parry Sound ON P2A 1S4	Routine Inspection	4-Sep-19		Satisfactory - No Action(s) Taken
Island Queen Cruise Store	9 Bay Street, Parry Sound ON P2A 1S4	Routine Inspection	16-Aug-19		Satisfactory - No Action(s) Taken
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	6-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	6-Dec-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	13-Feb-18	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	27-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	27-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Ivan's restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	19-Nov-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Ivan's restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Re-inspection	17-Dec-18		Satisfactory - No Action(s) Taken
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	22-May-19	Food is prepared in a safe manner	Corrected During Inspection
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	22-May-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Routine Inspection	22-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Ivan's Restaurant	4-1867 O'Brien Street, North Bay ON P1B 5Y7	Re-inspection	5-Jun-19		Satisfactory - No Action(s) Taken
Jake's Place	31 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	6-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Jake's Place	31 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	16-Aug-18		Satisfactory - No Action(s) Taken
Jake's Place	31 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	6-Feb-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Jake's Place	31 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	6-Feb-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Jake's Place	31 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Re-inspection	25-Feb-19		Satisfactory - No Action(s) Taken
Jake's Place	31 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	20-Aug-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Jake's Place	Box 105-31 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	15-Nov-19		Satisfactory - No Action(s) Taken
Jean-Guy Rubberboot	201 Main Street, Sturgeon Falls ON P2B 1P3	Routine Inspection	5-Dec-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Jillie Bean Italian Ice Cream	1-12021 Highway 17, Sturgeon Falls ON P2B 3L4	Routine Inspection	17-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Jillie Bean Italian Ice Cream	1-12021 Highway 17, Sturgeon Falls ON P2B 3L4	Re-inspection	24-Aug-18		Satisfactory - No Action(s) Taken
Jillie Bean Italian Ice Cream	1-12021 Highway 17, Sturgeon Falls ON P2B 3L4	Routine Inspection	23-May-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Jimmy's at the Duck Rock Restaurant	2094 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	23-Nov-18		Satisfactory - No Action(s) Taken
Jimmy's Fry Shack	3 Centre Road, McKellar ON P0G 1C0	Routine Inspection	3-May-18		Satisfactory - No Action(s) Taken
JJ's Garden Restaurant	66 James Street, Parry Sound ON P2A 1T5	Routine Inspection	24-Jul-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
JJ's Garden Restaurant	66 James Street, Parry Sound ON P2A 1T5	Routine Inspection	24-Jul-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
JJ's Garden Restaurant	66 James Street, Parry Sound ON P2A 1T5	Routine Inspection	24-Jul-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
JJ's Garden Restaurant	66 James Street, Parry Sound ON P2A 1T5	Re-inspection	9-Aug-18		Satisfactory - No Action(s) Taken
JJ's Garden Restaurant	66 James Street, Parry Sound ON P2A 1T5	Routine Inspection	13-Nov-18		Satisfactory - No Action(s) Taken
JJ's Garden Restaurant	66 James Street, Parry Sound ON P2A 1T5	Routine Inspection	17-Apr-19		Satisfactory - No Action(s) Taken
JJ's Garden Restaurant	66 James Street, Parry Sound ON P2A 1T5	Routine Inspection	8-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
JJ's Garden Restaurant	66 James Street, Parry Sound ON P2A 1T5	Routine Inspection	8-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Joey's Only Seafood	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	27-Mar-18		Satisfactory - No Action(s) Taken
Joey's Only Seafood	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	23-Oct-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Joey's Only Seafood Restaurant	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Complaint	8-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Joey's Only Seafood Restaurant	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Complaint	8-Jul-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Joey's Only Seafood Restaurant	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Complaint & Re-inspection	23-Jul-19		Satisfactory - No Action(s) Taken
Joey's Only Seafood Restaurant	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	6-Dec-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Joey's Only Seafood Restaurant	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Re-inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Joey's Only Seafood Restaurant	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Complaint	23-Jul-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Joey's Only Seafood Restaurant	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Complaint	23-Jul-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Joey's Only Seafood Restaurant	140-180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	27-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Johnny's Curbside Grill	17 William Street, Parry Sound ON P2A 1V2	Routine Inspection	9-May-19		Satisfactory - No Action(s) Taken
Johnny's Frozen Treats (mobile)	38B Wilson Road, Seguin ON P2A 0B2	Routine Inspection	3-May-18		Satisfactory - No Action(s) Taken
Johnny's Frozen Treats (Trailer)	38B Wilson Road, Seguin ON P2A 0B2	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
Johnny's Frozen Treats (Truck)	38B Wilson Road, Seguin ON P2A 0B2	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
Jolly Rogers	1 J R Ln Seguin ON P2A 2W8	Routine Inspection	3-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Jolly Rogers	1 J R Ln Seguin ON P2A 2W8	Routine Inspection	3-Jul-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	29-Mar-18	General housekeeping is satisfactory	Re-inspection Scheduled
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	29-Mar-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	29-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Re-inspection	4-Apr-18		Satisfactory - No Action(s) Taken
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	11-Feb-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	11-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Re-inspection	13-Mar-19		Satisfactory - No Action(s) Taken
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	15-Aug-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	15-Aug-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	15-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	15-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Routine Inspection	15-Aug-19	Walls clean and in good repair	Re-inspection Scheduled
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Re-inspection	26-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Complaint	20-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
JT Sushi	225 Lakeshore Drive, North Bay ON P1A 2B7	Complaint & Re-inspection	24-Sep-19		Satisfactory - No Action(s) Taken
Junior's Burger Wagon	1451 Seymour Street, North Bay ON P1A 0C5	Routine Inspection	16-May-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Just Shut up and Try it Fermentation Inc.	9 Christopher Court, North Bay Ontario P1C1M6	Routine Inspection	21-Dec-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Just Shut Up and Try It Ferments	9 Christopher Court, North Bay Ontario P1C1M6	Routine Inspection	27-Apr-18		Satisfactory - No Action(s) Taken
Just Shut Up And Try It Ferments	9 Christopher Court, North Bay Ontario P1C1M6	Routine Inspection	21-Mar-19		Satisfactory - No Action(s) Taken
Just Shut Up And Try It Ferments	9 Christopher Court, North Bay Ontario P1C1M6	Routine Inspection	23-Jul-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Just Shut Up And Try It Ferments	9 Christopher Court, North Bay Ontario P1C1M6	Routine Inspection	23-Jul-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Just Shut Up And Try It Ferments	9 Christopher Court, North Bay P1C 1M6	Routine Inspection	5-Dec-19		Satisfactory - No Action(s) Taken
Just Shut Up and Try It Ferments Inc.	9 Christopher Court, North Bay Ontario P1C1M6	Routine Inspection	29-Aug-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Just Shut Up and Try It Ferments Inc.	9 Christopher Court, North Bay Ontario P1C1M6	Routine Inspection	29-Aug-18	Food is frozen at -18°C (0°F) or less	Re-inspection Scheduled
Just Shut Up and Try It Ferments Inc.	9 Christopher Court, North Bay Ontario P1C1M6	Routine Inspection	29-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Just Shut Up and Try It Ferments Inc.	9 Christopher Court, North Bay Ontario P1C1M6	Re-inspection	5-Sep-18		Satisfactory - No Action(s) Taken
Just Shut Up and Try It Ferments Inc.	9 Christopher Court, North Bay Ontario P1C1M6	Re-inspection	5-Sep-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Just Shut Up and Try It Ferments Inc.	9 Christopher Court, North Bay Ontario P1C1M6	Re-inspection	7-Sep-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Just Shut Up and Try It Ferments Inc.	9 Christopher Court, North Bay Ontario P1C1M6	Re-inspection	7-Sep-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
JW Hamer and Son Ltd.	1558 Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Kafeteria	337 Wyld Street, North Bay ON P1B 1Z3	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Kafeteria	337 Wyld Street, North Bay ON P1B 1Z3	Routine Inspection	4-Jun-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re- heating	Corrected During Inspection
Kafeteria	337 Wyld Street, North Bay ON P1B 1Z3	Routine Inspection	4-Jun-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Kafeteria	337 Wyld Street, North Bay ON P1B 1Z3	Routine Inspection	4-Jun-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Kafeteria	337 Wyld Street, North Bay ON P1B 1Z3	Routine Inspection	4-Jun-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Kafeteria	337 Wyld Street, North Bay ON P1B 1Z3	Re-inspection	12-Jun-19		Satisfactory - No Action(s) Taken
Kafeteria	337 Wyld Street, North Bay ON P1B 1Z3	Re-inspection	12-Jun-19		Satisfactory - No Action(s) Taken
Kate's Kitchen	5 McMurray Street, Parry Sound ON P2A 1E6	Routine Inspection	23-Nov-18		Satisfactory - No Action(s) Taken
Kate's Kitchen	5 McMurray Street, Parry Sound ON P2A 1E6	Routine Inspection	23-Aug-18		Satisfactory - No Action(s) Taken
Katrine Chip Truck	11 Doe Lake Road, Katrine ON P0A 1C0	Routine Inspection	28-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Katrine Chip Truck	11 Doe Lake Road, Katrine ON P0A 1C0	Routine Inspection	13-Sep-19		Satisfactory - No Action(s) Taken
Katrine Community Centre	6 Brown's Line, Katrine ON P0A 1C0	Routine Inspection	11-May-18		Satisfactory - No Action(s) Taken
Katrine Community Centre	6 Brown's Line, Katrine ON P0A 1C0	Routine Inspection	20-Mar-19		satisfactory - No Action(s) Taken
Katrine Community Centre	6 Brown's Line, Katrine ON P0A 1C0	Routine Inspection	21-Oct-19		Satisfactory - No Action(s) Taken
Katrine General Store	11 Doe Lake Road, Karine ON P0A 1L0	Routine Inspection	24-Apr-18		Satisfactory - No Action(s) Taken
Katrine General Store	11 Doe Lake Road, Karine ON P0A 1L0	Routine Inspection	23-Oct-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Katrine General Store	11 Doe Lake Road, Karine ON P0A 1L0	Routine Inspection	23-Oct-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Katrine General store	11 Doe Lake Road, Karine ON P0A 1L0	Re-inspection	7-Jan-19		Satisfactory - No Action(s) Taken
Katrine General store	11 Doe Lake Road, Karine ON P0A 1L0	Routine Inspection	20-Mar-19		Satisfactory - No Action(s) Taken
Katrine General Store	11 Doe Lake Road, Katrine ON P0A 1L0	Routine Inspection	22-Oct-19		Satisfactory - No Action(s) Taken
Katrine Golf & Country Club	84 Golf Course Road, Katrine ON P0A 1L0	Routine Inspection	21-Oct-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Katrine Golf Club	84 Golf Course Road, Katrine ON P0A 1L0	Routine Inspection	15-Aug-18		Satisfactory - No Action(s) Taken
Kearney Community Centre	8 Main Street, Kearney ON P0A 1M0	Routine Inspection	26-Mar-18		Satisfactory - No Action(s) Taken
Kearney Community Centre	8 Main Street, Kearney ON P0A 1M0	Routine Inspection	15-Nov-18		Satisfactory - No Action(s) Taken
Kearney Community Centre	8 Main Street, Kearney ON P0A 1M0	Routine Inspection	27-May-19		Satisfactory - No Action(s) Taken
Kearney Community Centre	8 Main Street, Kearney ON P0A 1M0	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Kearney General Store, The	98 Main Street, Kearney ON P0A 1M0	Routine Inspection	28-Sep-18		Satisfactory - No Action(s) Taken
Kearney General Store, The	98 Main Street, Kearney ON P0A 1M0	Routine Inspection	28-Sep-18		Satisfactory - No Action(s) Taken
Kearney O'Neils	1734 Hwy 518 E, Kearney ON P0A1M0	Routine Inspection	13-Dec-19		Satisfactory - No Action(s) Taken
Kearney O'Neils	1734 Hwy 518 E, Kearney ON P0A1M0	Routine Inspection	28-Jun-18		Satisfactory - No Action(s) Taken
Kearney O'Neils	1734 Hwy 518 E, Kearney ON P0A1M0	Routine Inspection	14-Dec-18		Satisfactory - No Action(s) Taken
Kearney O'Neils	1734 Hwy 518 E, Kearney ON P0A1M0	Routine Inspection	13-Jun-19		Satisfactory - No Action(s) Taken
Kearney Trailside Cookhouse	2526 Hwy 518 E, Kearney ON P0A 1M0	Routine Inspection	4-Jun-18		Satisfactory - No Action(s) Taken
Kearney Trailside Cookhouse	2526 Hwy 518 E, Kearney ON P0A 1M0	Routine Inspection	29-Oct-18		Satisfactory - No Action(s) Taken
Kearney Trailside Cookhouse	2526 Hwy 518 E, Kearney ON P0A 1M0	Routine Inspection	24-Apr-19		Satisfactory - No Action(s) Taken
Kearney Trailside Cookhouse	2526 Hwy 518 E, Kearney ON P0A 1M0	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
Kentucky Fried Chicken	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	20-Feb-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Kentucky Fried Chicken	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	20-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Kentucky Fried Chicken	1 Pine Drive, Parry Sound ON P2A 3C3	Re-inspection	22-Feb-18		Satisfactory - No Action(s) Taken
Kentucky Fried Chicken	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	1-Aug-18		Satisfactory - No Action(s) Taken
Kentucky Fried Chicken	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	7-Mar-19		Satisfactory - No Action(s) Taken
Kentucky Fried Chicken	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	4-Nov-19		Satisfactory - No Action(s) Taken
Kentucky Fried Chicken	103 Front Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	5-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Kentucky Fried Chicken	103 Front Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	5-Feb-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Kentucky Fried Chicken	103 Front Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	11-Feb-19		Satisfactory - No Action(s) Taken
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Routine Inspection	6-Apr-18	Liquid wastes handled and collected in sanitary manner	Re-inspection Scheduled
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Re-inspection	9-Apr-18		Satisfactory - No Action(s) Taken
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Routine Inspection	31-Aug-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Routine Inspection	31-Aug-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Routine Inspection	31-Aug-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Routine Inspection	13-Mar-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Routine Inspection	29-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Routine Inspection	29-Jul-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Routine Inspection	29-Jul-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Re-inspection	6-Aug-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Kentucky Fried Chicken	1400 Algonquin Avenue, North Bay ON P1B 4Y5	Re-inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Killbear Marina Inc. Convenience Store	31-Pengally Bay Road, Nobel ON P0G1G0	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
Killbear Park Mall	RR 1-Hwy 559, Nobel ON P0G 1G0	Routine Inspection	6-Sep-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Killbear Park Mall Ltd.	RR 1-Hwy 559, Nobel ON P0G 1G0	Routine Inspection	22-Aug-19		Satisfactory - No Action(s) Taken
King Cone	6 Lakeshore Drive, North Bay ON P1A 2A2	Routine Inspection	10-May-18		Satisfactory - No Action(s) Taken
King Cone	6 Lakeshore Drive, North Bay ON P1A 2A2	Routine Inspection	7-May-19		Satisfactory - No Action(s) Taken
Kirk's Gas and Convenience	2440 Hwy 518 W, Sprucedale ON P0A 1Y0	Re-inspection	16-Jan-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Kirk's Gas and Convenience	2440 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	17-May-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Kirk's Gas and Convenience	2440 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	17-Dec-18		Satisfactory - No Action(s) Taken
Kirks Gas Bar	2440 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Kitchen Cuisine	50 Elm Street, Thorne ON P0H 2J0	Routine Inspection	17-Jul-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Kitchen Cuisine	50 Elm Street, Thorne ON P0H 2J0	Routine Inspection	17-Jul-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Kitchen Cuisine	50 Elm Street, Thorne ON P0H 2J0	Routine Inspection	17-Jul-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Kitchen Cuisine	50 Elm Street, Thorne ON P0H 2J0	Routine Inspection	17-Jul-18	Liquid wastes handled and collected in sanitary manner	Re-inspection Scheduled
Kitchen Cuisine	50 Elm Street, Thorne ON P0H 2J0	Routine Inspection	17-Jul-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Kitchen Cuisine	50 Elm Street, Thorne ON P0H 2J0	Re-inspection	27-Jul-18		Satisfactory - No Action(s) Taken
Knights of Columbus #2566	4-186 Main Street, Sturgeon Falls ON P2B 1N9	Routine Inspection	10-Sep-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Knights of Columbus #2566	4-186 Main Street, Sturgeon Falls ON P2B 1N9	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Knights of Columbus #2566	4-186 Main Street, Sturgeon Falls ON P2B 1N9	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Knights of Columbus #2566	Unit 4, 186 Main Street, Sturgeon Falls ON P2B 1N9	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Krause Farms Food & Feed	357 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	24-Sep-19		Satisfactory - No Action(s) Taken
Krause Farms Food &Feed	357 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	9-May-18		Satisfactory - No Action(s) Taken
Kudos Cantina	852 Main Street South, Powassan ON P0H 1Z0	Re-inspection	15-Oct-19		Satisfactory - No Action(s) Taken
Kudos Cantina	852 Main Street South, Powassan ON P0H 1Z0	Routine Inspection	24-Sep-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Kudos Cantina	852 Main Street South, Powassan ON P0H 1Z0	Routine Inspection	24-Sep-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Kudos Cantina	852 Main Street South, Powassan ON P0H 1Z0	Routine Inspection	24-Sep-19	Floors clean and in good repair	Re-inspection Scheduled
Kudo's Cantina	852 Main Street South, Powassan ON P0H 1Z0	Routine Inspection	21-Feb-18		Satisfactory - No Action(s) Taken
Kudo's Cantina	852 Main Street South, Powassan ON P0H 1Z0	Routine Inspection	11-Sep-18		Satisfactory - No Action(s) Taken
Kudo's Cantina	852 Main Street South, Powassan ON P0H 1Z0	Routine Inspection	14-Mar-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Kudo's Cantina	852 Main Street South, Powassan ON P0H 1Z0	Re-inspection	20-Mar-19		Satisfactory - No Action(s) Taken
Kwik Way	1 Montreal Street, South River ON P0A 1X0	Routine Inspection	3-Dec-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Kwik Way	1 Montreal Street, South River ON P0A 1X0	Routine Inspection	19-Mar-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Kwik Way	170 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	25-Nov-19		Satisfactory - No Action(s) Taken
Kwik Way	170 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	23-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Kwik-Way	1 Montreal Street, South River ON P0A 1X0	Routine Inspection	11-Apr-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Kwik-Way	1 Montreal Street, South River ON P0A 1X0	Routine Inspection	11-Apr-18	Food protected from potential contamination and adulteration	Corrected During Inspection
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	Mechanical ventilation operable where required	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Re-inspection	22-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Re-inspection	22-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Re-inspection	22-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Re-inspection	24-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Routine Inspection	15-Aug-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled
La Cuisine Soleil	12 Principale Street E, Verner ON P0H 2M0	Re-inspection	22-Aug-19		Satisfactory - No Action(s) Taken
La Green Machine	12025 Highway 17 E, Sturgeon Falls ON P0H 1R0	Routine Inspection	20-Feb-19		Satisfactory - No Action(s) Taken
La Green Machine	12025 Highway 17 E, Sturgeon Falls ON P0H 1R0	Routine Inspection	7-Jun-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
La Piazza Pizza	5 Callander Square Main Street N, Callander ON P0H 1H0	Routine Inspection	24-Jan-18		Satisfactory - No Action(s) Taken
La Piazza Pizza	5 Callander Square Main Street N, Callander ON P0H 1H0	Routine Inspection	24-May-19	Food protected from potential contamination and adulteration	Corrected During Inspection
La Piazza Pizza	5 Callander Square Main Street N, Callander ON P0H 1H0	Routine Inspection	24-May-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
La Piazza Pizza	5 Callander Square Main Street N, Callander ON P0H 1H0	Routine Inspection	20-Sep-19		Satisfactory - No Action(s) Taken
Lady Isabelle Nursing Home	102 Corkery Street, Trout Creek ON P0H 2L0	Routine Inspection	21-Feb-18		Satisfactory - No Action(s) Taken
Lakeland Long Term Care	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Lakeland Long Term Care	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	2-Mar-18		Satisfactory - No Action(s) Taken
Lakeland Long Term Care	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	20-Aug-18		Satisfactory - No Action(s) Taken
Lakeland Long Term Care	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	19-Nov-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lakeland Long Term Care	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	16-Jan-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Lakeland Long Term Care	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	16-Jan-19	General housekeeping is satisfactory	Re-inspection Scheduled
Lakeland Long Term Care	6 Albert Street, Parry Sound ON P2A 3A4	Re-inspection	24-Jan-19		Satisfactory - No Action(s) Taken
Lakeland Long Term Care	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	29-May-19		Satisfactory - No Action(s) Taken
Lakeside at Gordon bay	55 A Hatherley Road, Mactier ON POC 1H0		23-May-19		Satisfactory - No Action(s) Taken
Lakeside at Gordon Bay	55 A Hatherley Road, Mactier ON POC 1H0	Routine Inspection	31-Jul-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Corrected During Inspection
Lakeside at Gordon Bay	55 A Hatherley Road, Mactier ON POC 1H0	Routine Inspection	29-Aug-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Lakeview Grocery	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Dec-18		Satisfactory - No Action(s) Taken
Lakeview Grocery	3790 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	9-Jul-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Lakeview Grocery	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	13-Jun-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Lakeview Grocery and Spike's Gas Bar - Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	6-Sep-18		Satisfactory - No Action(s) Taken
Lakeview Grocery and Spike's Gas Bar-Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Lakeview Grocery and Spike's Gas Bar-Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	13-Jun-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar-Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	13-Jun-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar-Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	13-Jun-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar-Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	13-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar-Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	9-Jul-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Lakeview Grocery and Spike's Gas Bar-Snack Bar	3790 Trout Lake Road, North Bay ON P1B 8G4	Re-inspection	9-Jul-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Land of Lakes Public School	92 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	20-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Larry's Chip Stand	230 Main Street, Sturgeon Falls ON P2B 1P4	Routine Inspection	10-May-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Larry's Chip Stand	230 Main Street, Sturgeon Falls ON P2B 1P4	Routine Inspection	18-Jul-18		Satisfactory - No Action(s) Taken
Larry's Chip Stand	230 Main Street, Sturgeon Falls ON P2B 1P4	Routine Inspection	27-May-19		Satisfactory - No Action(s) Taken
L-A's Chip Stop	175 Hwy 599, Nobel ON P0G 1G0	Routine Inspection	22-Jun-18		Satisfactory - No Action(s) Taken
Laura Secord	134-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	16-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Laura Secord	134-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	16-Dec-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Laurentian Café	900 Ski Club Road, North Bay ON P1B 8E5	Routine Inspection	8-Feb-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Laurentian Café	900 Ski Club Road, North Bay ON P1B 8E5	Re-inspection	14-Feb-18		Satisfactory - No Action(s) Taken
Laurentian Café	900 Ski Club Road, North Bay ON P1B 8E5	Routine Inspection	2-Dec-19		Satisfactory - No Action(s) Taken
Laurentian Learning Centre	647 McKay Street, North Bay ON P1B 7V7	Routine Inspection	15-Feb-19		Satisfactory - No Action(s) Taken
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	28-Jun-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	28-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	6-Sep-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	6-Sep-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	6-Sep-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	6-Sep-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	6-Sep-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	25-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	26-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Laurentide Golf Club	65 Goulard Road, Sturgeon Falls ON P2B 2R7	Routine Inspection	26-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Lavigne Community Centre	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	14-Sep-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Lavigne Community Centre	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	13-Mar-19		Satisfactory - No Action(s) Taken
Lavigne Community Centre	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	23-Sep-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Lavigne General Store Coffee Shop and Chipstand	10515 Hwy 64, Lavigne ON P0H 1R0	Routine Inspection	8-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Lavigne General Store Coffee Shop and Chipstand	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	25-Jan-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Lavigne General Store Coffee Shop and Chipstand	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	25-Jan-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Lavigne General Store Coffee Shop and Chipstand	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	25-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Lavigne General Store Coffee Shop and Chipstand	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	14-Sep-18		Satisfactory - No Action(s) Taken
Lavigne General Store Coffee Shop and Chipstand	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	28-May-19		Satisfactory - No Action(s) Taken
Lavigne General Store Coffee Shop and Chipstand	10521 Hwy 64 South, Lavigne ON P0H 1R0	Routine Inspection	8-Aug-19		Satisfactory - No Action(s) Taken
Lavigne Tavern	10521 Hwy 64, Lavigne ON P0H 1R0	Routine Inspection	25-Jan-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Lavigne Tavern	10521 Hwy 64, Lavigne ON P0H 1R0	Routine Inspection	25-Jan-18	General housekeeping is satisfactory	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lavigne Tavern	10521 Hwy 64, Lavigne ON P0H 1R0	Routine Inspection	24-Sep-18		Satisfactory - No Action(s) Taken
Lavigne Tavern	10521 Hwy 64, Lavigne ON P0H 1R0	Routine Inspection	28-May-19		Satisfactory - No Action(s) Taken
Lavigne Tavern	10521 Hwy 64, Lavigne ON P0H 1R0	Routine Inspection	23-Sep-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
LBS of Fries	2536 Hwy 654, Callander ON P0H 1H0	Routine Inspection	18-May-18		Satisfactory - No Action(s) Taken
Le Fromage Market	10444 Hwy 17 W, Verner ON P0H 2M0	Routine Inspection	23-May-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Le Fromage Market	10444 Hwy 17 W, Verner ON P0H 2M0	Routine Inspection	23-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Le Fromage Market	10444 Hwy 17 W, Verner ON P0H 2M0	Routine Inspection	20-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Le Fromage Market	10444 Hwy 17 W, Verner ON P0H 2M0	Routine Inspection	20-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
Le Petit Dragon	2345 Connaught Avenue, North Bay, ON P1B 0A3	Routine Inspection	22-Nov-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Le Petit Dragon	2345 Connaught Avenue, North Bay, ON P1B 0A3	Routine Inspection	22-Nov-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Le Petit Dragon	480 Norman Avenue, North Bay ON P1B 0A8	Routine Inspection	11-Nov-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Le Petit Dragon	480 Norman Avenue, North Bay ON P1B 0A8	Routine Inspection	11-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Le Petit Dragon	480 Norman Avenue, North Bay ON P1B 0A8	Routine Inspection	27-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Le Voyageur Inn	351 Main St, Mattawa ON P0H 1V0	Routine Inspection	22-Nov-18		Satisfactory - No Action(s) Taken
Le Voyageur Inn	351 Main Street, Mattawa ON P0H 1V0	Routine Inspection	20-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Le Voyageur Inn	351 Main Street, Mattawa ON P0H 1V0	Routine Inspection	20-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Le Voyageur Inn	351 Main Street, Mattawa ON P0H 1V0	Re-inspection	19-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
LeBlanc Sans Souci Marina	39 B321 Island, Parry Sound ON P2A 1T0	Routine Inspection	20-Aug-19		Satisfactory - No Action(s) Taken
LeBlanc's San Souci	39 B321 Island, Parry Sound ON P2A 1T0	Routine Inspection	24-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
LeBlanc's San Souci	39 B321 Island, Parry Sound ON P2A 1T0	Routine Inspection	24-Aug-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Lee's China Garden	337 McIntyre Street E, North Bay ON P1B 1C9	Routine Inspection	21-Nov-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Lee's China Garden	337 McIntyre Street E, North Bay ON P1B 1C9	Routine Inspection	9-May-18		Satisfactory - No Action(s) Taken
Lee's China Garden	337 McIntyre Street E, North Bay ON P1B 1C9	Routine Inspection	7-Jun-19		Satisfactory - No Action(s) Taken
Lee's China Garden	337 McIntyre Street E, North Bay ON P1B 1C9	Routine Inspection	7-Jun-19		Satisfactory - No Action(s) Taken
Lee's China Garden	337 McIntyre Street E, North Bay ON P1B 1C9	Routine Inspection	7-Nov-19		Satisfactory - No Action(s) Taken
Les Compagnons des Francs Loisirs	327 Dudley Avenue, North Bay ON P1B 7A4	Routine Inspection	26-Nov-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Les Compagnons des Francs Loisirs	327 Dudley Avenue, North Bay ON P1B 7A4	Routine Inspection	26-Nov-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Les Compagnons des Francs Loisirs	327 Dudley Avenue, North Bay ON P1B 7A4	Re-inspection	10-Dec-18		Satisfactory - No Action(s) Taken
Les Compagnons des Francs Loisirs	327 Dudley Avenue, North Bay ON P1B 7A4	Routine Inspection	20-Sep-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Licks Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	22-Jun-18	Re-heating to original cooking temperature within 2 hours	Re-inspection Scheduled
Licks Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	22-Jun-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Licks Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	22-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	6-Mar-19		Satisfactory - No Action(s) Taken
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Complaint	3-May-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Complaint	3-May-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Complaint	3-May-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Complaint	3-May-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	17-Jun-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	17-Jun-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Lick's Home Burgers	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	26-Sep-19		Satisfactory - No Action(s) Taken
Li'l Yetti's Pizza	A-117 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	1-May-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Li'l Yetti's Pizza	A-117 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	1-May-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Li'l Yetti's Pizza	A-117 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	14-Sep-18		Satisfactory - No Action(s) Taken
Li'l Yetti's Pizza	A-117 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	05-Apr-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Li'l Yetti's Pizza	A-117 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	5-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Lindsay Weld Centre - Kids Campus	602 Lake Heights Road, North Bay ON P1A 2Z8	Routine Inspection	23-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Lindsay Weld Centre - Kids Club	225 Milani Road, North Bay ON P1B 7P4	Routine Inspection	11-Mar-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lindsay Weld Centre - Kids Club	225 Milani Road, North Bay ON P1B 7P4	Routine Inspection	30-Sep-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Lindsay Weld Centre - Kids Club	225 Milani Road, North Bay ON P1B 7P4	Routine Inspection	30-Sep-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Lindsay Weld Centre - Kids Connection	850 Lorne Avenue, North Bay ON P1B 8M2	Routine Inspection	30-Sep-19		Satisfactory - No Action(s) Taken
Lindsay Weld Centre - Kids Connection	850 Lorne Avenue, North Bay ON P1B 8M2	Routine Inspection	11-Mar-19		Satisfactory - No Action(s) Taken
Lindsay Weld Centre - Kids Crew	900 Bloem Street, North Bay ON P1B 4Z8	Routine Inspection	4-Nov-19		Satisfactory - No Action(s) Taken
Lindsay Weld Centre for Children	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	6-Feb-18		Satisfactory - No Action(s) Taken
Lindsay Weld Centre for Children	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	3-Jul-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Lindsay Weld Centre for Children	200 First Avenue W, North Bay ON P1B 9M3	Re-inspection	6-Jul-18		Satisfactory - No Action(s) Taken
Lindsay Weld Centre for Children	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	11-Mar-19		Satisfactory - No Action(s) Taken
Lindsay Weld Centre for Children	200 First Avenue W, North Bay ON P1B 9M3	Routine Inspection	8-Nov-19		Satisfactory - No Action(s) Taken
Lindsay Weld Centre- Kids Campus	602 Lake Heights Road, North Bay ON P1A 2Z8	Routine Inspection	17-Apr-18		Satisfactory - No Action(s) Taken
Lindsay Weld Centre- Kids Campus	602 Lake Heights Road, North Bay ON P1A 2Z8	Routine Inspection	22-Oct-18		Satisfactory - No Action(s) Taken
Lindsay Weld Centre- Kids Campus	602 Lake Heights Road, North Bay ON P1A 2Z8	Routine Inspection	12-Apr-19		Satisfactory - No Action(s) Taken
Lindsay Weld Centre- Kids Campus	602 Lake Heights Road, North Bay ON P1A 2Z8	Routine Inspection	12-Apr-19		Satisfactory - No Action(s) Taken
Lindsay Weld Centre- Kids Club	225 Milani Road, North Bay ON P1B 7P4	Routine Inspection	24-Oct-18		Satisfactory - No Action(s) Taken
Lindsay Weld Centre- Kids Club	225 Milani Road, North Bay ON P1B 7P4	Routine Inspection	4-Apr-18		Satisfactory - No Action(s) Taken
Lindsay Weld Centre- Kids Connection	850 Lorne Avenue, North Bay ON P1B 8M2	Routine Inspection	18-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lindsay Weld Centre- Kids Corner	414 Second Avenue W, North Bay ON P1B 3L2	Routine Inspection	4-Apr-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Lindsay Weld Centre- Kids Corner	414 Second Avenue W, North Bay ON P1B 3L2	Routine Inspection	22-Oct-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Lindsay Weld Centre- Kids Corner	414 Second Avenue W, North Bay ON P1B 3L2	Routine Inspection	22-Oct-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Lindsay Weld Centre- Kids Crew	900 Bloem Street, North Bay ON P1B 4Z8	Routine Inspection	23-Apr-18		Satisfactory - No Action(s) Taken
Lindsay Weld Centre- Kids Crew	900 Bloem Street, North Bay ON P1B 4Z8	Routine Inspection	24-Apr-19		Satisfactory - No Action(s) Taken
Literacy Alliance of West Nipissing	184 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	26-Nov-19		Satisfactory - No Action(s) Taken
Literacy Alliance of West Nipissing	184 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	23-Oct-18		Satisfactory - No Action(s) Taken
Literacy Alliance of West Nipissing	184 King Street, Sturgeon Falls ON P2B 1R5	Routine Inspection	28-May-19		Satisfactory - No Action(s) Taken
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	9-Apr-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	19-Sep-18		Satisfactory - No Action(s) Taken
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	15-Mar-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Re-inspection	9-Aug-19		Satisfactory - No Action(s) Taken
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	26-Jul-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	26-Jul-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	26-Jul-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	26-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	26-Jul-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Little Caesars Pizza	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	26-Jul-19	Floors clean and in good repair	Re-inspection Scheduled
Log Cabin Inn	9 Little Beaver Boulevard, Seguin ON P2A 0B2	Routine Inspection	14-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Log Cabin Inn	9 Little Beaver Boulevard, Seguin ON P2A 0B2	Re-inspection	14-Mar-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Log Cabin Inn	9 Little Beaver Boulevard, Seguin ON P2A 0B2	Re-inspection	3-Apr-18		Satisfactory - No Action(s) Taken
Log Cabin Inn	9 Little Beaver Boulevard, Seguin ON P2A 0B2	Routine Inspection	2-Aug-18		Satisfactory - No Action(s) Taken
Log Cabin Inn	9 Little Beaver Boulevard, Seguin ON P2A 0B2	Routine Inspection	23-May-19		Satisfactory - No Action(s) Taken
Log Cabin Inn	9 Little Beaver Boulevard, Seguin ON P2A 0B2	Routine Inspection	13-Dec-19		Satisfactory - No Action(s) Taken
Logan's Landing Restaurant	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	1-Mar-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Logan's Landing Restaurant	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	1-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Logan's Landing Restaurant	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	1-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Logan's Landing Restaurant	2093 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	1-Mar-18	General housekeeping is satisfactory	Re-inspection Scheduled
Logan's Landing Restaurant	2093 Highway 124, Dunchurch ON P0A 1G0	Re-inspection	8-Mar-18	Meat obtained from an animal inspected under the Meat Inspection Act. Manufactured meats: processed to destroy microorganisms	Corrected During Inspection
Logan's Landing Restaurant	2093 Highway 124, Dunchurch ON P0A 1G0	Re-inspection	8-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	20-Feb-18		Satisfactory - No Action(s) Taken
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	15-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	15-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	15-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	23-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	23-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	31-May-19	Floors clean and in good repair	Corrected During Inspection
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	31-May-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	31-May-19	Floors clean and in good repair	Corrected During Inspection
Loi's Canton Kitchen	190 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	31-May-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON P1B 7S3	Routine Inspection	6-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON P1B 7S3	Routine Inspection	6-Dec-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON P1B 7S3	Routine Inspection	6-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON P1B 7S3	Routine Inspection	6-Dec-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON P1B 7S3	Routine Inspection	6-Dec-19	Walls clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON P1B 7S3	Re-inspection	18-Dec-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Dipper well with running water	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	27-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	29-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	29-Aug-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	29-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	29-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	29-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	29-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	29-Aug-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	29-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	13-Sep-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	18-Sep-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	18-Sep-18	Mechanical ventilation operable where required	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Thorough cooking to minimum internal food temperature	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Food handler hygiene	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	21-Dec-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	11-Jan-19		Satisfactory - No Action(s) Taken
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	11-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	11-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	11-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	11-Apr-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	11-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	11-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	11-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	11-Apr-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Re-inspection	15-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	23-Aug-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	23-Aug-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON, P1B 7S3	Routine Inspection	23-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Loi's Family Restaurant	2195 Trout Lake Road, North Bay ON P1B 7S3	Routine Inspection	23-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Lorraine's Restaurant	Unit A, 48 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	26-Sep-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lorraine's Boutique	9 Bay Street, Parry Sound ON P2A 1S4	Routine Inspection	16-Aug-19		Satisfactory - No Action(s) Taken
Lorraine's Restaurant	A-48 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	1-Feb-18		Satisfactory - No Action(s) Taken
Lorraine's Restaurant	A-48 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	7-Feb-19		Satisfactory - No Action(s) Taken
Lost Channel Inc.	400 Lost Channel Road, Lost Channel ON P0G 1A0	Routine Inspection	30-Aug-18		Satisfactory - No Action(s) Taken
Lost Channel Inn & Marina	400 Lost Channel Road, Lost Channel ON P0G 1A0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	22-Nov-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	22-Nov-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	22-Nov-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	22-Nov-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	22-Nov-18	General housekeeping is satisfactory	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	22-Nov-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Re-inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	8-Mar-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	8-Mar-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	8-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	8-Mar-19	General housekeeping is satisfactory	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Re-inspection	13-Mar-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	24-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	24-Jun-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	24-Jun-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	24-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	24-Jun-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	24-Jun-19	Floors clean and in good repair	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Re-inspection	5-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Re-inspection	17-Jul-19		Satisfactory - No Action(s) Taken
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Re-inspection	9-Oct-19		Satisfactory - No Action(s) Taken
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	1-Oct-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Lot 88	D1-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	1-Oct-19	Floors clean and in good repair	Re-inspection Scheduled
Lou Dawg's Southern BBQ	167 Main Street W, North Bay ON P1B 2T6	Routine Inspection	2-Dec-19		Satisfactory - No Action(s) Taken
Lucky 13	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	17-Dec-19		Satisfactory - No Action(s) Taken
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	19-Sep-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	19-Sep-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	19-Sep-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	19-Sep-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	19-Sep-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	19-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	19-Sep-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	19-Sep-18	General housekeeping is satisfactory	Re-inspection Scheduled
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Re-inspection	10-Oct-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Re-inspection	10-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Re-inspection	10-Oct-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	12-Mar-19	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Routine Inspection	12-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Lucky 13 - Airport Rd	922 Airport Road, North Bay ON P1C 1A6	Re-inspection	1-May-19		Satisfactory - No Action(s) Taken
Lucky 13 - Callander	102 Main Street N, Callander ON P0H 1H0	Routine Inspection	29-Jan-18		Satisfactory - No Action(s) Taken
Lucky 13 - McKeown Ave	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	19-Mar-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Lucky 13 - McKeown Ave	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	19-Mar-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Lucky 13 - McKeown Ave	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	19-Mar-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Lucky 13 - McKeown Ave	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	28-Mar-19		Satisfactory - No Action(s) Taken
Lucky 13 - McKeown Ave	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	26-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Lucky 13 - McKeown Ave	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	26-Sep-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Lucky 13 - McKeown Ave	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	26-Sep-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Lucky 13 - McKeown Ave	555 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	26-Sep-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Lucky 13/Mrs. Lips	368 Highway 94, Corbeil ON P0H 1K0	Routine Inspection	26-Nov-19		Satisfactory - No Action(s) Taken
Lunge Lodge	WB7162 Lake Nipissing, Monetville, ON P0M 2K0	Routine Inspection	6-Jun-18		Satisfactory - No Action(s) Taken
Lunge Lodge	WB7162 Lake Nipissing, Monetville, ON P0M 2K0	Routine Inspection	7-Aug-18		Satisfactory - No Action(s) Taken
Lunge Lodge	WB7162 Lake Nipissing, Monetville, ON P0M 2K0	Routine Inspection	13-Aug-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
M & M Food Market - Sturgeon Falls	A68 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
M & M Food Market - Sturgeon Falls	A68 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
M & M Food Market - Sturgeon Falls	A68 Front Street, Sturgeon Falls P2B 2G7	Routine Inspection	11-Sep-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
M&M Food Market	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	6-Nov-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
M&M Food Market	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	6-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
M&M Food Market - Parry Sound	4 Pine Drive, Parry Sound ON P2A 3B8	Routine Inspection	30-Jan-18	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
M&M Food Market - Parry Sound	4 Pine Drive, Parry Sound ON P2A 3B8	Routine Inspection	30-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
M&M Food Market - Parry Sound	4 Pine Drive, Parry Sound ON P2A 3B8	Re-inspection	2-Feb-18		Satisfactory - No Action(s) Taken
M&M Food Market - Parry Sound	4 Pine Drive, Parry Sound ON P2A 3B8	Routine Inspection	21-Nov-18		Satisfactory - No Action(s) Taken
M&M Food Market - Parry Sound	4 Pine Drive, Parry Sound ON P2A 3B8	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
M&M Meat Shops - North Bay	180 Shirreff Avenue, North Bay ON P1B 7K9	Re-inspection	8-Feb-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
M.T. Davidson Public School	249 Landsdown Street, Callander ON P0H 1H0	Routine Inspection	3-Dec-18		Satisfactory - No Action(s) Taken
M.T. Davidson Public School	249 Landsdown Street, Callander ON P0H 1H0	Routine Inspection	24-Oct-19		Satisfactory - No Action(s) Taken
MacEwen Petroleum (The Pizza Shop)	13 Highway 94, Corbeil ON P0H 1K0	Routine Inspection	26-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
MacEwen Petroleum (The Pizza Shop)	13 Highway 94, Corbeil ON P0H 1K0	Routine Inspection	26-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
MacEwen Petroleum (The Pizza Shop)	13 Hwy 94, Corbeil ON P0H 1K0	Routine Inspection	26-Feb-18		Satisfactory - No Action(s) Taken
MacEwen Seymour	1375 Seymour Street, North Bay ON P1B 9V6	Routine Inspection	23-Jan-19		Satisfactory - No Action(s) Taken
MacEwen Seymour	1375 Seymour Street, North Bay ON P1B 9V6	Routine Inspection	17-Jul-19		Satisfactory - No Action(s) Taken
Macs Convenience Store	113 Front Street, Sturgeon Falls ON P2B 2H5	Routine Inspection	4-Dec-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Macs Convenience Store	113 Front Street, Sturgeon Falls ON P2B 2H5	Routine Inspection	4-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Mac's Convenience Store	113 Front Street, Sturgeon Falls ON P2B 2H5	Re-inspection	3-Jan-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Mac's Convenience Store	113 Front Street, Sturgeon Falls ON P2B 2H5	Re-inspection	18-Jan-19		Satisfactory - No Action(s) Taken
Mac's Convenience Store	Callander Square, Callander ON P0H 1H0	Routine Inspection	15-Nov-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Mac's Convenience Store	Callander Square, Callander ON P0H 1H0	Re-inspection	19-Nov-18		Satisfactory - No Action(s) Taken
Mac's Convenience Store	Callander Square, Callander ON P0H 1H0	Routine Inspection	15-Nov-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Mac's Convenience Store #1276	617 Main Street E, North Bay ON P1B 1B9	Routine Inspection	27-Sep-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Mac's Convenience Store #1276	617 Main Street E, North Bay ON P1B 1B9	Routine Inspection	27-Sep-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mac's Convenience Store #1276	617 Main Street E, North Bay ON P1B 1B9	Routine Inspection	27-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Mac's Convenience Store 1740	2606 Trout Lake Road, North Bay ON P1B 8J1	Routine Inspection	26-Apr-18		Satisfactory - No Action(s) Taken
Mac's Convenience Store 1740	2606 Trout Lake Road, North Bay ON P1B 8J1	Routine Inspection	4-Feb-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Mac's Convenience Store 1740	2606 Trout Lake Road, North Bay ON P1B 8J1	Routine Inspection	4-Feb-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Mac's Convenience Store 1740	2606 Trout Lake Road, North Bay ON P1B 8J1	Routine Inspection	4-Feb-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Mac's Convenience Store 1740	2606 Trout Lake Road, North Bay ON P1B 8J1	Routine Inspection	4-Feb-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Mac's Convenience Store 1740	2606 Trout Lake Road, North Bay ON P1B 8J1	Routine Inspection	4-Feb-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Mac's Convenience Store 24	1146 Cassells Street, North Bay ON P1B 4B5	Complaint	21-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Mac's Convenience Store 24	1146 Cassells Street, North Bay ON P1B 4B5	Complaint	21-Jun-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Mac's Convenience Store 24	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	3-Dec-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Mac's Convenience Store 24	1146 Cassells Street, North Bay ON P1B 4B5	Routine Inspection	3-Dec-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Mac's Convenience Store 24	1146 Cassells Street, North Bay ON P1B 4B5	Re-inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Mac's Convenience Store 42	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	23-Apr-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Mac's Convenience Store 42	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	23-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Mac's Convenience Store 42	621 Cassells Street, North Bay ON P1B 4A1	Routine Inspection	23-Apr-18	General housekeeping is satisfactory	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mac's Convenience Store 42	621 Cassells Street, North Bay ON P1B 4A1	Re-inspection	24-Apr-18		Satisfactory - No Action(s) Taken
Madadjiwan	318 Main Street, Mattawa ON P0H 1V0	Routine Inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Madadjiwan Cultural Centre	318 Main Street, Mattawa ON P0H 1V0	Routine Inspection	3-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Magasin Dupras Store	119 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	24-Jul-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Magasin Dupras Store Chipstand	119 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	24-Jul-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Magasin Dupras Store Chipstand	119 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	24-Jul-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Magasin Dupras Store Chipstand	119 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	24-Jul-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Magasin Dupras Store Chipstand	119 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	24-Jul-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Magasin Dupras Store Chipstand	119 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	24-Jul-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Magasin Dupras Store Chipstand	119 Hwy 539A, River Valley ON P0H 2C0	Re-inspection	1-Aug-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	20-Mar-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	20-Mar-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	20-Mar-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	20-Mar-18	General housekeeping is satisfactory	Re-inspection Scheduled
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Re-inspection	6-Apr-18		Satisfactory - No Action(s) Taken
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Re-inspection	6-Apr-18	General housekeeping is satisfactory	Re-inspection Scheduled
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Re-inspection	24-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	28-Sep-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Magnetawan Bait & Tackle	4860 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	26-Aug-19		Satisfactory - No Action(s) Taken
Magnetawan Bait & Tackle (Ice Manufacturing Plant)	4860 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	26-Oct-18		Satisfactory - No Action(s) Taken
Magnetawan Bait & Tackle (Ice Manufacturing Plant)	4860 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	26-Aug-19		Satisfactory - No Action(s) Taken
Magnetawan Central Public School	31 Sparks Street, Magnetawan ON POA 1P0	Routine Inspection	25-Apr-18		Satisfactory - No Action(s) Taken
Magnetawan Central Public School	31 Sparks Street, Magnetawan ON POA 1P0	Routine Inspection	26-Apr-19		Satisfactory - No Action(s) Taken
Magnetawan Community Centre	4304 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	25-Oct-18		Satisfactory - No Action(s) Taken
Magnetawan Community Centre	4304 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	7-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Magnetawan Friendship Club	73 Albert Street, Magnetawan ON P0A 1P0	Routine Inspection	24-Jan-18	Meat obtained from an animal inspected under the Meat Inspection Act. Manufactured meats: processed to destroy microorganisms	Corrected During Inspection
Magnetawan Friendship Club	73 Albert Street, Magnetawan ON P0A 1P0	Routine Inspection	24-Jan-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Magnetawan Friendship Club	73 Albert Street, Magnetawan ON P0A 1P0	Re-inspection	29-Jan-18		Satisfactory - No Action(s) Taken
Magnetawan Friendship Club	73 Albert Street, Magnetawan ON P0A 1P0	Routine Inspection	25-Oct-18		Satisfactory - No Action(s) Taken
Magnetawan Friendship Club	73 Albert Street, Magnetawan ON P0A 1P0	Routine Inspection	31-May-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Magnetawan Friendship Club	73 Albert Street, Magnetawan ON P0A 1P0	Routine Inspection	22-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Magnetawan Grill & Grocery	4244 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	9-Mar-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Magnetawan Grill & Grocery	4244 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	22-Aug-18		Satisfactory - No Action(s) Taken
Magnetawan Grill & Grocery	4244 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	21-Feb-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Magnetawan Grill & Grocery	4244 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	12-Sep-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Magnetawan Grill & Grocery	4244 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	12-Sep-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Magnetawan Snack Bar	5 Burrows Street, Magnetawan ON P0A 1P0	Routine Inspection	17-May-18		Satisfactory - No Action(s) Taken
Magnetawan Snack Bar	5 Burrows Street, Magnetawan ON P0A 1P0	Routine Inspection	17-May-19		Satisfactory - No Action(s) Taken
Main Street Café	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	28-Feb-18		Satisfactory - No Action(s) Taken
Main Street Café	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	20-Feb-19		Satisfactory - No Action(s) Taken
Main Street Variety	321 Main Street, Mattawa ON P0H 1V0	Routine Inspection	11-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Main Street Variety	321 Main Street, Mattawa ON P0H 1V0	Routine Inspection	11-Nov-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Manshou	127 Lakeshore Drive, North Bay ON P1A2A9	Routine Inspection	10-Oct-18		Satisfactory - No Action(s) Taken
Manshou	127 Lakeshore Drive, North Bay ON P1A2A9	Routine Inspection	9-Apr-19		Satisfactory - No Action(s) Taken
Manshou Restaurant	127 Lakeshore Drive, North Bay ON P1A 2A9	Routine Inspection	28-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Manshou Restaurant	127 Lakeshore Drive, North Bay ON P1A 2A9	Routine Inspection	28-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Manshou Restaurant	127 Lakeshore Drive, North Bay ON P1A 2A9	Routine Inspection	28-Nov-19	Walls clean and in good repair	Re-inspection Scheduled
Manshou Restaurant	127 Lakeshore Drive, North Bay ON P1A 2A9	Re-inspection	12-Dec-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Maple Island General Store	711 Highway 520, Dunchurch ON P0A 1G0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Mapleridge Public School	171 Edward Street, Powassan ON P0H 1Z0	Routine Inspection	23-Apr-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mapleridge Public School	171 Edward Street, Powassan ON P0H 1Z0	Routine Inspection	23-Apr-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Mapleridge Public School	171 Edward Street, Powassan ON P0H 1Z0	Routine Inspection	23-Apr-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Mapleridge Public School	171 Edward Street, Powassan ON P0H 1Z0	Re-inspection	1-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Mapleridge Public School	171 Edward Street, Powassan ON P0H 1Z0	Re-inspection	24-May-19		Satisfactory - No Action(s) Taken
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	5-Feb-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	11-May-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	11-May-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	11-May-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Re-inspection	21-Jun-18		Satisfactory - No Action(s) Taken
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	13-Sep-18		Satisfactory - No Action(s) Taken
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	6-Feb-19	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	6-Feb-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	7-Jun-19		Satisfactory - No Action(s) Taken
Marina Point Retirement Village	225 Oak Street W, North Bay ON P1B 0A9	Routine Inspection	18-Oct-19		Satisfactory - No Action(s) Taken
Mary Street Community Centre	24 Mary Street, Parry Sound ON P2A 2X4	Routine Inspection	12-Dec-19		Satisfactory - No Action(s) Taken
Mattawa Adventure Camp	4601 Hwy 17 E, Mattawa ON P0H 1V0	Routine Inspection	2-Aug-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mattawa Adventure Camp	4601 Hwy 17 E, Mattawa ON P0H 1V0	Re-inspection	22-Aug-19		Satisfactory - No Action(s) Taken
Mattawa Child Care Centre	4601 Hwy 17 E, Mattawa ON P0H 1V0	Routine Inspection	3-Apr-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Mattawa Child Care Centre	4601 Hwy 17 E, Mattawa ON P0H 1V0	Routine Inspection	26-Jul-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Mattawa Child Care Centre	800 John Street, Mattawa ON P0H 1V0	Routine Inspection	15-Nov-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Mattawa Child Care Centre	800 John Street, Mattawa ON P0H 1V0	Routine Inspection	15-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Mattawa Child Care Centre	800 John Street, Mattawa ON P0H 1V0	Routine Inspection	6-Mar-19		Satisfactory - No Action(s) Taken
Mattawa Child Care Centre	800 John Street, Mattawa ON P0H 1V0	Routine Inspection	28-Nov-19		Satisfactory - No Action(s) Taken
Mattawa Chip Stand	414 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	20-Apr-18		Satisfactory - No Action(s) Taken
Mattawa District Public School	376 Park Street, Mattawa ON P0H 1V0	Routine Inspection	28-Nov-19		Satisfactory - No Action(s) Taken
Mattawa District Public School	376 Pine Street, Mattawa ON P0H 1V0	Routine Inspection	9-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Mattawa District Public School	376 Pine Street, Mattawa ON P0H 1V0	Re-inspection	24-May-19		Satisfactory - No Action(s) Taken
Mattawa Food Bank	450 Hurdman Street, Mattawa ON P0H 1V0	Routine Inspection	20-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Mattawa Food Bank	450 Hurdman Street, Mattawa ON P0H 1V0	Routine Inspection	20-Nov-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Mattawa Golden Age	474 Pollar Street, Mattawa ON P0H 1V0	Routine Inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Mattawa Golden Age Club	464 Poplar Street, Mattawa ON P0H 1V0	Routine Inspection	13-Nov-19		Satisfactory - No Action(s) Taken
Mattawa Golf and Ski	2314 Hwy 17 E, Mattawa ON P0H 1V0	Routine Inspection	16-Oct-18		Satisfactory - No Action(s) Taken
Mattawa Golf and Ski	2314 Hwy 17 E, Mattawa ON P0H 1V0	Routine Inspection	29-May-19		Satisfactory - No Action(s) Taken
Mattawa Hospital	217 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	3-Apr-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mattawa Hospital	217 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	3-Apr-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Mattawa Hospital	217 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	11-Jul-18		Satisfactory - No Action(s) Taken
Mattawa Hospital	217 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	9-Oct-18		Satisfactory - No Action(s) Taken
Mattawa Hospital	217 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	27-Feb-19		Satisfactory - No Action(s) Taken
Mattawa Hospital	217 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	31-May-19	Food is prepared in a safe manner	Corrected During Inspection
Mattawa Hospital	217 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	8-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Mattawa Hospital	217 Turcotte Park Road, Mattawa ON P0H 1V0	Routine Inspection	8-Oct-19	No condemnation/seizure required	Corrected During Inspection
Mattawa Lions Den	175 Brook Street, Mattawa ON P0H 1V0	Routine Inspection	17-Dec-19		Satisfactory - No Action(s) Taken
Mattawa River Resort	6251 Highway 17 W, Mattawa ON P0H 1V0	Routine Inspection	16-Mar-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Mattawa River Resort	6251 Highway 17 West, Mattaw ON P0H 1V0	Routine Inspection	13-Nov-19		Satisfactory - No Action(s) Taken
Mattawa Variety & Discount	311 McConnell Street, Mattaw ON P0H 1V0	Routine Inspection	21-Oct-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Maurizio's	97A Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	24-Oct-18		Satisfactory - No Action(s) Taken
Maurizio's	97A Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	10-Jul-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Maurizio's	97A Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	10-Jul-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Max Multi Mart	610 Lakeshore Drive, North Bay ON P1A 2E6	Routine Inspection	28-Nov-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Max Multi Mart	610 Lakeshore Drive, North Bay ON P1A 2E6	Re-inspection	10-Dec-18		Satisfactory - No Action(s) Taken
McDonald's - Lakeshore Drive	140 Lakeshore Drive, North Bay ON P1A 2A8	Routine Inspection	6-Nov-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
McDonald's - Lakeshore Drive	140 Lakeshore Drive, North Bay ON P1A 2A8	Routine Inspection	6-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
McDonald's - Lakeshore Drive	140 Lakeshore Drive, North Bay ON P1A 2A8	Re-inspection	8-Nov-19		Satisfactory - No Action(s) Taken
McDonalds - Sturgeon Falls	195 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	26-Feb-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
McDonalds - Sturgeon Falls	195 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	28-Jan-19		Satisfactory - No Action(s) Taken
McDonald's Restaurant	118 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	4-Dec-19		Satisfactory - No Action(s) Taken
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	28-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Re-inspection	12-Jul-18		Satisfactory - No Action(s) Taken
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	17-Oct-18	Food is held at 4°C (40°F) or less	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	17-Oct-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	17-Oct-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	17-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	17-Oct-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	17-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	17-Oct-18	General housekeeping is satisfactory	Re-inspection Scheduled
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	8-May-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	8-May-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	19-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	19-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	19-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
McDonald's Restaurant - McKeown Ave	999 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	19-Nov-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
McDonald's Restaurant - Parry Sound	118 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	20-Feb-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
McDonald's Restaurant - Parry Sound	118 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	20-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
McDonald's Restaurant - Parry Sound	118 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	20-Feb-18	General housekeeping is satisfactory	Re-inspection Scheduled
McDonald's Restaurant - Parry Sound	118 Bowes Street, Parry Sound ON P2A 2L7	Re-inspection	7-Mar-18		Satisfactory - No Action(s) Taken
McDonald's Restaurant - Parry Sound	118 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
McDonald's Restaurant - Parry Sound	118 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
McDonald's Restaurant - Parry Sound	118 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
McDougall Public School	69 Hwy 124, McDougall ON P2A 2W7	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
McDougall Recreation Centre	148 Hammel Avenue, Parry Sound ON P2A 2W9	Routine Inspection	29-Nov-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
McDougall Recreation Centre	148 Hammel Avenue, Parry Sound ON P2A 2W9	Routine Inspection	27-Jun-19		Satisfactory - No Action(s) Taken
McDougall Recreation Centre	148 Hammel Avenue, Nobel ON P0G 1G0	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
McDougall Recreation Centre	148 Hammel Avenue, Nobel ON P0G 1G0	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
McKellar Community Centre - Banquet Facility	701 Highway 124 McKellar ON P0G 1C0	Routine Inspection	3-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
McKellar Community Centre - Banquet Facility	701 Highway 124 McKellar ON P0G 1C0	Routine Inspection	3-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
McKellar Community Centre - Banquet Facility	701 Highway 124 McKellar ON P0G 1C0	Routine Inspection	3-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
McKellar Community Centre - Banquet Facility	701 Highway 124 McKellar, ON P0G 1C0	Routine Inspection	24-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
McKellar Community Centre - Banquet Facility	701 Highway 124 McKellar, ON P0G 1C0	Routine Inspection	24-Aug-18	Mechanical ventilation operable where required	Re-inspection Scheduled
McKellar Community Centre - Banquet Facility	701 Highway 124 McKellar, ON P0G 1C0	Re-inspection	31-Aug-18		Satisfactory - No Action(s) Taken
McKellar Community Centre - Banquet Facility	701 Highway 124, McKellar ON P0G 1C0	Routine Inspection	6-Mar-18		Satisfactory - No Action(s) Taken
McKellar Community Centre - Banquet Facility	701 Hwy 124 McKellar ON P0G 1C0	Routine Inspection	8-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
McKellar General Store	1 Centre Road, McKellar ON P0G 1C0	Routine Inspection	22-Feb-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
McKellar General Store	1 Centre Road, McKellar ON P0G 1C0	Routine Inspection	22-Feb-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
McKellar General Store	1 Centre Road, McKellar ON P0G 1C0	Routine Inspection	22-Feb-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
McKellar General Store	1 Centre Road, McKellar ON P0G 1C0	Re-inspection	1-Mar-18		Satisfactory - No Action(s) Taken
McKellar General Store	1 Centre Road, McKellar ON P0G 1C0	Routine Inspection	17-Oct-18		Satisfactory - No Action(s) Taken
McKellar General Store	1 Centre Road, McKellar ON P0G 1C0	Routine Inspection	28-Mar-19		Satisfactory - No Action(s) Taken
McKellar General Store	1 Centre Road, McKellar ON P0G 1C0	Complaint	27-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
McMacken's Restaurant	Unit A, 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	1-Mar-18		Satisfactory - No Action(s) Taken
McMacken's Restaurant	Unit A, 37 John Street, Sturgeon Falls ON P2B 1Y2	Re-inspection	16-Oct-18		Satisfactory - No Action(s) Taken
McMacken's Restaurant	Unit A, 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	25-Apr-19		Satisfactory - No Action(s) Taken
McMacken's Restaurant	Unit A, 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	28-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
McManus General	2501 Hwy 518 W, Sprucedale ON POA 1Y0	Routine Inspection	17-May-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
McManus General Store & Restaurant	2501 Highway 518 W, Sprucedale ON POA 1Y0	Routine Inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Memere's Bake Shop	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	25-Jan-18		Satisfactory - No Action(s) Taken
Memere's Bake Shop	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	27-Feb-19		Satisfactory - No Action(s) Taken
Memere's Bake Shop	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	13-Nov-19		Satisfactory - No Action(s) Taken
Memquisit Lodge	506 Memquisit Road, Monetville ON POM 2K0	Routine Inspection	24-May-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Memquisit Lodge	506 Memquisit Road, Monetville ON P0M 2K0	Routine Inspection	8-Aug-18		Satisfactory - No Action(s) Taken
Memquisit Lodge	506 Memquisit Road, Monetville ON P0M 2K0	Routine Inspection	17-Jun-19		Satisfactory - No Action(s) Taken
Messy Fingers Restaurant	1240 John Street, Mattawa ON P0H 1V0	Routine Inspection	28-Mar-19		Satisfactory - No Action(s) Taken
Metro	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	5-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Metro	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	5-Nov-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Metro	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	5-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
Metro	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	5-Nov-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Metro	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	5-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Metro	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	5-Nov-19	Ceilings clean and in good repair	Re-inspection Scheduled
Metro	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	5-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
Metro	390 Lakeshore Drive, North Bay ON P1A 3E4	Routine Inspection	26-Nov-19		Satisfactory - No Action(s) Taken
Metro	203 Front Street, Sturgeon Falls ON P2B 2J4	Re-inspection	4-Dec-19		Satisfactory - No Action(s) Taken
Metro - North Bay	390 Lakeshore Drive, North Bay ON P1A 3E4	Routine Inspection	10-Apr-18		Satisfactory - No Action(s) Taken
Metro - North Bay	390 Lakeshore Drive, North Bay ON P1A 3E4	Routine Inspection	29-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Oct-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Oct-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Oct-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Mar-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Routine Inspection	29-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Metro - Sturgeon Falls	203 Front Street, Sturgeon Falls ON P2B 2J4	Re-inspection	3-May-19	Floors clean and in good repair	Re-inspection Scheduled
Michaels on Main	92 Main Street, Sundridge ON P0A 1Z0	Re-inspection	20-Jun-19		Satisfactory - No Action(s) Taken
Michael's on Main	92 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	3-Dec-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Michael's on Main	92 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	3-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Michael's on Main	92 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	3-Dec-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Michael's on Main	92 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	3-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Michaels on Main	92 Main Street, Sundridge ON P0H 1X0	Routine Inspection	23-Nov-18		Satisfactory - No Action(s) Taken
Michaels on Main - The Ridge	1795 Hwy 11, Sundridge ON P0A 1Z0	Routine Inspection	18-Jan-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Michaels on Main - The Ridge	1795 Hwy 11, Sundridge ON P0A 1Z0	Routine Inspection	18-Jan-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Michaels on Main - The Ridge	1795 Hwy 11, Sundridge ON P0A 1Z0	Routine Inspection	30-May-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Michaels on Main - The Ridge	1795 Hwy 11, Sundridge ON P0A 1Z0	Routine Inspection	30-May-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Michaels on Main - The Ridge	1795 Hwy 11, Sundridge ON P0A 1Z0	Routine Inspection	21-Sep-18	Food handler hygiene	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Michaels on Main - The Ridge	1795 Hwy 11, Sundridge ON P0A 1Z0	Routine Inspection	21-Sep-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Michael's on Main Street	92 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Michael's on Main Street	92 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Jun-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Michael's on Main Street	92 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Jun-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Michael's on Main Street	92 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Jun-19	General housekeeping is satisfactory	Re-inspection Scheduled
Middle River Farms	2 Patterson Lane, McKellar ON P0G 1C0	Re-inspection	19-Oct-18		Satisfactory - No Action(s) Taken
Middle River Farms	2 Patterson Lane, McKellar ON P0G 1C0	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Middle River Farms	2 Patterson Lane, McKellar ON P0G 1C0	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Middle River Farms	2 Patterson Lane, McKellar ON P0G 1C0	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Mike Rodden Arena	450 Hurdman Street, Mattawa ON P0H 1V0	Routine Inspection	28-Feb-19		Satisfactory - No Action(s) Taken
Milano Pizza & Wings	2-12 Seguin Street, Parry Sound ON P2A1B1	Routine Inspection	14-Jun-18		Satisfactory - No Action(s) Taken
Milano Pizza and Wings	789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	13-Feb-18		Satisfactory - No Action(s) Taken
Milano Pizza and Wings	789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	13-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Milano Pizza and Wings	789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	13-Mar-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Milano Pizza and Wings	789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	25-Sep-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Milford Bay Trout Farms	97 Airport Road, Parry Sound ON P2A 2W8	Routine Inspection	10-Oct-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	17-Oct-19	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	17-Oct-19	Ceilings clean and in good repair	Re-inspection Scheduled
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	14-Jun-18		Satisfactory - No Action(s) Taken
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	27-Dec-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	27-Dec-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	27-Dec-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	27-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	27-Dec-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	27-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Mill Bay Market	7113 Hwy 534, Restoule ON P0H 2R0	Routine Inspection	24-Jun-19	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Miyakoi Asian Cuisine	130 Main Street W, North Bay ON P1B 2T5	Routine Inspection	9-May-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Miyakoi Asian Cuisine	130 Main Street W, North Bay ON P1B 2T5	Re-inspection	23-May-18		Satisfactory - No Action(s) Taken
Miyakoi Asian Cuisine	130 Main Street W, North Bay ON P1B 2T5	Routine Inspection	21-Nov-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Miyakoi Asian Cuisine	130 Main Street W, North Bay ON P1B 2T5	Routine Inspection	21-Nov-18	Mechanical ventilation operable where required	Re-inspection Scheduled
Miyakoi Asian Cuisine	130 Main Street W, North Bay ON P1B 2T5	Re-inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Miyakoi Asian Cuisine	130 Main Street W, North Bay ON P1B 2T5	Routine Inspection	5-Jun-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Miyakoi Asian Cuisine	130 Main Street W, North Bay ON P1B 2T5	Routine Inspection	5-Jun-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Monique's Chipstand	276 Nipissing Street, Sturgeon Falls ON P2B 3B3	Routine Inspection	11-Apr-18		Satisfactory - No Action(s) Taken
Monique's Chipstand	276 Nipissing Street, Sturgeon Falls ON P2B 3B3	Routine Inspection	11-Sep-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Monique's Chipstand	276 Nipissing Street, Sturgeon Falls ON P2B 3B3	Routine Inspection	18-Mar-19		Satisfactory - No Action(s) Taken
Monique's Chipstand	276 Nipissing Street, Sturgeon Falls ON P2B 3B3	Routine Inspection	26-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Monique's Chipstand	276 Nipissing Street, Sturgeon Falls ON P2B 3B3	Routine Inspection	26-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Monique's Gift & Coffee Shop	725 Coursol Road, Sturgeons Falls ON P2B 2Y6	Routine Inspection	12-Feb-18		Satisfactory - No Action(s) Taken
Monique's Gift & Coffee Shop	725 Coursol Road, Sturgeons Falls ON P2B 2Y6	Routine Inspection	11-Sep-18		Satisfactory - No Action(s) Taken
Monique's Gift & Coffee Shop	725 Coursol Road, Sturgeons Falls ON P2B 2Y6	Routine Inspection	29-Apr-19		Satisfactory - No Action(s) Taken
Montana's	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	25-Jun-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Montana's	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	25-Jun-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Montana's	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	25-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Montana's	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Re-inspection	27-Jun-18		Satisfactory - No Action(s) Taken
Montana's	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	20-Dec-18		Satisfactory - No Action(s) Taken
Montana's	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	17-Jun-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Montana's	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	17-Jun-19		Corrected During Inspection
Montana's	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	9-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Montessori Children's House of North Bay	73 Gertrude St E, North Bay ON P1A 1K1	Routine Inspection	13-Jun-19		Satisfactory - No Action(s) Taken
Montessori Children's House of North Bay	73 Gertrude Street E North Bay ON P1A 1K1	Routine Inspection	16-Aug-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Montessori Children's House of North Bay	73 Gertrude Street E, North Bay ON P1A 1K1	Routine Inspection	14-Mar-18		Satisfactory - No Action(s) Taken
Montessori Children's House of North Bay	73 Gertrude Street E, North Bay ON P1A 1K1	Routine Inspection	6-Mar-19		Satisfactory - No Action(s) Taken
Montessori Children's House of North Bay	73 Gertrude Street E, North Bay ON P1A 1K1	Routine Inspection	18-Sep-19		Satisfactory - No Action(s) Taken
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Routine Inspection	27-Feb-18		Satisfactory - No Action(s) Taken
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Routine Inspection	24-Jul-18		Satisfactory - No Action(s) Taken
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Routine Inspection	19-Mar-19		Satisfactory - No Action(s) Taken
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Routine Inspection	19-Aug-19	General housekeeping is satisfactory	Re-inspection Scheduled
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Routine Inspection	19-Aug-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Routine Inspection	19-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Routine Inspection	19-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Re-inspection	5-Sep-19	General housekeeping is satisfactory	Re-inspection Scheduled
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Re-inspection	5-Sep-19	Floors clean and in good repair	Re-inspection Scheduled
Montessori Learning Centre	333 Lakeshore Drive, North Bay ON P1A 2C4	Re-inspection	16-Sep-19		Satisfactory - No Action(s) Taken
Moon River Marine	714 Healy Lake Road, Mactier ON POC 1H0	Routine Inspection	16-Jul-19		Satisfactory - No Action(s) Taken
Moose on the Loose	114 Bowes Street, Parry Sound, ON P2A 2L7	Routine Inspection	18-Jul-18		Satisfactory - No Action(s) Taken
Moose on the Loose	9 Great North Road, Parry Sound ON P2A 2N7	Routine Inspection	7-Sep-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Routine Inspection	19-Apr-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Routine Inspection	13-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Routine Inspection	13-Dec-18	Mechanical ventilation operable where required	Re-inspection Scheduled
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Re-inspection	3-Jan-19		Satisfactory - No Action(s) Taken
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Routine Inspection	5-Jun-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Routine Inspection	5-Jun-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Routine Inspection	5-Jun-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Routine Inspection	5-Jun-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Moose's Loose Change Lodge	134 Main Street E, North Bay ON P1B 1A8	Routine Inspection	6-Nov-19		Satisfactory - No Action(s) Taken
Morin Residential Home	864 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	20-Aug-18		Satisfactory - No Action(s) Taken
Morin Residential Home	864 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	11-Jun-19		Satisfactory - No Action(s) Taken
Morin Residential Home	864 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	30-Aug-19		Satisfactory - No Action(s) Taken
Mother St. Bride School	414 Second Avenue W, North Bay ON P1B 3L2	Routine Inspection	22-Oct-19		Satisfactory - No Action(s) Taken
Mother St.Bride School	414 Second Avenue W, North Bay ON P1B 3L2	Routine Inspection	1-May-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Mother St.Bride School	414 Second Avenue W, North Bay ON P1B 3L2	Routine Inspection	22-Oct-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Mountain View	310 First Street, Mattawa ON P0H 1V0	Routine Inspection	17-Apr-18		Satisfactory - No Action(s) Taken
Mountain View Café	310 First Street, Mattawa ON P0H 1V0	Routine Inspection	25-Sep-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Mountain View Café	310 First Street, Mattawa ON P0H 1V0	Routine Inspection	25-Sep-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mountainview	310 First Street, Mattawa ON P0H 1V0	Re-inspection	22-Nov-18		Satisfactory - No Action(s) Taken
Mountainview	310 First Street, Mattawa ON P0H 1V0	Routine Inspection	28-Feb-19		Satisfactory - No Action(s) Taken
Mr Gas	2701 Hwy 11 North, North Bay ON P1B 8G3	Routine Inspection	19-Nov-18		Satisfactory - No Action(s) Taken
Mr. Chips - Food Preparation	4 River Street, Parry Sound ON P2A 2T6	Routine Inspection	3-May-19		Satisfactory - No Action(s) Taken
Mr. Chips # 1	23 Seguin Street, Parry Sound ON P2A 2X3	Routine Inspection	23-Apr-19		Satisfactory - No Action(s) Taken
Mr. Chips 2	114 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	4-Sep-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Mr. Chips 2	114 Bowes Street, Parry Sound ON P2A 2L7	Re-inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Mr. Gas	720 John Street, Mattawa ON P0H 1V0	Routine Inspection	21-Oct-19		Satisfactory - No Action(s) Taken
Mr. Gas - North Bay	2701 Hwy 11 N, North Bay ON P1B 8G3	Routine Inspection	3-Apr-18		Satisfactory - No Action(s) Taken
Mr. Gas - Sturgeon Falls	92 Front St., Sturgeon Falls, P2B 2H2	Routine Inspection	11-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Mr. Gas - Sturgeon Falls	92 Front St., Sturgeon Falls, P2B 2H2	Routine Inspection	11-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Mr. Gas - Sturgeon Falls	92 Front St., Sturgeon Falls, P2B 2H2	Re-inspection	18-Dec-18		Satisfactory - No Action(s) Taken
Mr. Gas 75	2701 Hwy 11 N, North Bay ON P1B 8G3	Routine Inspection	7-Oct-19		Satisfactory - No Action(s) Taken
Mr. Gas 78	890 Hwy 17 E, North Bay ON P1B 8G4	Routine Inspection	1-May-19		Satisfactory - No Action(s) Taken
Mr. Gas Limited o/a Mr. Gas	2660 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	28-Feb-18		Satisfactory - No Action(s) Taken
Mr. Gas Limited o/a Mr. Gas	2660 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	4-Mar-19		Satisfactory - No Action(s) Taken
Mr. Pancho	221 Algonquin Avenue, North Bay ON P1B 4V8	Re-inspection	25-May-18		Satisfactory - No Action(s) Taken
Mr. Pancho	221 Algonquin Avenue, North Bay ON P1B 4V8	Routine Inspection	30-Nov-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mr. Pancho	221 Algonquin Avenue, North Bay ON P1B 4V8	Re-inspection	7-Dec-18		Satisfactory - No Action(s) Taken
Mr. Pancho	221 Algonquin Avenue, North Bay ON P1B 4V8	Routine Inspection	4-Jun-19		Satisfactory - No Action(s) Taken
Mr. Pancho	221 Algonquin Avenue, North Bay ON P1B 4V8	Routine Inspection	4-Jun-19		Satisfactory - No Action(s) Taken
Mr. Pancho	221 Algonquin Avenue, North Bay ON P1B 4V8	Routine Inspection	17-Oct-19		Satisfactory - No Action(s) Taken
Mr. Sub	FC1-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	16-Dec-19		Satisfactory - No Action(s) Taken
Mr. Sub - Northgate	FC1 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	25-Apr-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Mr. Sub - Northgate	FC1 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	25-Apr-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Mr. Sub - Northgate	FC1 - 1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	27-Apr-18		Satisfactory - No Action(s) Taken
Mr. Sub - Northgate	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Apr-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Mr. Sub - Northgate	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Apr-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Mr. Sub - Northgate	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Apr-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Mr. Sub - Northgate	FC1A-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Mr. Sub / Yogen Fruz	C68 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	11-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Mr. Sub / Yogen Fruz	C68 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	11-Sep-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Mr. Sub / Yogen Fruz	C68 Front Street, Sturgeon Falls ON P2B 2G7	Re-inspection	24-Sep-18		Satisfactory - No Action(s) Taken
Mr. Sub / Yogen Fruz	C68 Front Street, Sturgeon Falls ON P2B 2G7	Routine Inspection	10-Sep-19		Satisfactory - No Action(s) Taken
Mr. Sub and Country Style Donuts	1401 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	2-Mar-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Mr. Sub and Country Style Donuts-Seymour	1401 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	12-Mar-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Mr. Sub and Country Style Donuts-Seymour	1401 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	6-Nov-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Mr. Sub and Country Style Donuts-Seymour	1401 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	6-Nov-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Mr. Sub and Country Style Donuts-Seymour	1401 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	6-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Mr. Sub and Country Style Donuts-Seymour	1401 Seymour Street, North Bay ON P1B 8G4	Re-inspection	8-Nov-19		Satisfactory - No Action(s) Taken
Mrs. T's Grub	120 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	23-Oct-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Mrs. T's Grub	120 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	23-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Mrs. T's Grub	120 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	23-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Mrs. T's Grub	120 Ontario Street, Burks Falls ON P0A 1C0	Re-inspection	29-Oct-18		Satisfactory - No Action(s) Taken
Mrs. Wilson's Kitchen	6 Frontier Trail, McDougall ON P2A2W7	Routine Inspection	24-Jun-19		Satisfactory - No Action(s) Taken
Mrs. Wilson's Kitchen	6 Frontier Trail, McDougall ON P2A 2W7	Routine Inspection	28-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Mud Pie Bakery	4244 Highway 520, Magnetawan ON P0A 1P0	Routine Inspection	31-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Mud Pie Bakery	4244 Hwy 520 Magnetawan ON P0A 1P0	Routine Inspection	12-Oct-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Mud Pie Bakery	4244 Hwy 520, Magnetawan ON P0A 1P0	Routine Inspection	15-May-18		Satisfactory - No Action(s) Taken
Muskoka Bees and Trees Café	1146 Hwy 141, Rosseau ON P0C 1J0	Routine Inspection	1-Aug-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Muskoka Bees and Trees Café	1146 Hwy 141, Rosseau ON P0C 1J0	Routine Inspection	15-Nov-18		Satisfactory - No Action(s) Taken
Muskoka Bees and Trees Café	1146 Hwy 141, Rosseau ON P0C 1J0	Routine Inspection	19-Aug-19		Satisfactory - No Action(s) Taken
My Thai Palace Thai Restaurant	236 Main Street W, North Bay ON P1B 2T7	Routine Inspection	13-Apr-18		Satisfactory - No Action(s) Taken
My Thai Palace Thai Restaurant	236 Main Street W, North Bay ON P1B 2T7	Routine Inspection	4-Jun-19		Satisfactory - No Action(s) Taken
My Thai Palace Thai Restaurant	236 Main Street W, North Bay ON P1B 2T7	Routine Inspection	4-Jun-19		Satisfactory - No Action(s) Taken
My Thai Palace Thai Restaurant	236 Main Street W, North Bay ON P1B 2T7	Routine Inspection	17-Oct-19		Satisfactory - No Action(s) Taken
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	7-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	7-Oct-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	7-Oct-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	7-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	7-Oct-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	7-Oct-19	Floors clean and in good repair	Re-inspection Scheduled
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Re-inspection	21-Oct-19	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	17-Apr-18		Satisfactory - No Action(s) Taken
Myrt's Family Restaurant	610 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	28-Feb-19		Satisfactory - No Action(s) Taken
NAISA North	106 Ottawa Street, South River ON P0A 1X0	Routine Inspection	11-Jan-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
NAISA North	106 Ottawa Street, South River ON P0A 1X0	Routine Inspection	31-May-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Naiscoot Marina	Hwy 69, Point au Baril ON P0G 1K0	Routine Inspection	16-Aug-19		Satisfactory - No Action(s) Taken
Nature's Harvest	423 Main Street E, North Bay ON P1B 1B6	Routine Inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Nature's Harvest	423 Main Street East, North Bay ON P1B 1B6	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Near North Enviro-Education Centre	140 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	13-Sep-18		Satisfactory - No Action(s) Taken
Near North Enviro-Education Centre	140 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Near North Youth Centre	6 Airport Way, North Bay ON P1B 8G3	Routine Inspection	24-May-18		Satisfactory - No Action(s) Taken
Near North Youth Centre	6 Airport Way, North Bay ON P1B 8G3	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Near North Youth Centre	6 Airport Way, North Bay ON P1B 8G3	Routine Inspection	7-May-19		Satisfactory - No Action(s) Taken
New Ontario Brewing Company	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	3-Dec-18		Satisfactory - No Action(s) Taken
New Ontario Brewing Company	1881 Cassells Street, North Bay ON P1B 2E2	Routine Inspection	27-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
New York Fries	FC3-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	19-Nov-19		Satisfactory - No Action(s) Taken
Nipissing Community Centre	Lot 3, Conc. 16, Nipissing ON P0H 1W0	Routine Inspection	20-Nov-19		Satisfactory - No Action(s) Taken
Nipissing Food in Bins	196 King Street, Sturgeon Falls ON P2B 1R7	Routine Inspection	18-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Nipissing Food in Bins	59 William Street, Sturgeon Falls ON P2B 2A6	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Nipissing Mannor Nursing Care Centre	1202 Hwy 94, Corbeil ON P0H 1K0	Routine Inspection	17-Dec-19		Satisfactory - No Action(s) Taken
Nipissing Manor Nursing Care Centre	1202 Hwy 94, Corbeil ON P0H 1K0	Routine Inspection	23-Mar-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Nipissing Manor Nursing Care Centre	1202 Hwy 94, Corbeil ON P0H 1K0	Routine Inspection	23-Mar-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Nipissing Manor Nursing Care Centre	1202 Hwy 94, Corbeil ON P0H 1K0	Routine Inspection	25-Jul-18		Satisfactory - No Action(s) Taken
Nipissing Manor Nursing Care Centre	1202 Hwy 94, Corbeil ON P0H 1K0	Routine Inspection	30-Nov-18		Satisfactory - No Action(s) Taken
Nipissing Manor Nursing Care Centre	1202 Hwy 94, Corbeil ON P0H 1K0	Routine Inspection	19-Mar-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Nipissing Manor Nursing Care Centre	1202 Hwy 94, Corbeil ON P0H 1K0	Routine Inspection	19-Mar-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Nipissing Pharmacy	26 Principal Street, Verner ON P0H 2M0	Routine Inspection	16-Aug-19		Satisfactory - No Action(s) Taken
Nipissing Township Museum	4363 Hwy 654, Nipissing ON P0H 1W0	Routine Inspection	14-Jun-18		Satisfactory - No Action(s) Taken
Nipissing Township Museum	4363 Hwy 654, Nipissing ON P0H 1W0	Routine Inspection	12-Jun-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Nipissing Township Museum	4363 Hwy 654, Nipissing ON P0H 1W0	Routine Inspection	12-Jun-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Nipissing Township Museum	4363 Hwy 654, Nipissing ON P0H 1W0	Routine Inspection	12-Jun-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
No Frills	12035 Hwy 17, Sturgeon Falls ON P2B 2S6	Routine Inspection	15-Feb-18		Satisfactory - No Action(s) Taken
No Frills	12035 Hwy 17, Sturgeon Falls ON P2B 2S6	Routine Inspection	18-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
No Frills	12035 Hwy 17, Sturgeon Falls ON P2B 2S6	Routine Inspection	18-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
No Frills	12035 Hwy 17, Sturgeon Falls ON P2B 2S6	Re-inspection	26-Mar-19		Satisfactory - No Action(s) Taken
No Frill's - Harry's	60 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	18-Dec-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
No Frill's - Harry's	60 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	18-Dec-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
No Frill's - Harry's	60 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	18-Dec-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
No Frill's - Harry's	60 Joseph Street, Parry Sound ON P2A 2G5	Re-inspection	3-Jan-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
No Frill's - Harry's	60 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	2-Oct-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
No Frill's - Harry's	60 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	2-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
No Frill's - Harry's	60 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	2-Oct-19	Floors clean and in good repair	Corrected During Inspection
No Frills - Jeff & Tanis	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	22-Nov-19		Satisfactory - No Action(s) Taken
No Frills - Mike & Lori's	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	31-Dec-18		Satisfactory - No Action(s) Taken
No Frills - Mike & Lori's	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	13-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Nobel Public School	146 Hammel Avenue, Nobel ON P0G 1G0	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	8-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	8-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Nordic Ski Club	630 North Shore Road, North Bay ON P1B 8G4	Routine Inspection	7-Feb-18		Satisfactory - No Action(s) Taken
Nordic Ski Club	630 North Shore Road, North Bay P1B 8G4	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	11-Apr-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Re-inspection	5-Dec-18		Satisfactory - No Action(s) Taken
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	17-Jan-19	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	17-Jan-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	17-Jan-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	17-Jan-19	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Re-inspection Scheduled
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	17-Jan-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Re-inspection	24-Jan-19		Satisfactory - No Action(s) Taken
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	27-Aug-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	27-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	27-Aug-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	27-Aug-19	Floors clean and in good repair	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	3-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	3-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	3-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	3-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	3-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	3-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	3-Aug-18	General housekeeping is satisfactory	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	23-Nov-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	23-Nov-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Bay Battalion Hockey Club	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	23-Nov-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
North Bay Battalion Hockey Club Ltd	100 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	27-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
North Bay Canoe Club	60 Lakeside Drive, North Bay ON P1A 3E7	Routine Inspection	4-Jun-18		Satisfactory - No Action(s) Taken
North Bay Canoe Club	60 Lakeside Drive, North Bay ON P1A 3E7	Routine Inspection	23-May-19		Satisfactory - No Action(s) Taken
North Bay Crisis Centre	1675 Cassells Street, North Bay ON P1B 4C6	Routine Inspection	22-May-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
North Bay Crisis Centre	1675 Cassells Street, North Bay ON P1B 4C6	Routine Inspection	22-May-18	Food is cooled from 60°C (140°F) to 20°C (68°F) within 2 hours	Corrected During Inspection
North Bay Crisis Centre	1675 Cassells Street, North Bay ON P1B 4C6	Routine Inspection	22-May-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
North Bay Crisis Centre	1675 Cassells Street, North Bay ON P1B 4C6	Routine Inspection	22-May-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
North Bay Crisis Centre	1675 Cassells Street, North Bay ON P1B 4C6	Routine Inspection	22-May-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
North Bay Crisis Centre	1675 Cassells Street, North Bay ON P1B 4C6	Re-inspection	24-May-18		Satisfactory - No Action(s) Taken
North Bay Day Care & Learning Centre	419 Haig Street, North Bay ON P1B 1S9	Routine Inspection	25-Jul-18		Satisfactory - No Action(s) Taken
North Bay Day Care & Learning Centre	419 Haig Street, North Bay ON P1B 1S9	Routine Inspection	12-Mar-19		Satisfactory - No Action(s) Taken
North Bay Daycare & Learning Centre	419 Haig Street, North Bay ON P1B 1S9	Routine Inspection	4-Apr-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
North Bay Daycare & Learning Centre	419 Haig Street, North Bay ON P1B 1S9	Routine Inspection	23-Nov-18		Satisfactory - No Action(s) Taken
North Bay Daycare & Learning Centre - Laurier	449 Laurier Avenue, North Bay ON P1B 1T3	Re-inspection	28-May-19		Satisfactory - No Action(s) Taken
North Bay Daycare & Learning Centre - Laurier	449 Laurier Avenue, North Bay ON P1B 1T3	Routine Inspection	12-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Bay Daycare & Learning Centre-Laurier	449 Laurier Avenue, North Bay ON P1B 1T3	Routine Inspection	5-Apr-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
North Bay Daycare & Learning Centre-Laurier	449 Laurier Avenue, North Bay ON P1B 1T3	Routine Inspection	22-Oct-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
North Bay Daycare & Learning Centre-Laurier	449 Laurier Avenue, North Bay ON P1B 1T3	Routine Inspection	22-Oct-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
North Bay Daycare & Learning Centre-Laurier	449 Laurier Avenue, North Bay ON P1B 1T3	Routine Inspection	22-Oct-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
North Bay Daycare & Learning Centre-Laurier	449 Laurier Avenue, North Bay ON P1B 1T3	Routine Inspection	12-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
North Bay Daycare & Learning Centre-Laurier	449 Laurier Avenue, North Bay ON P1B 1T3	Routine Inspection	12-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
North Bay Daycare & Learning Centres	419 Haig Street, North Bay ON P1B 1S9	Routine Inspection	6-Dec-19		Satisfactory - No Action(s) Taken
North Bay Food Bank	1016 Fisher Street, North Bay ON	Routine Inspection	3-Dec-18	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Golden Age Club	135 Worthington Street W, North Bay ON P1B 8M6	Routine Inspection	3-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	26-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	26-Jun-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	26-Jun-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	26-Jun-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	26-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	26-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Re-inspection	29-Jun-18		Satisfactory - No Action(s) Taken
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	8-Aug-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	8-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	8-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	8-Aug-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	29-May-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	29-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	29-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Routine Inspection	29-May-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Re-inspection	12-Jul-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
North Bay Golf & Country Club	100 Tupper Drive, North Bay ON P1B 8G2	Re-inspection	12-Jul-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
North Bay Granite Club	2624 Trout Lake Road, North Bay ON P1B 8J1	Routine Inspection	31-Dec-18		Satisfactory - No Action(s) Taken
North Bay Granite Club	2624 Trout Lake Road, North Bay ON P1B 8J1	Routine Inspection	25-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
North Bay Granite Club	2624 Trout Lake Road, North Bay ON P1B 8J1	Re-inspection	19-Dec-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
North Bay Indigenous Friendship Centre	980 Cassells Street, North Bay ON P1B 4A8	Routine Inspection	12-Feb-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Bay Indigenous Friendship Centre	980 Cassells Street, North Bay ON P1B 4A8	Routine Inspection	31-Jul-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
North Bay Indigenous Friendship Centre	980 Cassells Street, North Bay ON P1B 4A8	Re-inspection	14-Aug-18		Satisfactory - No Action(s) Taken
North Bay Indigenous Friendship Centre	980 Cassells Street, North Bay ON P1B 4A8	Routine Inspection	28-Mar-19		Satisfactory - No Action(s) Taken
North Bay Indigenous Friendship Centre	980 Cassells Street, North Bay ON P1B 4A8	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	30-Apr-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	16-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	16-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	16-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	16-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	16-Aug-18	Liquid wastes handled and collected in sanitary manner	Re-inspection Scheduled
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	16-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Re-inspection	30-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Re-inspection	31-Aug-18		Satisfactory - No Action(s) Taken
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	19-Dec-18	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	19-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	25-Apr-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	25-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	23-Aug-19		Satisfactory - No Action(s) Taken
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	9-Dec-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
North Bay Jail	2550 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	9-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
North Bay Parry Sound District Health Unit	345 Oak Street W, North Bay ON P1B 2T2	Routine Inspection	14-Feb-19		Satisfactory - No Action(s) Taken
North Bay Recovery Home	393 Oak Street W, North Bay ON P1B 2T2	Routine Inspection	22-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
North Bay Recovery Home	393 Oak Street W, North Bay ON P1B 2T2	Routine Inspection	12-Apr-18		Satisfactory - No Action(s) Taken
North Bay Recovery Home	393 Oak Street W, North Bay ON P1B 2T2	Routine Inspection	5-Feb-19		Satisfactory - No Action(s) Taken
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	11-Apr-18	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	14-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	14-Aug-18	Food is cooled from 60°C (140°F) to 20°C (68°F) within 2 hours	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	14-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	14-Aug-18	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	14-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	14-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	14-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Re-inspection	6-Sep-18		Satisfactory - No Action(s) Taken
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	4-Dec-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	4-Dec-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	4-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	4-Dec-18	Food handler hygiene	Re-inspection Scheduled
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	4-Dec-18	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Re-inspection	21-Dec-18		Satisfactory - No Action(s) Taken
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	16-Apr-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	16-Apr-19	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	16-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	16-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Re-inspection	6-May-19		Satisfactory - No Action(s) Taken
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	23-Dec-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	23-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	23-Dec-19	All foods at the premises are from an inspected source	Corrected During Inspection
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	23-Dec-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Re-inspection	9-Aug-19		Satisfactory - No Action(s) Taken
North Bay Regional Health Centre	50 College Drive, North Bay ON P1B 0A4	Re-inspection	9-Aug-19		Satisfactory - No Action(s) Taken
North Bay Regional Health Centre - Main Street Gift Shop	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	27-Apr-18		Satisfactory - No Action(s) Taken
North Bay Regional Health Centre-Aramark	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	26-Mar-18	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Regional Health Centre-Aramark	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	26-Mar-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
North Bay Regional Health Centre-Aramark	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	26-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
North Bay Regional Health Centre-Aramark	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Feb-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
North Bay Regional Health Centre-Aramark	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Feb-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
North Bay Regional Health Centre-Aramark	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
North Bay Regional Health Centre-Aramark	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	12-Feb-19	General housekeeping is satisfactory	Re-inspection Scheduled
North Bay Regional Health Centre-Aramark	50 College Drive, North Bay ON P1B 0A4	Re-inspection	19-Feb-19		Satisfactory - No Action(s) Taken
North Bay Regional Health Centre- Main Street Gift Shop	50 College Drive, North Bay ON P1B 0A4	Routine Inspection	6-May-19		Satisfactory - No Action(s) Taken
North Bay Warming Centre	480 Fisher Street, North Bay ON P1B 9M9	Routine Inspection	28-Nov-18		Satisfactory - No Action(s) Taken
North Bay Warming Centre	480 Fisher Street, North Bay ON P1B 9M9	Routine Inspection	22-Mar-19		Satisfactory - No Action(s) Taken
North Ontario Food Sales	740 Stockdale Road, North Bay ON P1B 6L4	Routine Inspection	31-Aug-18		Satisfactory - No Action(s) Taken
North Ontario Food Sales	740 Stockdale Road, North Bay ON P1B 6L4	Routine Inspection	15-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
North Ontario Food Sales	740 Stockdale Road, North Bay ON P1B 6L4	Routine Inspection	15-Mar-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
North Ontario Food Sales	740 Stockdale Road, North Bay ON P1B 6L4	Routine Inspection	10-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
North Ontario Food Sales	740 Stockdale Road, North Bay ON P1B 6L4	Routine Inspection	10-Sep-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
North Star Diner	348 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	6-Sep-18		Satisfactory - No Action(s) Taken
North Star Diner	348 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	22-Mar-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
North Star Diner	348 Algonquin Avenue, North Bay ON P1B 4W3	Re-inspection	28-Mar-19		Satisfactory - No Action(s) Taken
North Star Diner	348 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	18-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Northern Edge Algonquin	100 Ottawa Street, South River ON	Routine Inspection	30-May-18		Satisfactory - No Action(s) Taken
Northern Edge Algonquin	Chemical Road, Ballantyne, ON	Routine Inspection	24-Sep-19		Satisfactory - No Action(s) Taken
Northern Edge Algonquin - South River	100 Ottawa Street, South River ON P0A 1X0	Routine Inspection	7-Jun-19		Satisfactory - No Action(s) Taken
Northern Edge Algonquin -Ballantyne	Chemical Road, Ballantyne, ON	Routine Inspection	7-Jun-19		Satisfactory - No Action(s) Taken
Northern Edge Algonquin Algonquin Park Site	100 Ottawa Street, South River ON	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Complaint	5-Feb-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Complaint	5-Feb-19	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Complaint	5-Feb-19	Food handler hygiene	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Complaint	5-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Complaint	5-Feb-19	Milk and milk products	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Complaint	5-Feb-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Complaint	5-Feb-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Re-inspection	8-Feb-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	9-Apr-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	9-Apr-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	12-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	12-Jul-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	12-Jul-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	12-Jul-19	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	7-Nov-19	Liquid wastes handled and collected in sanitary manner	Re-inspection Scheduled
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	7-Nov-19	Ceilings clean and in good repair	Re-inspection Scheduled
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	7-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	7-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Routine Inspection	7-Nov-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Northern Himalayan Café	40 Jack Garland Drive, North Bay ON P1B 8G2	Re-inspection	8-Nov-19		Satisfactory - No Action(s) Taken
Northern Palms Golf Course Inc.	558 Clear Lake Road, Arnstein ON P0H 1A0	Routine Inspection	27-Aug-18		Satisfactory - No Action(s) Taken
Northern Palms Golf Course Inc.	558 Clear Lake Road, Arnstein ON P0H 1A0	Routine Inspection	2-Aug-19		Satisfactory - No Action(s) Taken
Northern Road House	15 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Apr-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Northern Road House	15 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Apr-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Northern Road House	15 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Northern Road House	15 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Apr-18	General housekeeping is satisfactory	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Northern Secondary School	175 Ethel Street, Sturgeon Falls ON P2B 2Z8	Routine Inspection	24-Apr-18		Satisfactory - No Action(s) Taken
Northern Shores Pharmacy	10 Maplewood Avenue, North Bay ON P1B 5H2	Routine Inspection	17-Sep-19		Satisfactory - No Action(s) Taken
Northern Tikes	210 Main Street E, North Bay ON P1B 1B1	Routine Inspection	12-Apr-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Northern Tikes	210 Main Street E, North Bay ON P1B 1B1	Routine Inspection	21-Nov-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Northern Tikes	210 Main Street E, North Bay ON P1B 1B1	Re-inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Northern Tikes	210 Main Street E, North Bay ON P1B 1B1	Routine Inspection	20-Mar-19		Satisfactory - No Action(s) Taken
Northland Shell	1812 Algonquin Avenue, North Bay ON P1B 4Z1	Routine Inspection	16-Jan-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Northland Shell	1812 Algonquin Avenue, North Bay ON P1B 4Z1	Routine Inspection	16-Jan-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Northridge Inn & Resort	712 South Bernard Lake Road, Sundridge ON P0A 1Z0	Routine Inspection	17-May-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Northridge Inn & Resort	712 South Bernard Lake Road, Sundridge ON P0A 1Z0	Routine Inspection	17-May-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Northridge Inn & Resort	712 South Bernard Lake Road, Sundridge ON P0A 1Z0	Routine Inspection	17-May-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Northridge Inn & Resort	712 South Bernard Lake Road, Sundridge ON P0A 1Z0	Routine Inspection	17-May-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Northridge Inn & Resort	712 South Bernard Lake Road, Sundridge ON P0A 1Z0	Routine Inspection	13-May-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Northridge Inn & Resort	712 South Bernard Lake Road, Sundridge ON P0A 1Z0	Routine Inspection	13-May-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Northridge Inn & Resort	712 South Bernard Lake Road, Sundridge ON P0A 1Z0	Re-inspection	17-May-19		Satisfactory - No Action(s) Taken
Northridge Inn & Resort	712 South Bernard Lake Road, Sundridge ON P0A 1Z0	Routine Inspection	17-Sep-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Nosbonsing Curling Club	1267 Village Road, Astorville ON P0H 1B0	Routine Inspection	17-Apr-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Nosbonsing Curling Club	1267 Village Road, Astorville ON P0H 1B0	Routine Inspection	17-Apr-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Nosbonsing Curling Club	1267 Village Road, Astorville ON P0H 1B0	Routine Inspection	17-Apr-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Nourish	222 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	14-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Nourish	222 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	14-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Novar Community Centre	25 Laurie Street, Novar ON P0A 1J0	Routine Inspection	25-May-18		Satisfactory - No Action(s) Taken
Novar Community Centre	25 Laurie Street, Novar ON P0A 1J0	Routine Inspection	17-Oct-18		Satisfactory - No Action(s) Taken
Novar Community Centre	25 Laurie Street, Novar ON P0A 1J0	Routine Inspection	7-Feb-19		Satisfactory - No Action(s) Taken
Oak East Eatery	1-207 Ferguson Street, North Bay ON P1B 1W9	Routine Inspection	5-Mar-18		Satisfactory - No Action(s) Taken
Oak East Eatery	1-207 Ferguson Street, North Bay ON P1B 1W9	Routine Inspection	19-Nov-18		Satisfactory - No Action(s) Taken
Oak East Eatery	1-207 Ferguson Street, North Bay ON P1B 1W9	Routine Inspection	14-Feb-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Oak East Eatery	Unit 1, 207 Ferguson Street, North Bay ON P1B 1W9	Routine Inspection	18-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Odeon Centre	227 King Street, Sturgeon Falls ON P2B 1S1	Routine Inspection	7-Mar-18		Satisfactory - No Action(s) Taken
Odeon Centre	227 King Street, Sturgeon Falls ON P2B 1S1	Routine Inspection	17-May-19		Satisfactory - No Action(s) Taken
Ojibway Club (Grocery Store)	Island A364, Pointe au Baril ON P0G 1K0	Routine Inspection	22-Aug-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Ojibway Club (Grocery Store)	Island A364, Pointe au Baril ON P0G 1K0	Routine Inspection	22-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Ojibway Club (Restaurant)	Island A364, Pointe au Baril ON P0G 1K0	Routine Inspection	11-Jul-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Ojibway Club Restaurant	Island A364, Pointe au Baril ON P0G 1K0	Routine Inspection	21-Aug-19		Satisfactory - No Action(s) Taken
Ojibway Club-General Store	Island A364, Pointe au Baril ON P0G 1K0	Routine Inspection	21-Aug-19		Satisfactory - No Action(s) Taken
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	20-Mar-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	20-Mar-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	20-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	20-Mar-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	20-Mar-18	Liquid wastes handled and collected in sanitary manner	Corrected During Inspection
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	20-Mar-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Re-inspection	29-Mar-18		Satisfactory - No Action(s) Taken
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Re-inspection	24-Apr-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	21-Aug-18		Satisfactory - No Action(s) Taken
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	25-Apr-19		Satisfactory - No Action(s) Taken
Ole Guitar Pickers Corner	59 George Street, Ahmic Harbour ON P0A 1A0	Routine Inspection	3-Dec-19		Satisfactory - No Action(s) Taken
Ontario Northland Cafeteria	555 Oak Street East, North Bay ON P1B 8E3	Routine Inspection	4-Nov-19		Satisfactory - No Action(s) Taken
Opera Bakery Café	164 Main Street W, North Bay ON P1B 2T5	Routine Inspection	29-Mar-18		Satisfactory - No Action(s) Taken
Opera Bakery Café	164 Main Street W, North Bay ON P1B 2T5	Routine Inspection	30-Nov-18		Satisfactory - No Action(s) Taken
Opera Bakery Café	164 Main Street W, North Bay ON P1B 2T5	Routine Inspection	5-Jun-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Opera Bakery Café	164 Main Street W, North Bay ON P1B 2T5	Routine Inspection	5-Jun-19		Satisfactory - No Action(s) Taken
Opera Bakery Café	164 Main Street W, North Bay ON P1B 2T5	Routine Inspection	10-Oct-19		Satisfactory - No Action(s) Taken
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	28-Mar-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	28-Mar-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	28-Mar-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	28-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	28-Mar-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	28-Mar-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Re-inspection	4-Apr-18		Satisfactory - No Action(s) Taken
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	27-Aug-18		Satisfactory - No Action(s) Taken
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	28-Nov-18		Satisfactory - No Action(s) Taken
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	19-Jun-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Re-inspection	10-Jul-19		Satisfactory - No Action(s) Taken
Orr's Fine Meats & Deli	2 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Orrville Bakery	1239 Hwy 518, Seguin, ON P2A0B6	Routine Inspection	27-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Orrville Bakery & Barista	1239 Hwy 518, Seguin, ON P2A0B6	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
Orrville Community Centre	1207 Hwy 518, Orrville ON P2A 2W8	Routine Inspection	11-Mar-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Orrville Community Centre	1207 Hwy 518, Orrville ON P2A 2W8	Routine Inspection	16-Aug-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Orrville Community Centre	1207 Hwy 518, Orrville ON P2A 2W8	Routine Inspection	16-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Orrville General Store	1170 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	1-Apr-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Orrville General Store	1170 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	18-Sep-19		Satisfactory - No Action(s) Taken
Oshell's Valu-Mart	519 Main Street South, Powassan ON P0H 1Z0	Routine Inspection	10-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Oshell's Valu-Mart	519 Main Street South, Powassan ON P0H 1Z0	Routine Inspection	10-Sep-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Re-inspection Scheduled
Oshell's Valu-Mart	519 Main Street South, Powassan ON P0H 1Z0	Re-inspection	15-Oct-19		Satisfactory - No Action(s) Taken
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Routine Inspection	5-Jun-18		Satisfactory - No Action(s) Taken
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Routine Inspection	22-Aug-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Routine Inspection	22-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Routine Inspection	2-May-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Routine Inspection	2-May-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Routine Inspection	2-May-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Re-inspection	8-May-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Re-inspection	8-May-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Osprey Links Golf Club	207 Osprey Crescent, Callander ON P0H 1H0	Routine Inspection	22-Aug-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Otter Lake Marina	3 Lake Avenue, Seguin ON P2A 0B2	Routine Inspection	8-Jul-19		Satisfactory - No Action(s) Taken
Otter Lake Trading Post & Specialty Foods	4 Bartlett Drive, Seguin ON P2A 0B2	Routine Inspection	17-May-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Otter Lake Trading Post & Specialty Foods	4 Bartlett Drive, Seguin ON P2A 0B2	Routine Inspection	17-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Otter Lake Trading Post & Specialty Foods	4 Bartlett Drive, Seguin ON P2A 0B2	Routine Inspection	17-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Otter Lake Trading Post & Specialty Foods	4 Bartlett Drive, Seguin ON P2A 0B2	Routine Inspection	17-May-19	Walls clean and in good repair	Re-inspection Scheduled
Otter Lake Trading Post & Specialty Foods	4 Bartlett Drive, Seguin ON P2A 0B2	Routine Inspection	17-May-19	Ceilings clean and in good repair	Re-inspection Scheduled
Otter Lake Trading Post & Specialty Foods	4 Bartlett Drive, Seguin ON P2A 0B2	Routine Inspection	17-May-19	General housekeeping is satisfactory	Re-inspection Scheduled
Otter Lake Trading Post & Specialty Foods	4 Bartlett Drive, Seguin ON P2A 0B2	Re-inspection	21-May-19		Satisfactory - No Action(s) Taken
Our Lady of Fatima	60 Marshall Avenue, North Bay ON P1A 1R1	Routine Inspection	19-Oct-18		Satisfactory - No Action(s) Taken
Our Lady of Fatima	60 Marshall Avenue, North Bay ON P1A 1R1	Routine Inspection	7-Oct-19		Satisfactory - No Action(s) Taken
Our Lady of Sorrows	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Routine Inspection	17-Sep-18		Satisfactory - No Action(s) Taken
Our Lady of Sorrows	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Routine Inspection	28-Jun-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Our Lady of Sorrows	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Routine Inspection	28-Jun-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Our Lady of Sorrows	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Re-inspection	18-Sep-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Our Lady of Sorrows	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Re-inspection	18-Sep-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Our Lady of Sorrows	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Re-inspection	18-Sep-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Our Lady of Sorrows	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Re-inspection	18-Sep-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Padou's Steak & Ribs	200 Main Street, Sturgeon Falls ON P2B 1P2	Routine Inspection	4-Dec-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Padou's Steak & Ribs	200 Main Street, Sturgeon Falls ON P2B 1P2	Routine Inspection	6-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Padou's Steak & Ribs	200 Main Street, Sturgeon Falls ON P2B 1P2	Routine Inspection	6-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Padou's Steak and Ribs	200 Main Street, Sturgeon Falls ON P2B 1P2	Routine Inspection	12-Feb-18		Satisfactory - No Action(s) Taken
Papa Bears Family Café	174 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	2-Feb-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Papa Bears Family Café	174 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	2-Feb-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Papa Bears Family Café	174 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	6-Jul-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Papa Bears Family Café	174 Ontario Street, Burks Falls ON P0A 1C0	Re-inspection	16-Jul-18		Satisfactory - No Action(s) Taken
Papa Bears Family Café	174 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	23-Oct-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Papa Bears Family Café	174 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	23-Oct-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Papa Bears Family Café	174 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	23-Oct-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Papa Bears Family Café	174 Ontario Street, Burks Falls ON P0A 1C0	Re-inspection	30-Oct-18		Satisfactory - No Action(s) Taken
Papa Marc's Pizza	591 McConnell Street , Mattawa ON P0H 1V0	Routine Inspection	6-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Papa Marc's Pizza	591 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	22-Nov-18		Satisfactory - No Action(s) Taken
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	27-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	6-Jul-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	6-Jul-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	6-Jul-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	6-Jul-18	General housekeeping is satisfactory	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	18-Jul-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	18-Jul-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	18-Jul-18	General housekeeping is satisfactory	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	23-Jul-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	23-Jul-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	26-Jul-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	26-Jul-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	26-Jul-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	31-Jul-18		Satisfactory - No Action(s) Taken
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	20-Dec-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	20-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	4-Jan-19		Satisfactory - No Action(s) Taken
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	14-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	14-Jun-19	Ceilings clean and in good repair	Re-inspection Scheduled
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Re-inspection	11-Jul-19		Satisfactory - No Action(s) Taken
Parker's Your Independent Grocer	1 Laurentian Avenue, North Bay ON P1B 9T2	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Paroisse St. Vincent-de-Paul	1265 Wyld Street, North Bay ON P1B 2A9	Routine Inspection	17-Dec-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Paroisse St. Vincent-de-Paul	1265 Wyld Street, North Bay ON P1B 2A9	Re-inspection	1-Mar-19		Satisfactory - No Action(s) Taken
Parry Sound Curling Club	12 Johnson Street, Parry Sound ON P2A 2Z1	Routine Inspection	26-Aug-19		Satisfactory - No Action(s) Taken
Parry Sound Friendship Centre	13 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	9-Apr-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Parry Sound Friendship Centre	13 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	9-Apr-18	General housekeeping is satisfactory	Re-inspection Scheduled
Parry Sound Friendship Centre	13 Bowes Street, Parry Sound ON P2A 2K7	Re-inspection	16-Apr-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Parry Sound Friendship Centre	13 Bowes Street, Parry Sound ON P2A 2K7	Re-inspection	16-Apr-18	General housekeeping is satisfactory	Re-inspection Scheduled
Parry Sound Friendship Centre	13 Bowes Street, Parry Sound ON P2A 2K7	Re-inspection	23-Apr-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Parry Sound Friendship Centre	13 Bowes Street, Parry Sound ON P2A 2K7	Re-inspection	23-Apr-18	General housekeeping is satisfactory	Re-inspection Scheduled
Parry Sound Friendship Centre	13 Bowes Street, Parry Sound ON P2A 2K7	Re-inspection	4-Jun-18		Satisfactory - No Action(s) Taken
Parry Sound Friendship Centre	13 Bowes Street, Parry Sound ON P2A 2K7	Routine Inspection	27-Aug-18		Satisfactory - No Action(s) Taken
Parry Sound Friendship Centre	70 Isabella Street, Parry Sound ON P2A 1M6	Routine Inspection	3-Apr-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Parry Sound Friendship Centre	70 Isabella Street, Parry Sound ON P2A 1M6	Routine Inspection	3-Apr-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Parry Sound Friendship Centre	70 Isabella Street, Parry Sound ON P2A 1M6	Routine Inspection	3-Apr-19	Mechanical ventilation operable where required	Re-inspection Scheduled
Parry Sound Friendship Centre	70 Isabella Street, Parry Sound ON P2A 1M6	Routine Inspection	13-Dec-19		Satisfactory - No Action(s) Taken
Parry Sound Golf & Country Club	RR 3-50 George Hunt Memorial Drive, McDougall ON P2A 2W9	Routine Inspection	14-Sep-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Parry Sound Golf & Country Club	RR 3-50 George Hunt Memorial Drive, McDougall ON P2A 2W9	Routine Inspection	14-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Parry Sound Golf & Country Club	RR 3-50 George Hunt Memorial Drive, McDougall ON P2B 2W9	Routine Inspection	19-Aug-19		Satisfactory - No Action(s) Taken
Parry Sound High School	111 Isabella Street, Parry Sound ON P2A 1N2	Routine Inspection	11-May-18		Satisfactory - No Action(s) Taken
Parry Sound High School	111 Isabella Street, Parry Sound ON P2A 1N2	Routine Inspection	11-May-18		Satisfactory - No Action(s) Taken
Parry Sound High School	111 Isabella Street, Parry Sound ON P2A 1N2	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Parry Sound High School	111 Isabella Street, Parry Sound ON P2A 1N2	Routine Inspection	29-May-19		Satisfactory - No Action(s) Taken
Parry Sound High School	111 Isabella Street, Parry Sound ON P2A 1N2	Routine Inspection	27-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
Parry Sound High School - Cafeteria	111 Isabella Street, Parry Sound ON P2A 1N2	Re-inspection	6-Dec-19		Satisfactory - No Action(s) Taken
Parry Sound High School- PSS	111 Isabella Street, Parry Sound ON P2A 1N2	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Parry Sound High School-Nutritional Program	111 Isabella Street, Parry Sound ON P2A 1N2	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Parry Sound Inn & Suites	292 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
Parry Sound Inn & Suites	292 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Parry Sound KOA Campground	276 Rankin Lake Road, Seguin ON P2A 0B2	Routine Inspection	17-Sep-18		Satisfactory - No Action(s) Taken
Parry Sound KOA Campground	276 Rankin Lake Road, Seguin ON P2A 0B2	Routine Inspection	7-Aug-19		Satisfactory - No Action(s) Taken
Parry Sound Pioneer	80 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	6-Feb-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Parry Sound Pioneer	80 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	6-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Parry Sound Pioneer	80 Bowes Street, Parry Sound ON P2A 2L7	Re-inspection	8-Feb-18	Food protected from potential contamination and adulteration	Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Parry Sound Pioneer	80 Bowes Street, Parry Sound ON P2A 2L7	Re-inspection	8-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Parry Sound Pioneer	80 Bowes Street, Parry Sound ON P2A 2L7	Re-inspection	12-Feb-18		Satisfactory - No Action(s) Taken
Parry Sound Pioneer	80 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	20-Jul-18		Satisfactory - No Action(s) Taken
Parry Sound Pioneer	80 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	14-Jan-19		Satisfactory - No Action(s) Taken
Parry Sound Pioneer	80 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	9-Sep-19		Satisfactory - No Action(s) Taken
Parry Sound Public School	21 Beatty Street, Parry Sound ON P2A 2H5	Routine Inspection	27-Nov-19		Satisfactory - No Action(s) Taken
Partners Billards & Bowling	361 Main Street E, North Bay ON P1B 9M2	Routine Inspection	8-May-18		Satisfactory - No Action(s) Taken
Partners Billards & Bowling	361 Main Street E, North Bay ON P1B 9M2	Routine Inspection	26-Nov-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Partners Billards & Bowling	361 Main Street E, North Bay ON P1B 9M2	Routine Inspection	11-Jul-19		Satisfactory - No Action(s) Taken
Partners Billards & Bowling Chipstand	361 Main Street E, North Bay ON P1B 9M2	Routine Inspection	13-Jul-18		Satisfactory - No Action(s) Taken
Partners Billards & Bowling Chipstand	361 Main Street E, North Bay ON P1B 9M2	Routine Inspection	21-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Payne Dockside Fish & Chips	59 Payne's Road, Pointe au Baril ON P0G 1K0	Routine Inspection	26-Aug-19		Satisfactory - No Action(s) Taken
Payne's Dockside Fish & Chips	59 Payne's Road, Pointe au Baril ON P0G 1K0	Routine Inspection	7-Sep-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Pepsico Canada -Foods Division - Frito Lay	2067 Bond Street, North Bay ON P1B 8G5	Routine Inspection	23-Jan-18		Satisfactory - No Action(s) Taken
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	16-May-19	Separate hand washing basin provided for food handlers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	16-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	16-May-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	26-Nov-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	26-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	26-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	26-Nov-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Perron Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	26-Nov-19	Walls clean and in good repair	Re-inspection Scheduled
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	24-Apr-18		Satisfactory - No Action(s) Taken
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Re-inspection	20-Sep-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Perron's Freshmart	1468 Village Road, Astorville ON P0H 1B0	Re-inspection	20-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Petro Canada	1 Horseshoe Lake Road, Parry Sound ON P2A 2W9	Routine Inspection	22-Jul-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Petro Canada	1 Horseshoe Lake Road, Parry Sound ON P2A 2W9	Routine Inspection	22-Jul-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Petro Canada	1 Horseshoe Lake Road, Parry Sound ON P2A 2W9	Re-inspection	26-Jul-19		Satisfactory - No Action(s) Taken
Petro Canada Convenience	1 Horseshoe Lake Road, Parry Sound ON P2A 2W9	Routine Inspection	5-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Petro Centre	290 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	4-Oct-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Petro Centre	290 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	4-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Petro-Canada	B-2506 Hwy 94, Callander ON P0H 1H0	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
Phelps & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	14-Jun-19		Satisfactory - No Action(s) Taken
Phelps & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	10-Dec-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
Phelps & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	10-Dec-19	Floors clean and in good repair	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	27-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	27-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	27-Jun-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	27-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	27-Jun-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	27-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	29-Aug-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Routine Inspection	29-Aug-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Re-inspection	18-Sep-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Re-inspection	18-Sep-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Re-inspection	18-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Phelp's & District Ex-Serviceman's Club	64 Allen's Road, Redbridge ON P0H 2A0	Re-inspection	16-Oct-18		Satisfactory - No Action(s) Taken
Phelps Central Public School	19 Glenvale Drive, Redbridge ON P0H 2A0	Routine Inspection	30-Jan-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Phelps Central Public School	19 Glenvale Drive, Redbridge ON P0H 2A0	Routine Inspection	12-Oct-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Phelps Central Public School	19 Glenvale Drive, Redbridge ON P0H 2A0	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
Phelps Central Public School	19 Glenvale Drive, Redbridge ON P0H 2A0	Routine Inspection	23-Oct-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Phelps Central Public School	19 Glenvale Drive, Redbridge ON P0H 2A0	Routine Inspection	23-Oct-19	Floors clean and in good repair	Re-inspection Scheduled
Phelps Central Public School	19 Glenvale Drive, Redbridge ON P0H 2A0	Routine Inspection	23-Oct-19	Frozen food is kept in a frozen state until sold or prepared for use	Corrected During Inspection
Phelps Community Centre	9321 Hwy 63, Redbridge ON P0H 2A0	Routine Inspection	24-Sep-19		Satisfactory - No Action(s) Taken
Phoenix Restaurant	5 Main Street N, Callander ON P0H 1H0	Routine Inspection	6-Apr-18		Satisfactory - No Action(s) Taken
Phoenix Restaurant	5 Main Street N, Callander ON P0H 1H0	Routine Inspection	23-Nov-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Phoenix Restaurant	5 Main Street N, Callander ON P0H 1H0	Routine Inspection	23-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Phoenix Restaurant	5 Main Street N, Callander ON P0H 1H0	Routine Inspection	23-Nov-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Phoenix Restaurant	5 Main Street N, Callander ON P0H 1H0	Routine Inspection	19-Feb-19		Satisfactory - No Action(s) Taken
Phoenix Restaurant	5 Main Street S, Callander ON P0H 1H0	Routine Inspection	20-Nov-19		Satisfactory - No Action(s) Taken
Phoenix Restaurant	5 Main Street N, Callander ON P0H 1H0	Routine Inspection	15-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Phoenix Restaurant	5 Main Street N, Callander ON P0H 1H0	Routine Inspection	15-Aug-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Phoenix Restaurant	5 Main Street N, Callander ON P0H 1H0	Routine Inspection	15-Aug-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re- heating	Corrected During Inspection
Piebird Bed and Breakfast	113 Chapman's Landing Rd, Nipissing ON P0H 1W0	Routine Inspection	2-May-19		Satisfactory - No Action(s) Taken
Pine Hill Coffee Shop	1108 Lavery Street, North Bay ON P1B 5B1	Routine Inspection	8-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Pine Hill Coffee Shop	1108 Lavery Street, North Bay ON P1B 5B1	Re-inspection	11-Nov-19		Satisfactory - No Action(s) Taken
Pine Hill Coffee Shop	1308 Jane Street, North Bay ON P1B 3J4	Routine Inspection	30-May-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Pine Hill Coffee Shop	1308 Jane Street, North Bay ON P1B 3J4	Re-inspection	31-May-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Pine Hill Coffee Shop	1308 Jane Street, North Bay ON P1B 3J4	Routine Inspection	2-Apr-19		Satisfactory - No Action(s) Taken
Pine Hill Coffee Shop	1308 Jane Street, North Bay ON P1B 3J4	Routine Inspection	23-Jul-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Pinecone Restaurant	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	13-Jun-18		Satisfactory - No Action(s) Taken
Pinecone Restaurant	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	13-Sep-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Pinecone Restaurant	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	13-Sep-19	Floors clean and in good repair	Corrected During Inspection
Pinecone Restaurant	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	13-Sep-19	General housekeeping is satisfactory	Corrected During Inspection
Pizza Hut	112 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	4-Nov-19		Satisfactory - No Action(s) Taken
Pizza Hut - Lakeshore Drive	126 Lakeshore Drive, North Bay ON P1A 2A8	Routine Inspection	4-Nov-19		Satisfactory - No Action(s) Taken
Pizza Hut - McKeown Ave	6-975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	2-Jul-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Pizza Hut - North Bay	126 Lakeshore Drive, North Bay ON P1A 2A8	Routine Inspection	9-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Pizza Hut - Parry Sound	112 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	27-Feb-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Pizza Hut - Parry Sound	112 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	2-Aug-18		Satisfactory - No Action(s) Taken
Pizza Hut -Parry Sound	112 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	20-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Pizza Pizza	100 Main Street W, North Bay ON P1B 2T5	Routine Inspection	9-Jan-18		Satisfactory - No Action(s) Taken
Pizza Pizza	100 Main Street W, North Bay ON P1B 2T5	Routine Inspection	3-Aug-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
Pizza Pizza	100 Main Street W, North Bay ON P1B 2T5	Routine Inspection	21-Mar-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Pizzaville	28 Seguin Street, Parry Sound ON P2A 1B1	Routine Inspection	8-Jun-18		Satisfactory - No Action(s) Taken
Pizzaville	28 Seguin Street, Parry Sound ON P2A 1B1	Routine Inspection	2-Nov-18		Satisfactory - No Action(s) Taken
Pizzaville	28 Seguin Street, Parry Sound ON P2A 1B1	Routine Inspection	26-Sep-19		Satisfactory - No Action(s) Taken
Place du Passage	124 King Street E, North Bay ON P1B 1P2	Routine Inspection	23-Jan-18		Satisfactory - No Action(s) Taken
Place du Passage	124 King Street E, North Bay ON P1B 1P2	Routine Inspection	8-Aug-18		Satisfactory - No Action(s) Taken
Place du Passage	124 King Street E, North Bay ON P1B 1P2	Routine Inspection	25-Jan-19		Satisfactory - No Action(s) Taken
Place du Passage	124 King Street E, North Bay ON P1B 1P2	Routine Inspection	21-Jun-19		Satisfactory - No Action(s) Taken
Place du Passage	124 King Street E, North Bay ON P1B 1P2	Routine Inspection	10-Oct-19		Satisfactory - No Action(s) Taken
Point au Baril Shell Station	1675 Hwy 69, Point au Baril ON P0G 1K0	Routine Inspection	24-Jun-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Point au Baril Shell Station	1675 Hwy 69, Point au Baril ON P0G 1K0	Routine Inspection	24-Jun-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Point au Baril Shell Station	1675 Hwy 69, Point au Baril ON P0G 1K0	Routine Inspection	24-Jun-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Point au Baril Shell Station	1675 Hwy 69, Point au Baril ON P0G 1K0	Routine Inspection	24-Jun-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Pointe au Baril Community Centre	70 South Shore Road, Pointe au Baril ON P0G 1K0	Routine Inspection	20-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Pointe au Baril Community Centre	70 South Shore Road, Pointe au Baril ON P0G 1K0	Re-inspection	27-Nov-19		Satisfactory - No Action(s) Taken
Pointe au Baril Station Limited	1675 Hwy 69, Point au Baril ON P0G 1K0	Routine Inspection	26-Aug-19		Satisfactory - No Action(s) Taken
Pointe au Baril Station Limited Food Take Out	1675 Hwy 69, Point au Baril ON P0G 1K0	Routine Inspection	26-Aug-19		Satisfactory - No Action(s) Taken
Pollard IDA Pharmach	37 Seguin Street, Parry Sound ON P2A 1B3	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
Porkys of Muskoka	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	9-Mar-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Porkys of Muskoka	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	9-Mar-18	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Porkys of Muskoka	18 Peter Street, Novar ON P0A 1R0	Re-inspection	13-Apr-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Porkys of Muskoka	18 Peter Street, Novar ON P0A 1R0	Re-inspection	13-Apr-18	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Porkys of Muskoka	18 Peter Street, Novar ON P0A 1R0	Re-inspection	20-Apr-18		Satisfactory - No Action(s) Taken
Porkys of Muskoka	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	11-Jul-18		Satisfactory - No Action(s) Taken
Port Shores	48 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	9-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Port Shores	48 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	9-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Port Shores	48 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	13-Jun-19		Satisfactory - No Action(s) Taken
Port Shores	48 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Routine Inspection	20-Aug-19		Satisfactory - No Action(s) Taken
Port Shores (The)	48 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Re-inspection	23-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Port Shores (The)	48 Wilson Lake Crescent, Port Loring ON P0H 1Y0	Re-inspection	23-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Potato Headz	100 Ferguson Street, North Bay ON P1B 1W8	Routine Inspection	8-May-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Potato Headz	100 Ferguson Street, North Bay ON P1B 1W8	Routine Inspection	20-Jul-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Potato Headz	100 Ferguson Street, North Bay ON P1B 1W8	Routine Inspection	20-Jul-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Potato Headz	Lansdowne Avenue, North Bay ON	Routine Inspection	24-May-19		Satisfactory - No Action(s) Taken
Potato Headz	Lansdowne Avenue, North Bay ON	Routine Inspection	9-Oct-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Potato Headz	Lansdowne Avenue, North Bay ON	Routine Inspection	9-Oct-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Powassan Community Centre	250 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	24-Sep-19		Satisfactory - No Action(s) Taken
Powassan Curling Club	494 King Street N, Powassan ON P0H 1Z0	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Powassan Drug Mart	496 Main Street, Powassan ON P0H 1Z0	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Powassan Food Bank	250 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	24-Oct-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Powassan Food Bank	250 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	24-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Powassan Food Bank	250 Clark Street, Powassan ON P0H 1Z0	Re-inspection	7-Nov-19		Satisfactory - No Action(s) Taken
Powassan Food Bank	250 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	10-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Powassan Food Bank	250 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	10-Oct-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Powassan Food Bank	250 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	10-Oct-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Powassan Food Bank	250 Clark Street, Powassan ON P0H 1Z0	Routine Inspection	10-Oct-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Powassan KwikWay	467 Main Street, Powassan ON P0H 1Z0	Routine Inspection	28-Nov-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Powassan Kwik-Way	467 Main Street, Powassan ON P0H 1Z0	Re-inspection	15-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Powassan Kwik-Way	467 Main Street, Powassan ON P0H 1Z0	Re-inspection	15-Oct-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Powassan Kwik-Way	467 Main Street, Powassan ON P0H 1Z0	Routine Inspection	1-Oct-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Powassan Kwik-Way	467 Main Street, Powassan ON P0H 1Z0	Routine Inspection	1-Oct-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Powassan Kwik-Way	467 Main Street, Powassan ON P0H 1Z0	Routine Inspection	1-Oct-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Powassan Kwik-Way	467 Main Street, Powassan ON P0H 1Z0	Routine Inspection	1-Oct-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Powassan Kwik-Way	467 Main Street, Powassan ON P0H 1Z0	Routine Inspection	1-Oct-19	Floors clean and in good repair	Re-inspection Scheduled
Powassan Royal Canadian Legion Branch 453	62 King Street, North Bay ON P0H 1V0	Routine Inspection	4-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Powassan Royal Canadian Legion Branch 453	62 King Street, North Bay ON P0H 1V0	Routine Inspection	4-Dec-18	Frequency of garbage removal	Re-inspection Scheduled
Powassan Sportsplex- Hall	433 Main Street, Powassan ON P0H 1Z0	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Powassan Sportsplex-Canteen	433 Main Street, Powassan ON P0H 1Z0	Routine Inspection	3-Apr-19		Satisfactory - No Action(s) Taken
Pro Cathedral Parish Hall	480 McIntyre Street W, North Bay ON P1B 2Z4	Routine Inspection	25-Jan-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Pro Cathedral Parish Hall	480 McIntyre Street W, North Bay ON P1B 2Z4	Routine Inspection	25-Jan-19	Lighting adequate for food preparation and cleaning	Corrected During Inspection
Proud Foot Trading Post	4290 Chetwynd Road, Kearney ON P0A 1M0	Routine Inspection	30-Jul-18		Satisfactory - No Action(s) Taken
Proud Foot Trading Post	4290 Chetwynd Road, Kearney ON P0A 1M0	Routine Inspection	21-May-19		Satisfactory - No Action(s) Taken
Proudfoot Trading Post	4290 Chetwynd Road, Kearney ON P0A 1M0	Routine Inspection	22-Aug-19		Satisfactory - No Action(s) Taken
Quality Inn North Bay	1525 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	5-Dec-19		Satisfactory - No Action(s) Taken
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	10-Apr-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Re-inspection	12-Apr-18		Satisfactory - No Action(s) Taken
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Re-inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	7-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	7-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Complaint	22-May-19		Satisfactory - No Action(s) Taken
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Re-inspection	22-May-19		Satisfactory - No Action(s) Taken
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	14-Aug-19		Satisfactory - No Action(s) Taken
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Complaint & Compliance	26-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Quesada Burritos & Tacos	4-789 McKeown Avenue, North Bay ON P1B 0C8	Complaint & Compliance	26-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Quick Pick Variety	B 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	5-Jun-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Quick Pick Variety	B 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	5-Jun-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Quick Pick Variety	B 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	11-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Quick Pick Variety	B 37 John Street, Sturgeon Falls ON P2B 1Y2	Re-inspection	18-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Quick Pick Variety	B 37 John Street, Sturgeon Falls ON P2B 1Y2	Re-inspection	28-Jan-19		Satisfactory - No Action(s) Taken
Quick Pick Variety	B 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Quick Pick Variety	B 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
Quick Pick Variety	B 37 John Street, Sturgeon Falls ON P2B 1Y2	Routine Inspection	29-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Quiet Bay Café	5333 Highway 124, Magnetawan ON P0A 1P0	Routine Inspection	29-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Quiet Bay Café	5333 Highway 124, Magnetawan ON P0A 1P0	Routine Inspection	29-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Quiet Bay Café	5333 Hwy 124, Magnetawan ON P0A 1P0	Routine Inspection	5-Apr-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Quiet Bay Café	5333 Hwy 124, Magnetawan ON P0A 1P0	Routine Inspection	5-Apr-18	General housekeeping is satisfactory	Re-inspection Scheduled
Quiet Bay Café	5333 Hwy 124, Magnetawan ON P0A 1P0	Re-inspection	18-Apr-18		Satisfactory - No Action(s) Taken
Quiet Bay Café	5333 Hwy 124, Magnetawan ON P0A 1P0	Routine Inspection	14-Sep-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Quiet Bay Café	5333 Hwy 124, Magnetawan ON P0A 1P0	Routine Inspection	9-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Quiet Bay Café	5333 Hwy 124, Magnetawan ON P0A 1P0	Routine Inspection	9-May-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
R. J. Spudz	Hwy 94 & 17, Corbeil ON P0H 1K0	Routine Inspection	17-May-18		Satisfactory - No Action(s) Taken
Ramada Pinewood Park Resort	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	18-Apr-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Ramada Pinewood Park Resort	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Re-inspection	27-Apr-18		Satisfactory - No Action(s) Taken
Ramada Pinewood Park Resort	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	23-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Ramada Pinewood Park Resort	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	23-Aug-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Ramada Pinewood Park Resort	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Re-inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	29-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	29-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	29-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Re-inspection	11-Dec-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Complaint	11-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Re-inspection	18-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	28-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	28-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Complaint	12-Feb-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Complaint	12-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Complaint	12-Feb-19	General housekeeping is satisfactory	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Re-inspection	14-Feb-19		Satisfactory - No Action(s) Taken
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	5-Mar-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	5-Mar-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	5-Mar-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	5-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	5-Mar-19	General housekeeping is satisfactory	Re-inspection Scheduled
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	16-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	16-Aug-19	Frozen food is kept in a frozen state until sold or prepared for use	Corrected During Inspection
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	16-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Ramada Pinewood Park Resort North Bay	201 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	16-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	28-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	28-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	28-Jun-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	28-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	28-Jun-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Re-inspection	3-Jul-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Re-inspection	3-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Re-inspection	6-Jul-18		Satisfactory - No Action(s) Taken
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	22-Nov-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	22-Nov-18	Food handler hygiene	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	22-Nov-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	24-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	24-Apr-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	16-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	16-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	16-Aug-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Re-inspection	23-Aug-19		Satisfactory - No Action(s) Taken
Raven & Republic	246 First Avenue W, North Bay ON P1B 3C1	Routine Inspection	3-Dec-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
RCAF Alliance	406 First Avenue W, North Bay ON P1B 3C4	Routine Inspection	28-Mar-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
RCAF Alliance	406 First Avenue W, North Bay ON P1B 3C4	Routine Inspection	28-Mar-19	General housekeeping is satisfactory	Corrected During Inspection
Red Brick Café & Gift House	4 Ontario Street, Sunridge ON P0A 1Z0	Routine Inspection	10-Apr-18		Satisfactory - No Action(s) Taken
Red Brick Café & Gift House	C-10340 Hwy 124 Sunridge ON P0A 1Z0	Routine Inspection	11-Nov-19		Satisfactory - No Action(s) Taken
Red Brick Café & Gift House	C-10340 Hwy 124, Sunridge ON P0A1Z0	Routine Inspection	25-Oct-18		Satisfactory - No Action(s) Taken
Red Brick Café & Gift House	C-10340 Hwy 124, Sunridge ON P0A1Z0	Routine Inspection	19-Mar-19		Satisfactory - No Action(s) Taken
Redbridge General Store	8401 Hwy 63, Redbridge ON P0H 2A0	Routine Inspection	26-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Redbridge General Store	8401 Hwy 63, Redbridge ON P0H 2A0	Routine Inspection	6-Jun-19	All foods at the premises are from an inspected source	Corrected During Inspection
Redbridge General Store Fry Truck	8401 Hwy 63, Redbridge ON P0H 2A0	Routine Inspection	24-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Redbridge General Store Fry Truck	8401 Hwy 63, Redbridge ON P0H 2A0	Routine Inspection	24-Aug-18	Liquid wastes handled and collected in sanitary manner	Closure
Redbridge General Store Fry Truck	8401 Hwy 63, Redbridge ON P0H 2A0	Routine Inspection	24-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Redbridge General Store Fry Truck	8401 Hwy 63, Redbridge ON P0H 2A0	Re-inspection	31-Aug-18		Satisfactory - No Action(s) Taken
Restoule Community Centre	20B Lakeview Road, Restoule ON P0H 2R0	Routine Inspection	6-Mar-19		Satisfactory - No Action(s) Taken
Restoule Community Centre	20B Lakeview Road, Restoule ON P0H 2R0	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
Rexall Drug Store	1205 Fisher Street, North Bay ON P1B 2H2	Routine Inspection	17-Jul-19		Satisfactory - No Action(s) Taken
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	16-Jan-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	16-Jan-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	16-Jan-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	18-Jan-18		Satisfactory - No Action(s) Taken
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	16-Feb-18		Satisfactory - No Action(s) Taken
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	23-Jul-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	27-Jul-18		Satisfactory - No Action(s) Taken
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	25-Jul-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	11-Feb-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Richard's Coffee	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	11-Nov-19		Satisfactory - No Action(s) Taken
Richard's Ice Cream Parlour	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Richard's Ice Cream Parlour	119 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	17-May-19		Satisfactory - No Action(s) Taken
Ridge at Manitou - Halfway House	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	9-Jul-19	Constant supply of hot and cold running water under pressure	Re-inspection Scheduled
Ridge at Manitou - Halfway House	160 The Inn Road, McKellar ON P2A 0B4	Re-inspection	17-Jul-19		Satisfactory - No Action(s) Taken
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Routine Inspection	27-Feb-18		Satisfactory - No Action(s) Taken
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Routine Inspection	26-Jul-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Routine Inspection	26-Jul-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Routine Inspection	26-Jul-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Re-inspection	16-Aug-18		Satisfactory - No Action(s) Taken
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Routine Inspection	12-Feb-19	General housekeeping is satisfactory	Re-inspection Scheduled
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Routine Inspection	12-Feb-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Re-inspection	28-Mar-19		Satisfactory - No Action(s) Taken
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Routine Inspection	30-May-19		Satisfactory - No Action(s) Taken
Rise n Grill Café	102 Main Street, Kearney ON P0A 1M0	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
River Bowl	310 Main Street, Burks Falls ON P0A 1C0	Routine Inspection	7-Oct-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
River Bowl	310 Main Street, Burks Falls ON P0A 1C0	Routine Inspection	7-Oct-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
River Bowl	310 Main Street, Burks Falls ON P0A 1C0	Routine Inspection	7-Oct-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
River Bowl	310 Main Street, Burks Falls ON P0A 1C0	Routine Inspection	7-Oct-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
River Bowl	310 Main Street, Burks Falls ON P0A 1C0	Routine Inspection	7-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
River Bowl	310 Main Street, Burks Falls ON P0A 1C0	Routine Inspection	7-Oct-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
River Bowl	310 Main Street, Burks Falls ON P0A 1C0	Routine Inspection	7-Oct-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
River Bowl	310 Ontario Street, Burks Falls On P0A 1C0	Re-inspection	5-Nov-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
River Bowl	310 Ontario Street, Burks Falls On P0A 1C0	Re-inspection	5-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
River Bowl	310 Ontario Street, Burks Falls On P0A 1C0	Re-inspection	5-Nov-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
River Bowl	310 Ontario Street, Burks Falls On P0A 1C0	Re-inspection	5-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
River Bowl	310 Ontario Street, Burks Falls On P0A 1C1	Re-inspection	5-Nov-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
River Valley Family Restaurant	129 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	14-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
River Valley Family Restaurant	129 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	14-Jun-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
River Valley Family Restaurant	129 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	29-Nov-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
River Valley Family Restaurant	129 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	6-Mar-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
River Valley Family Restaurant	129 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	6-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
River Valley Family Restaurant	129 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	6-Mar-19	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
River Valley Family Restaurant	129 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	14-Jun-19		Satisfactory - No Action(s) Taken
River Valley Family Restaurant	129 Hwy 539A, River Valley ON P0H 2C0	Routine Inspection	29-Nov-19		Satisfactory - No Action(s) Taken
Riverview Market	100 Desjardins Street, Field ON P0H 1M0	Routine Inspection	1-Aug-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Riverview Market	100 Desjardins Street, Field ON P0H 1M0	Routine Inspection	1-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Riverview Market	100 Desjardins Street, Field ON P0H 1M0	Re-inspection	17-Aug-18		Satisfactory - No Action(s) Taken
Riverview Market	100 Desjardins Street, Field ON P0H 1M0	Routine Inspection	16-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Riverview Snack Bar & Market	645 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	22-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Routine Inspection	8-Feb-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Routine Inspection	8-Feb-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Routine Inspection	8-Feb-18	General housekeeping is satisfactory	Re-inspection Scheduled
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Re-inspection	12-Feb-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Re-inspection	12-Feb-18		Satisfactory - No Action(s) Taken
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Routine Inspection	1-Jun-18		Satisfactory - No Action(s) Taken
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Routine Inspection	27-Sep-18		Satisfactory - No Action(s) Taken
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Re-inspection	31-May-19		Satisfactory - No Action(s) Taken
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Routine Inspection	30-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Routine Inspection	30-Apr-19	General housekeeping is satisfactory	Re-inspection Scheduled
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Routine Inspection	8-Aug-19	Frozen food is kept in a frozen state until sold or prepared for use	Re-inspection Scheduled
Rock Pine Motel & Restaurant	2372 Hwy 11 N, Marten River ON P0H 1T0	Re-inspection	29-Aug-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Rocky Crest Resort - Club House	149 Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	9-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Rocky Crest Resort - Club House	149 Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	9-Aug-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Rocky Crest Resort - Club House	149 Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	9-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Rocky Crest Resort - Clubhouse	Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	2-May-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Rocky Crest Resort - Clubhouse	Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	2-May-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Rocky Crest Resort - Restaurant	Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	2-May-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Rocky Crest Resort - Restaurant	Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	2-May-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Rocky Crest Resort - Restaurant	Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	7-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
Rocky Crest Resort - Restaurant	Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	7-Aug-19	Floors clean and in good repair	Corrected During Inspection
Rocky Crest Resort - Restaurant	Hamer Bay Road, Mactier ON POC 1H0	Routine Inspection	7-Aug-19	Mechanical ventilation operable where required	Corrected During Inspection
Rolly's Pitstop	232 Yonge Street, Bonfield ON POH 1E0	Routine Inspection	30-Jul-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Rolly's Pitstop	232 Yonge Street, Bonfield ON POH 1E0	Routine Inspection	30-Jul-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Rolly's Pitstop	232 Yonge Street, Bonfield ON POH 1E0	Routine Inspection	30-Jul-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Rolly's Pitstop	232 Yonge Street, Bonfield ON POH 1E0	Re-inspection	14-Aug-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Rosseau Bakery & Variety	5 Victoria Street E, Rosseau ON POC 1J0	Routine Inspection	7-Nov-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Re-inspection Scheduled
Rosseau Bakery & Variety	5 Victoria Street E, Rosseau ON POC 1J0	Routine Inspection	7-Nov-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Rosseau Bakery & Variety	5 Victoria Street East Rosseau ON POC 1J0	Routine Inspection	6-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Rosseau Bakery & Variety	5 Victoria Street East, Rosseau ON POC 1J0	Routine Inspection	6-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Rosseau Bakery and Variety	5 Victoria Street, Rosseau ON POC1J0	Routine Inspection	18-Jun-19		Satisfactory - No Action(s) Taken
Rosseau Farmers Market	Rosseau Municipal Park, Rossueau, Ontario	Routine Inspection	20-Jul-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Rosseau General Store	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	5-Apr-19		Satisfactory - No Action(s) Taken
Rosseau General Store - Food Take out	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	26-Aug-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Rosseau General Store - Food Take out	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	26-Aug-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	1-Aug-18	The premises is operated and maintained free from every condition that may be a health hazard	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	5-Mar-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	30-Sep-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	30-Sep-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Routine Inspection	30-Sep-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Rosseau General Store - Supermarket	1 Rice Street, Rosseau ON POC 1J0	Re-inspection	15-Oct-19		Satisfactory - No Action(s) Taken
Rosseau General Store, Ice Cream Shoppe	1 Rice Street, Rosseau ON POC 1J0	Re-inspection	10-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Rosseau General Store, Ice Cream Shoppe	1 Rice Street, Rosseau ON POC 1J0	Re-inspection	10-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Rosseau General Store, Ice Cream Shoppe	1 Rice Street, Rosseau ON POC 1J0	Re-inspection	10-Aug-18	Dipper well with running water	Re-inspection Scheduled
Rosseau General Store, Ice Cream Shoppe	1 Rice Street, Rosseau ON POC 1J0	Re-inspection	10-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Rosseau General Store, Ice Cream Shoppe	1 Rice Street, Rosseau ON POC 1J0	Re-inspection	10-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Rosseau General Store, Ice Cream Shoppe	1 Rice Street, Rosseau ON POC 1J0	Re-inspection	17-Aug-18		Satisfactory - No Action(s) Taken
Rosseau Lake College	1967 Bright Street, Rosseau ON POC 1J0	Routine Inspection	9-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Rosseau Lake College	1967 Bright Street, Rosseau ON POC 1J0	Routine Inspection	9-Dec-19	Floors clean and in good repair	Corrected During Inspection
Rosseau LK College	1967 Bright Street, Rosseau ON POC 1J0	Routine Inspection	11-May-18		Satisfactory - No Action(s) Taken
Rosseau LK College	1967 Bright Street, Rosseau ON POC 1J0	Routine Inspection	11-May-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Rosseau LK College	1967 Bright Street, Rosseau ON P0C 1J0	Routine Inspection	22-May-19		Satisfactory - No Action(s) Taken
Rosseau Memorial Hall	2 Victoria Street, Rosseau ON P0C 1J0	Routine Inspection	25-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Rosseau Memorial Hall	2 Victoria Street, Rosseau ON P0C 1J0	Routine Inspection	25-Nov-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Roxie's Diner	11643 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	5-Apr-18		Satisfactory - No Action(s) Taken
Roxie's Diner	Lot 1-Conc 13 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	15-Nov-19		Satisfactory - No Action(s) Taken
Roxie's Diner	Lot 1-Conc 13 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	27-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Roxie's Diner	Lot 1-Conc 13 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	27-Feb-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Roxie's Diner	Lot 1-Conc 13 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	21-Aug-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Royal Canadian Legion	10383 Hwy 124, Sundridge ON P0A 1Z0	Routine Inspection	11-Jan-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion	2 Mary Street, Burks Falls ON P0A 1C0	Routine Inspection	26-Oct-18	General housekeeping is satisfactory	Re-inspection Scheduled
Royal Canadian Legion	45 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	19-Oct-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Royal Canadian Legion Branch 254	360 Hurdman Street, Mattawa, ON P0H 1V0	Routine Inspection	22-Nov-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Branch 254	360 Hurdman Street, Mattawa, ON P0H 1V0	Routine Inspection	28-Feb-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion 390	95 Ottawa Street, South River ON P0A 1X0	Routine Inspection	15-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Royal Canadian Legion Br 405	2 Mary Street, Burks Falls ON P0A 1C0	Routine Inspection	1-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Royal Canadian Legion Br 405	2 Mary Street, Burks Falls ON P0A 1C0	Routine Inspection	6-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Royal Canadian Legion BR 445	345 Lansdowne Callander ON P0H 1H0	Re-inspection	21-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Royal Canadian Legion Br 467	10383 Hwy 124 Sundridge ON P0A 1Z0	Re-inspection	14-Dec-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 117	64 Mary Street, Parry Sound ON P2A 2X2	Routine Inspection	30-Nov-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Royal Canadian Legion Br. 117	64 Mary Street, Parry Sound ON P2A 2X2	Routine Inspection	30-Nov-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Royal Canadian Legion Br. 117	64 Mary Street, Parry Sound ON P2A 2X2	Routine Inspection	30-Nov-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Royal Canadian Legion Br. 117	64 Mary Street, Parry Sound ON P2A 2X2	Re-inspection	10-Jan-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 117	64 Mary Street, Parry Sound ON P2A 2X2	Routine Inspection	28-Jun-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 117	64 Mary Street, Parry Sound ON P2A 2X2	Routine Inspection	30-Oct-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 225	201 River Street, Sturgeon Falls ON P2B 1T4	Routine Inspection	27-Mar-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 225	201 River Street, Sturgeon Falls ON P2B 1T4	Routine Inspection	27-May-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 254	360 Hurdman Street, Mattawa ON P0H 1V0	Routine Inspection	22-Aug-19	Constant supply of hot and cold running water under pressure	Re-inspection Scheduled
Royal Canadian Legion Br. 254	360 Hurdman Street, Mattawa ON P0H 1V0	Re-inspection	17-Sep-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 254	360 Hurdman Street, Mattawa ON P0H 1V0	Routine Inspection	22-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Royal Canadian Legion Br. 390	95 Ottawa Street, South River ON P0A 1X0	Routine Inspection	31-May-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 394	2130 Balsam Road, Dunchurch ON P0A 1G0	Routine Inspection	23-Nov-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 394	2130 Balsam Road, Dunchurch ON P0A 1G0	Routine Inspection	10-May-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Royal Canadian Legion Br. 394	2130 Balsam Road, Dunchurch ON P0A 1G0	Routine Inspection	29-Nov-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 415	11506 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	5-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Royal Canadian Legion Br. 415	11506 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	30-Aug-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 415	Lot 34-Conc 13, Port Loring ON P0H 1Y0	Routine Inspection	15-Nov-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 445	345 Lansdowne Callander ON P0H 1H0	Routine Inspection	14-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Royal Canadian Legion Br. 445	345 Lansdowne Callander ON P0H 1H0	Routine Inspection	26-Feb-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Royal Canadian Legion Br. 445	345 Lansdowne Callander ON P0H 1H0	Routine Inspection	22-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Royal Canadian Legion Br. 445	345 Lansdowne Street, Callander ON P0H 1H0	Routine Inspection	7-Nov-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Royal Canadian Legion Br. 445	345 Lansdowne Street, Callander ON P0H 1H0	Routine Inspection	7-Nov-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Royal Canadian Legion Br. 445	345 Lansdowne Street, Callander ON P0H 1H0	Routine Inspection	7-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Royal Canadian Legion Br. 445	345 Lansdowne Street, Callander ON P0H 1H0	Routine Inspection	7-Nov-19	Ceilings clean and in good repair	Re-inspection Scheduled
Royal Canadian Legion Br. 445	345 Lansdowne Street, Callander ON P0H 1H0	Routine Inspection	7-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
Royal Canadian Legion Br. 453	62 King Street, Powassan ON P0H 1Z0	Routine Inspection	27-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Royal Canadian Legion Br. 467	10383 Hwy 124 Sundridge ON P0A 1Z0	Routine Inspection	31-May-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Royal Canadian Legion Br. 591	511 River Drive, Britt ON P0G 1A0	Routine Inspection	27-Jun-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 591	511 Riverside Drive, Britt ON P0G 1A0	Routine Inspection	27-Nov-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
Royal Canadian Legion Br. 599	Box 1186-30 Legion Drive, North Bay ON P1B 8Z4	Routine Inspection	28-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Royal Canadian Legion Br. 599	Box 1186-30 Legion Drive, North Bay ON P1B 8Z4	Routine Inspection	16-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Royal Canadian Legion Br. 599	Box 1186-30 Legion Drive, North Bay ON P1B 8Z4	Re-inspection	24-May-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 599	Box 1186-30 Legion Drive, North Bay ON P1B 8Z4	Routine Inspection	16-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Royal Canadian Legion Br. 639	50 Hawthorne Drive, Restoule ON P0H 2R0	Routine Inspection	10-May-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 639	50 Hawthorne Drive, Restoule ON P0H 2R0	Routine Inspection	6-Mar-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Br. 639	50 Hawthorne Drive, Restoule ON P0H 2R0	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	8-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Re-inspection	26-Feb-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	27-Sep-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	27-Sep-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	27-Sep-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	27-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	4-Feb-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	4-Feb-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	4-Feb-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	30-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	30-May-19	Floors clean and in good repair	Re-inspection Scheduled
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	30-May-19	Walls clean and in good repair	Re-inspection Scheduled
Royal Canadian Legion Branch 23	150 First Avenue West, North Bay ON P1B 3B9	Routine Inspection	22-Nov-19		Satisfactory - No Action(s) Taken
Royal Canadian Legion Branch 390	95 Ottawa Street, South River ON P0A 1X0	Routine Inspection	22-Nov-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Branch 415	11506 Hwy 522, Port Loring, ON P0H 1Y0	Routine Inspection	23-Aug-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Branch 445	345 Lansdowne, Callander ON P0H 1H0	Routine Inspection	2-Mar-18		Satisfactory - No Action(s) Taken
Royal Canadian Legion Branch 599	30 Legion Drive, North Bay ON P1B 8Z4	Routine Inspection	22-Feb-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Royal Canadian Legion Branch 599	30 Legion Drive, North Bay ON P1B 8Z4	Re-inspection	1-Mar-18		Satisfactory - No Action(s) Taken
Royal Candian Legion 405	2 Mary Street, Burks Falls ON P0A 1C0	Routine Inspection	23-May-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Royal Candian Legion 405	2 Mary Street, Burks Falls ON P0A 1C0	Routine Inspection	23-May-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Royal Candian Legion 405	2 Mary Street, Burks Falls ON P0A 1C0	Routine Inspection	23-May-18	Separate raw foods from ready-to-eat foods during storage and handling	Re-inspection Scheduled
Royal Candian Legion 405	2 Mary Street, Burks Falls ON P0A 1C0	Routine Inspection	23-May-18	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Royal Candian Legion 405	2 Mary Street, Burks Falls ON P0A 1C0	Routine Inspection	23-May-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Royal Candian Legion 467	10383 Hwy 124, Sundridge ON P0A 1Z0	Routine Inspection	10-Jul-19		Satisfactory - No Action(s) Taken
Rubys Home Bakery	160 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	10-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Rubys Home Bakery	160 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	10-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Rubys Home Bakery	160 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	10-May-19	General housekeeping is satisfactory	Corrected During Inspection
Ruby's Home Bakery	160 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	3-May-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Ruby's Home Bakery	160 Ontario Street, Burk's Falls ON P0A 1C0	Routine Inspection	25-Nov-19		Satisfactory - No Action(s) Taken
Rumorz Night Club	24 Gibson Street, Parry Sound ON P2A 1W8	Routine Inspection	30-Nov-18		Satisfactory - No Action(s) Taken
Ruperts Variety	10699 Hwy 522, Arnstein ON P0H 1A0	Routine Inspection	17-Dec-18		Satisfactory - No Action(s) Taken
Ruperts Variety	10699 Hwy 522, Arnstein ON P0H 1A0	Routine Inspection	15-Oct-19	Food protected from potential contamination and adulteration	Corrected During Inspection
RX Drug Mart	228 King Street, Sturgeon Falls ON P2B 1R9	Routine Inspection	14-May-19		Satisfactory - No Action(s) Taken
Salvation Army	134 McIntyre Street E, North Bay ON P1B 8G8	Routine Inspection	18-Apr-18		Satisfactory - No Action(s) Taken
Salvation Army	134 McIntyre Street E, North Bay ON P1B 8G8	Routine Inspection	20-Sep-18		Satisfactory - No Action(s) Taken
Salvation Army	134 McIntyre Street E, North Bay ON P1B 8G8	Routine Inspection	30-May-19		Satisfactory - No Action(s) Taken
Salvation Army	134 McIntyre Street E, North Bay ON P1B 8G8	Routine Inspection	15-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Salvation Army Parry Sound	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	7-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Salvation Army Parry Sound	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	7-Nov-19		Satisfactory - No Action(s) Taken
Salvation Army Parry Sound	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	7-Nov-19		Satisfactory - No Action(s) Taken
Salvation Army Parry Sound - Mobile Kitchen	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	13-Jun-19		Satisfactory - No Action(s) Taken
Salvation Army Parry Sound - Mobile Kitchen	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	7-Nov-19		Satisfactory - No Action(s) Taken
Salvation Army Parry Sound (Main)	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	11-Dec-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Salvation Army Parry Sound (Main)	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	27-Mar-19		Satisfactory - No Action(s) Taken
Salvation Army Parry Sound (Mobile)	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	11-Dec-18		Satisfactory - No Action(s) Taken
Salvation Army Parry Sound (Mobile)	61 Gibson Street, Parry Sound ON P2A 1X2	Routine Inspection	27-Mar-19		Satisfactory - No Action(s) Taken
Sandhurst Resort	40 Boat Ramp Road, Kearney ON P0A1M0	Routine Inspection	29-Aug-18		Satisfactory - No Action(s) Taken
Sandhurst Resort	40 Boat Ramp Road, Kearney ON P0A1M0	Routine Inspection	29-Aug-18		Satisfactory - No Action(s) Taken
Sandhurst Resort	40 Boat Ramp Road, Kearney ON P0A1M0	Routine Inspection	16-Jul-19		Satisfactory - No Action(s) Taken
Sandhurst Resort	40 Boat Ramp Road, Kearney ON P0A1M0	Routine Inspection	22-Aug-19		Satisfactory - No Action(s) Taken
Sandwich Classics	2-504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	8-Feb-18	Food is cooled from 60°C (140°F) to 20°C (68°F) within 2 hours	Corrected During Inspection
Sandwich Classics	2-504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	5-Sep-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Sandwich Classics	2-504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	11-Mar-19		Satisfactory - No Action(s) Taken
Sandwich Classics	2-504 Gormanville Road, North Bay ON P1B 4V5	Routine Inspection	2-Aug-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled
Sandwich Classics	2-504 Gormanville Road, North Bay ON P1B 4V5	Re-inspection	6-Aug-19		Satisfactory - No Action(s) Taken
Sandy Haven Camp	Sandy Island, Lake Nipissing, Monetville ON P0M 2K0	Routine Inspection	6-Jun-18		Satisfactory - No Action(s) Taken
Sandy Haven Camp	Sandy Island, Lake Nipissing, Monetville ON P0M 2K0	Routine Inspection	7-Aug-18		Satisfactory - No Action(s) Taken
Sandy Haven Camp	Sandy Island, Lake Nipissing, Monetville ON P0M 2K0	Routine Inspection	18-Jun-19		Satisfactory - No Action(s) Taken
Sandy Haven Camp	Sandy Island, Lake Nipissing, Monetville ON P0M 2K0	Routine Inspection	13-Aug-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Sandy Haven Camp	Sandy Island, Lake Nipissing, Monetville ON P0M 2K0	Routine Inspection	13-Aug-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Sandy Plains Variety	39 Sandy Plains Road S, Seguin ON P2A 2W8	Complaint	11-Jan-18	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Sandy Plains Variety	39 Sandy Plains Road S, Seguin ON P2A 2W8	Routine Inspection	18-Oct-18		Satisfactory - No Action(s) Taken
Sandy Plains Variety	39 Sandy Plains Road S, Seguin ON P2A 2W8	Routine Inspection	2-Aug-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Sandy Plains Variety	39 Sandy Plains Road S, Seguin ON P2A 2W8	Routine Inspection	2-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Sara's Mini Mart	28 Seguin Street, Parry Sound ON P2A 1B1	Complaint	29-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Sara's Mini Mart	28 Seguin Street, Parry Sound ON P2A 1B1	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Sara's Mini Mart	28 Seguin Street, Parry Sound ON P2A 1B1	Routine Inspection	26-Sep-19		Satisfactory - No Action(s) Taken
Savoir Faire Catering	126 Main Street E, North Bay ON P1B 1A8	Routine Inspection	6-Feb-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Savoir Faire Catering	126 Main Street E, North Bay ON P1B 1A8	Re-inspection	20-Apr-18		Satisfactory - No Action(s) Taken
Savoir Faire Catering	126 Main Street E, North Bay ON P1B 1A8	Routine Inspection	9-Aug-18		Satisfactory - No Action(s) Taken
Savoir Faire Catering	126 Main Street E, North Bay ON P1B 1A8	Routine Inspection	30-Nov-18		Satisfactory - No Action(s) Taken
Scarborough Ed Centre	1511 Echo Ridge Road, Kearney ON P0A 1M0	Routine Inspection	18-Jul-19		Satisfactory - No Action(s) Taken
Scarborough Outdoor Education Centre	1511 Echo Ridge Road, Kearney ON P0A 1M0	Routine Inspection	4-Jun-18		Satisfactory - No Action(s) Taken
Scarborough Outdoor Education Centre	1511 Echo Ridge Road, Kearney ON P0A 1M0	Routine Inspection	22-Nov-18	General housekeeping is satisfactory	Re-inspection Scheduled
Scarborough Outdoor Education Centre	1511 Echo Ridge Road, Kearney ON P0A 1M0	Re-inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Scarborough Outdoor Education Centre	1511 Echo Ridge Road, Kearney ON P0A 1M0	Routine Inspection	14-Mar-19		Satisfactory - No Action(s) Taken
Scooby's Great Eats	3 Centre Road, McKellar ON P0G 1C0	Routine Inspection	3-May-19		Satisfactory - No Action(s) Taken
Scott's Discount	318 Main Street, Mattawa ON P0H 1V0	Routine Inspection	4-Oct-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Seguin Fish & Chips	26 Seguin Street, Parry Sound ON P2A 1B1	Routine Inspection	8-Jun-18		Satisfactory - No Action(s) Taken
Seguin Fish & Chips	26 Seguin Street, Parry Sound ON P2A 1B1	Routine Inspection	26-Sep-19		Satisfactory - No Action(s) Taken
Seguin Valley Golf Club	144 Badger Road, Parry Sound ON P2A 2W8	Routine Inspection	14-Sep-18		satisfactory - No Action(s) Taken
Seguin Valley Golf Club	144 Badger Road, Parry Sound ON P2A 2W8	Routine Inspection	6-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Serenity Senior's Residence	35 Tudhope Street, Parry Sound ON P2A 2H9	Routine Inspection	13-Mar-18		Satisfactory - No Action(s) Taken
Serenity Senior's Residence	35 Tudhope Street, Parry Sound ON P2A 2H9	Routine Inspection	10-Aug-18		Satisfactory - No Action(s) Taken
Serenity Senior's Residence	35 Tudhope Street, Parry Sound ON P2A 2H9	Routine Inspection	17-Jan-19		Satisfactory - No Action(s) Taken
Serenity Senior's Residence	35 Tudhope Street, Parry Sound ON P2A 2H9	Routine Inspection	28-May-19		Satisfactory - No Action(s) Taken
Serenity Senior's Residence Inc.	35 Tudhope Street, Parry Sound ON P2A 2H9	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Shebe Resort	RR 2-80 Shebeshekong Road, Nobel ON P0G 1G0	Routine Inspection	31-Aug-18		Satisfactory - No Action(s) Taken
Shebe Resort	RR 2-80 Shebeshekong Road, Nobel ON P0G 1G0	Routine Inspection	16-Aug-19		Satisfactory - No Action(s) Taken
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	25-Jan-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Re-inspection Scheduled
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	25-Jan-18	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	25-Jan-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	25-Jan-18	General housekeeping is satisfactory	Re-inspection Scheduled
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Re-inspection	14-Mar-18		Satisfactory - No Action(s) Taken
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Food handler hygiene	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Re-inspection	28-Sep-18		Satisfactory - No Action(s) Taken
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	27-Feb-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	27-Feb-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	27-Feb-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Re-inspection Scheduled
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	27-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	27-Feb-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Re-inspection	7-Mar-19		Satisfactory - No Action(s) Taken
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	2-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	2-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	28-Oct-19	General housekeeping is satisfactory	Corrected During Inspection
Sherri's Diner	306 Hwy 124, South River ON P0A 1X0	Routine Inspection	29-Oct-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Sherry Gourmet	17 Llincoln Road, South River ON P0A1X0	Routine Inspection	16-Jan-19		Satisfactory - No Action(s) Taken
Shooters Bar	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	31-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Shooters Bar	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	31-Aug-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Shooters Bar	123 Delaware Avenue, North Bay ON P1B 6Z6	Re-inspection	14-Sep-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Shooters Bar	123 Delaware Avenue, North Bay ON P1B 6Z6	Complaint	26-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Shooters Bar	123 Delaware Avenue, North Bay ON P1B 6Z6	Complaint	26-Sep-18	The premises is operated and maintained free from every condition that may be a health hazard	Re-inspection Scheduled
Shooters Bar	123 Delaware Avenue, North Bay ON P1B 6Z6	Re-inspection	28-Sep-18		Satisfactory - No Action(s) Taken
Shooters Bar	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	26-Mar-19		Satisfactory - No Action(s) Taken
Shooters Bar	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
Shoppers Drug Mart	2025 Cassells Street, North Bay ON P1B 4E1	Routine Inspection	12-Apr-19		Satisfactory - No Action(s) Taken
Shoppers Drug Mart	2025 Cassells Street, North Bay ON P1B 4E1	Routine Inspection	12-Apr-19		Satisfactory - No Action(s) Taken
Shoppers Drug Mart	276 Lakeshore Drive, North Bay ON P1A 2C2	Routine Inspection	21-Nov-19		Satisfactory - No Action(s) Taken
Shoppers Drug Mart	66 Josephine Street, North Bay ON P1B 0A7 Canada	Re-inspection	13-Mar-19		Satisfactory - No Action(s) Taken
Shoppers Drug Mart	90 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	27-Sep-19		Satisfactory - No Action(s) Taken
Shoppers Drug Mart	90 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	21-Nov-18		Satisfactory - No Action(s) Taken
Shopper's Drug Mart	90 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	22-Jan-18		Satisfactory - No Action(s) Taken
Shuswap Camp	349 Shuswap Road, Monetville ON P0M 2K0	Routine Inspection	24-May-18		Satisfactory - No Action(s) Taken
Shuswap Camp	349 Shuswap Road, Monetville ON P0M 2K0	Routine Inspection	8-Aug-18		Satisfactory - No Action(s) Taken
Shuswap Camp	349 Shuswap Road, Monetville ON P0M 2K0	Routine Inspection	17-Jun-19		Satisfactory - No Action(s) Taken
Shuswap Camp	349 Shuswap Road, Monetville ON P0M 2K0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Silver Birches Child Care	65 Marshall Avenue, North Bay ON P1A 3L4	Routine Inspection	23-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Silver Birches Child Care	65 Marshall Avenue, North Bay ON P1A 3L4	Routine Inspection	27-Feb-19		Satisfactory - No Action(s) Taken
Silver Birches Child Care	65 Marshall Avenue, North Bay ON P1A 3L4	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
Silver Birches Child Care	65 Marshall Avenue, North Bay ON P1A 3L4	Routine Inspection	9-Aug-18		Satisfactory - No Action(s) Taken
Silver Birches Child Care	65 Marshall Avenue, North Bay ON P1A 3L4	Routine Inspection	3-Jul-19		Satisfactory - No Action(s) Taken
Silver Birches Child Care	65 Marshall Avenue, North Bay ON P1A 3L4	Routine Inspection	15-Oct-19		Satisfactory - No Action(s) Taken
Silver Birches Public School	65 Marshall Avenue, North Bay ON P1A 3L4	Routine Inspection	16-Nov-18		Satisfactory - No Action(s) Taken
Silver Birches Public School	65 Marshall Avenue, North Bay ON P1A 3L4	Routine Inspection	11-Nov-19		Satisfactory - No Action(s) Taken
Silversands Family Resort	98 North Shore Road, Kearney, ON P0A 1M0	Routine Inspection	28-Jun-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Silversands Family Resort	98 North Shore Road, Kearney, ON P0A 1M0	Re-inspection	12-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Silversands Family Resort	98 North Shore Road, Kearney, ON P0A 1M0	Re-inspection	26-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Simply Basic	226 Eglinton Road N, Callander ON P0H 1H0	Routine Inspection	11-Feb-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
Smokin Volcano	82 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Jul-19		Satisfactory - No Action(s) Taken
Smokin Volcano	82 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	16-Sep-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled
Smokin Volcano	82 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	16-Sep-19	Walls clean and in good repair	Re-inspection Scheduled
Smokin Volcano	82 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	16-Sep-19	Ceilings clean and in good repair	Re-inspection Scheduled
Smokin Volcano	82 Ontario Street, Sundridge ON P0A 1Z0	Re-inspection	2-Oct-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Smoky Lake Lodge	Island in Smoky Lake ON	Routine Inspection	5-Sep-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Sobeys	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	7-Oct-19		Satisfactory - No Action(s) Taken
Sobeys	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	11-Nov-19		Satisfactory - No Action(s) Taken
Sobeys - North Bay	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	12-Jun-18		Satisfactory - No Action(s) Taken
Sobeys - North Bay	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	22-Oct-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Sobeys - North Bay	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	20-Mar-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Sobeys - Parry Sound	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	8-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Sobeys - Parry Sound	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	8-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Sobeys - Parry Sound	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	8-Jun-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Sobeys - Parry Sound	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	8-Jun-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Sobeys - Parry Sound	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	8-Jun-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Sobeys - Parry Sound	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	8-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Sobeys - Parry Sound	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	8-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Sobeys - Parry Sound	25 Pine Street, Parry Sound ON P2A 3B7	Routine Inspection	18-Jun-19		Satisfactory - No Action(s) Taken
Social Café	337 Wyld Street, North Bay ON P1B 1Z3	Routine Inspection	15-Nov-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Social Café	337 Wyld Street, North Bay ON P1B 1Z3	Routine Inspection	15-Nov-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Social Café	337 Wyld Street, North Bay ON P1B 1Z3	Routine Inspection	15-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	8-May-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	8-May-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	8-May-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	8-May-18	General housekeeping is satisfactory	Re-inspection Scheduled
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	13-Sep-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	13-Sep-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	13-Sep-18	Food handler hygiene	Corrected During Inspection
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	13-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	13-Sep-18	General housekeeping is satisfactory	Re-inspection Scheduled
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Re-inspection	28-Sep-18		Satisfactory - No Action(s) Taken
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	25-Apr-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	25-Apr-19	Food protected from potential contamination and adulteration	Corrected During Inspection
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	25-Apr-19	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	24-Sep-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	24-Sep-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
South River Chip Stand	306 Hway 124 South, South River ON P0A 1X0	Routine Inspection	24-Sep-19	General housekeeping is satisfactory	Corrected During Inspection
South River Foodland	298 Highway 11 S, South River ON P0A 1X0	Routine Inspection	11-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
South River Fresh Mart	298 Highway 11, South River ON P0A 1X0	Routine Inspection	28-Nov-19	All foods at the premises are from an inspected source	Corrected During Inspection
South River Fresh Mart	298 Highway 11, South River ON P0A 1X0	Routine Inspection	28-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
South River Freshmart	298 Highway 11 S, South River ON P0A 1X0	Routine Inspection	25-Apr-19		Satisfactory - No Action(s) Taken
South River Friendly Circle	10 Isabella Street, South River ON P0A 1X0	Routine Inspection	13-Nov-19		Satisfactory - No Action(s) Taken
South River Machar Community Centre	A-1 Linclon Avenue, South River ON P0A 1X0	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
South River Machar Community Centre	A-1 Linclon Avenue, South River ON P0A 1X0	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
South River Machar Community Centre	A-1 Linclon Avenue, South River ON P0A 1X0	Routine Inspection	31-May-19		Satisfactory - No Action(s) Taken
South River Machar Community Centre	A-1 Linclon Avenue, South River ON P0A 1X0	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
South River Public School	137 Ottawa Avenue, South River ON P0A 1X0	Routine Inspection	15-May-18		Satisfactory - No Action(s) Taken
South River Public School	137 Ottawa Avenue, South River ON P0A 1X0	Routine Inspection	15-May-18		Satisfactory - No Action(s) Taken
South River Public School	137 Ottawa Avenue, South River ON P0A 1X0	Routine Inspection	24-May-19		Satisfactory - No Action(s) Taken
South River Shell Convenience	314 Ontario Street, South River ON P0A 1Z0	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
South River Shell Convenience	314 Ontario Street, South River ON P0A 1Z0	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
South Shore Education Centre-Nutrition Program	60 Beatty Street, Nipissing ON P0H 1W0	Routine Inspection	26-Mar-18		Satisfactory - No Action(s) Taken
South Shore Education Centre-Nutrition Program	60 Beatty Street, Nipissing ON P0H 1W0	Routine Inspection	19-Jun-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
South Shore Education Centre-Nutrition Program	60 Beatty Street, Nipissing ON P0H 1W0	Routine Inspection	19-Jun-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
South Shore Education Centre-Nutrition Program	60 Beatty Street, Nipissing ON P0H 1W0	Routine Inspection	19-Jun-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
South Shore Education Centre-Nutrition Program	60 Beatty Street, Nipissing ON P0H 1W0	Re-inspection	27-Jun-19		Satisfactory - No Action(s) Taken
Southend Shell	116 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	27-Feb-18		Satisfactory - No Action(s) Taken
Southend Shell	116 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Southend Shell	116 Bowes Street, Parry Sound ON P2A 2L7	Routine Inspection	23-Sep-19		Satisfactory - No Action(s) Taken
Southland Shell Gas Bar	390 Lakeshore Drive, North Bay ON P1A 2C7	Routine Inspection	10-Oct-19		Satisfactory - No Action(s) Taken
Southwind Retirement Home	11118 Hwy 124, South River ON P0A 1X0	Routine Inspection	1-Mar-18		Satisfactory - No Action(s) Taken
Southwind Retirement Home	11118 Hwy 124, South River ON P0A 1X0	Routine Inspection	23-Jul-18		Satisfactory - No Action(s) Taken
Southwind Retirement Home	11118 Hwy 124, South River ON P0A 1X0	Routine Inspection	14-Nov-18		Satisfactory - No Action(s) Taken
Southwind Retirement Home	11118 Hwy 124, South River ON P0A 1X0	Routine Inspection	26-Feb-19		Satisfactory - No Action(s) Taken
Southwind Retirement Home	11118 Hwy 124, South River ON P0A 1X0	Routine Inspection	6-Aug-19		Satisfactory - No Action(s) Taken
Southwind Retirement Home	11118 Hwy 124, South River ON P0A 1X0	Routine Inspection	4-Dec-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Southwind Retirement Home	11118 Hwy 124, South River ON P0A 1X0	Re-inspection	23-Dec-19		Satisfactory - No Action(s) Taken
Spicoli's Pizza & Pasta	83 Hiway 518, Emsdale ON P0A 1J0	Routine Inspection	10-Oct-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	16-Jan-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	16-Jan-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	16-Jan-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	16-Jan-18	General housekeeping is satisfactory	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Re-inspection	5-Mar-18		Satisfactory - No Action(s) Taken
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	21-Jun-18	Food handler hygiene	Corrected During Inspection
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	21-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	17-Oct-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	17-Oct-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Spicoli's Pizza & Pasta	83 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	8-Mar-19		Satisfactory - No Action(s) Taken
Spirit of the North	2159 Pickerel & Jack Lake Road, Burks Falls ON P0A 1C0	Routine Inspection	2-Feb-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Spirit of the North	2159 Pickerel & Jack Lake Road, Burks Falls ON P0A 1C0	Routine Inspection	2-Feb-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Spirit of the North	2159 Pickerel & Jack Lake Road, Burks Falls ON P0A 1C0	Routine Inspection	2-Feb-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Spirit Point	Hinsburger Lake, South River ON P0A 1X0	Routine Inspection	30-May-18		Satisfactory - No Action(s) Taken
Spirit Point	Hinsburger Lake, South River ON P0A 1X0	Routine Inspection	5-Jun-19		Satisfactory - No Action(s) Taken
Spirit Point	Mink Lake Road, Ballantyne ON	Routine Inspection	24-Sep-19		Satisfactory - No Action(s) Taken
Sprucedale Community Centre	31 William Street, Sprucedale ON P0A 1Y1	Routine Inspection	20-Nov-19		Satisfactory - No Action(s) Taken
Sprucedale Hotel	2502 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	28-Jun-18		Satisfactory - No Action(s) Taken
Sprucedale Hotel	2502 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Sprucedale Hotel	2502 Hwy 518 W, Sprucedale ON P0A 1Y0	Complaint	7-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Sprucedale Hotel	2502 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	20-Jun-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Sprucedale Hotel	2502 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	20-Jun-19	General housekeeping is satisfactory	Re-inspection Scheduled
Sprucedale Hotel	2502 Hwy 518 W, Sprucedale ON P0A 1Y0	Routine Inspection	20-Jun-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled
Sprucedale Hotel	2502 Hwy 518 W, Sprucedale ON P0A 1Y0	Re-inspection	28-Jun-19		Satisfactory - No Action(s) Taken
Sprucedale Quality Meats	438 Fourth Avenue, Sprucedale ON P0A 1Y1	Routine Inspection	20-Nov-19		Satisfactory - No Action(s) Taken
Sprucedale Quality Meats	438 Fourth Avenue, Sprucedale ON P0A 1Y0	Routine Inspection	21-Dec-18		Satisfactory - No Action(s) Taken
SSJ Arena Banquet	14 Albert Street, Sundridge ON P0A 1Z0	Routine Inspection	19-Nov-19		Satisfactory - No Action(s) Taken
SSJ Arena Canteen	14 Albert Street, Sundridge ON P0A 1Z0	Routine Inspection	19-Nov-19		Satisfactory - No Action(s) Taken
St. Alexander Catholic Elementary School	900 Bloem Street, North Bay ON P1B 4Z8	Routine Inspection	12-Nov-19		Satisfactory - No Action(s) Taken
St. Alexander Separate School - Snack Program	900 Bloem Street, North Bay ON P1B 4Z8	Routine Inspection	23-Apr-18		Satisfactory - No Action(s) Taken
St. Alexander Separate School - Snack Program	900 Bloem Street, North Bay ON P1B 4Z8	Routine Inspection	9-Apr-19		Satisfactory - No Action(s) Taken
St. Alexander Separate School - Snack Program	900 Bloem Street, North Bay ON P1B 4Z8	Routine Inspection	9-Apr-19		Satisfactory - No Action(s) Taken
St. Amant's Waterfront Inn & Restaurant	1231 Riverside Drive, Britt ON P0G 1A0	Routine Inspection	19-Apr-18	Food protected from potential contamination and adulteration	Corrected During Inspection
St. Amant's Waterfront Inn & Restaurant	1231 Riverside Drive, Britt ON P0G 1A0	Complaint	2-Aug-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
St. Amant's Waterfront Inn & Restaurant	1231 Riverside Drive, Britt ON P0G 1A0	Complaint	2-Aug-18	Food protected from potential contamination and adulteration	Corrected During Inspection
St. Amant's Waterfront Inn & Restaurant	1231 Riverside Drive, Britt ON P0G 1A0	Complaint	2-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
St. Amant's Waterfront Inn & Restaurant	1231 Riverside Drive, Britt ON P0G 1A0	Complaint	2-Aug-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
St. Amant's Waterfront Inn & Restaurant	1231 Riverside Drive, Britt ON P0G 1A0	Complaint	2-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
St. Amant's Waterfront Inn & Restaurant	1231 Riverside Drive, Britt ON P0G 1A0	Re-inspection	15-Aug-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
St. Amant's Waterfront Inn & Restaurant	1231 Riverside Drive, Britt ON P0G 1A0	Routine Inspection	26-Aug-19		Satisfactory - No Action(s) Taken
St. Andrew's United Church	399 Cassells Street, North Bay ON P1B 3Z4	Routine Inspection	21-Sep-18	Milk and milk products	Corrected During Inspection
St. Andrew's United Church	399 Cassells Street, North Bay ON P1B 3Z4	Routine Inspection	26-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
St. Andrew's United Church	399 Cassells Street, North Bay ON P1B 3Z4	Routine Inspection	17-May-19		Satisfactory - No Action(s) Taken
St. Andrew's United Church	399 Cassells Street, North Bay ON P1B 3Z4	Routine Inspection	11-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
St. Brice's Anglican Church	1225 Cassells Street, North Bay ON P1B 4B8	Routine Inspection	3-Dec-19		Satisfactory - No Action(s) Taken
St. Francis School	68 Gertrude Street E, North Bay ON P1A 1J8	Routine Inspection	23-Oct-18		Satisfactory - No Action(s) Taken
St. Francis School	68 Gertrude Street E, North Bay ON P1A 1J8	Routine Inspection	10-Oct-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
St. Gregory Catholic School	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	11-Dec-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
St. Gregory Catholic School	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	23-Apr-19		Satisfactory - No Action(s) Taken
St. Gregory Catholic School	152 Fairview Lane, Powassan ON P0H 1Z0	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
St. Hubert School	850 Lorne Avenue, North Bay ON P1B 8M2	Routine Inspection	25-Apr-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
St. Hubert School	850 Lorne Avenue, North Bay ON P1B 8M2	Routine Inspection	25-Apr-19	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
St. James Centennial United Church	24 Mary Street, Parry Sound ON P2A 2X4	Routine Inspection	12-Dec-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
St. John's Anglican Church	301 Main Street E, North Bay ON P1B 1B3	Routine Inspection	23-May-18		Satisfactory - No Action(s) Taken
St. John's Anglican Church	301 Main Street E, North Bay ON P1B 1B3	Routine Inspection	17-Oct-18		Satisfactory - No Action(s) Taken
St. John's Anglican Church	301 Main Street E, North Bay ON P1B 1B3	Routine Inspection	20-Feb-19		Satisfactory - No Action(s) Taken
St. John's Anglican Church	301 Main Street E, North Bay ON P1B 1B3	Routine Inspection	6-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
St. John's Anglican Church	301 Main Street E, North Bay ON P1B 1B3	Routine Inspection	6-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
St. Joseph's Church	120 Memorial Park Drive, Powassan ON P0H 1Z0	Routine Inspection	14-Mar-19		Satisfactory - No Action(s) Taken
St. Joseph's Motherhouse	2025 Main Street W, North Bay ON P1B 2X6	Routine Inspection	14-Mar-18		Satisfactory - No Action(s) Taken
St. Joseph's Motherhouse	2025 Main Street W, North Bay ON P1B 2X6	Routine Inspection	18-Dec-18		Satisfactory - No Action(s) Taken
St. Joseph's Motherhouse	2025 Main Street W, North Bay ON P1B 2X6	Routine Inspection	11-Mar-19		Satisfactory - No Action(s) Taken
St. Joseph's Motherhouse	2025 Main Street W, North Bay ON P1B 2X6	Routine Inspection	19-Jul-19		Satisfactory - No Action(s) Taken
St. Joseph's Motherhouse - Kitchen + Cafeteria	2025 Main Street W, North Bay ON P1B 2X6	Routine Inspection	7-Nov-19		Satisfactory - No Action(s) Taken
St. Joseph-Scollard Hall	675 O'Brien Street, North Bay ON P1B 9R3	Routine Inspection	12-Jun-18		Satisfactory - No Action(s) Taken
St. Joseph-Scollard Hall	675 O'Brien Street, North Bay ON P1B 9R3	Routine Inspection	22-Nov-18		Satisfactory - No Action(s) Taken
St. Joseph-Scollard Hall	675 O'Brien Street, North Bay ON P1B 9R3	Routine Inspection	4-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Satisfactory - No Action(s) Taken
St. Joseph-Scollard Hall	675 O'Brien Street, North Bay ON P1B 9R3	Routine Inspection	4-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Satisfactory - No Action(s) Taken
St. Joseph-Scollard Hall (Resturant)	675 O'Brien Street, North Bay ON P1B 9R3	Routine Inspection	13-Jun-19		Satisfactory - No Action(s) Taken
St. Luke's School Nourishment Program	225 Milani Road, North Bay ON P1B 7P4	Routine Inspection	9-Apr-19		Satisfactory - No Action(s) Taken
St. Luke's School Nourishment Program	225 Milani Road, North Bay ON P1B 7P4	Routine Inspection	9-Apr-19		Satisfactory - No Action(s) Taken
St. Peter The Apostle Catholic School-Nourishment Program	15 Silver Birch Crescent, Parry Sound ON P2A 0A8	Routine Inspection	27-Nov-19		Satisfactory - No Action(s) Taken
St. Peter The Apostle Church	299 Airport Road, North Bay ON P1B 8W7	Routine Inspection	15-Jul-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
St. Peter The Apostle Church	299 Airport Road, North Bay ON P1B 8W7	Routine Inspection	16-Jan-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
St. Peter's School Nutritional Program	15 Silver Birch Court, Parry Sound ON P2A 0A8	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
St. Theresa Catholic School	1475 Main Street N, Callander ON P0H 1H0	Routine Inspection	23-May-19		Satisfactory - No Action(s) Taken
St. Theresa Catholic School	1475 Main Street N, Callander ON P0H 1H0	Routine Inspection	22-Oct-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
St. Thomas D'Aquin	1245 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
St. Thomas D'Aquin	1245 Village Road, Astorville ON P0H 1B0	Routine Inspection	11-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
St. Victor Catholic School	800 John Street, Mattawa ON P0H 1V0	Routine Inspection	5-Apr-19		Satisfactory - No Action(s) Taken
St. Victor Catholic School	800 John Street, Mattawa ON P0H 1V0	Routine Inspection	5-Apr-19		Satisfactory - No Action(s) Taken
St.Gregory Catholic School	152 Fair View Lane, Powassan ON P0H 1Z0	Routine Inspection	10-Apr-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
St.Gregory Catholic School	152 Fair View Lane, Powassan ON P0H 1Z0	Re-inspection	17-Apr-18		Satisfactory - No Action(s) Taken
St.Hubert Separate School	850 Lorne Avenue, North Bay ON P1B 8M2	Routine Inspection	30-Apr-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
St.Luke's School Nourishment Program	225 Milani Street, North Bay ON P1B 7P4	Routine Inspection	30-Apr-18		Satisfactory - No Action(s) Taken
St.Victor Catholic School	800 John Street W, Mattawa ON P0H 1V0	Routine Inspection	18-Apr-18		Satisfactory - No Action(s) Taken
Starbucks	2021 Algonquin Avenue, North Bay ON P1B 3M4	Complaint	24-May-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Corrected During Inspection
Starbucks	2021 Algonquin Avenue, North Bay ON P1B 3M4	Routine Inspection	24-May-19		Satisfactory - No Action(s) Taken
Starbucks Coffee Canada Inc.	2021 Algonquin Avenue, North Bay ON P1B 3M4	Routine Inspection	2-Dec-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Starbucks Coffee Canada Inc.	2021 Algonquin Avenue, North Bay ON P1B 3M4	Routine Inspection	2-Dec-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Corrected During Inspection
Starbucks Coffee Canada Inc.	2021 Algonquin Avenue, North Bay ON P1B 3M4	Routine Inspection	2-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Starbucks Coffee Company	294 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	31-Jan-19		Satisfactory - No Action(s) Taken
Starbuck's Coffee Company	294 Louisa Street, Parry Sound ON P2A 0A1	Routine Inspection	22-Jan-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Station Taphouse and Steak Company	603 McIntyre Street E, North Bay ON P1B 1E6	Routine Inspection	21-Nov-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Station Taphouse and Steak Company	603 McIntyre Street E, North Bay ON P1B 1E6	Routine Inspection	21-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Station Taphouse and Steak Company	603 McIntyre Street E, North Bay ON P1B 1E6	Routine Inspection	21-Nov-18	General housekeeping is satisfactory	Re-inspection Scheduled
Station Taphouse and Steak Company	603 McIntyre Street East, North Bay ON P1B 1E6	Routine Inspection	25-Nov-19	Food is prepared in a safe manner	Corrected During Inspection
Station Taphouse and Steak Company	603 McIntyre Street East, North Bay ON P1B 1E6	Routine Inspection	25-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Station Taphouse and Steak Company	603 McIntyre Street East, North Bay ON P1B 1E6	Routine Inspection	25-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Station Taphouse and Steak Company	603 McIntyre Street East, North Bay ON P1B 1E6	Routine Inspection	25-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Station Taphouse and Steak Company	603 McIntyre Street East, North Bay ON P1B 1E6	Routine Inspection	25-Nov-19	Walls clean and in good repair	Re-inspection Scheduled
Station Taphouse and Steak Company	603 McIntyre Street East, North Bay ON P1B 1E6	Re-inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	14-Feb-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	14-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	20-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	20-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Re-inspection	15-Aug-18		Satisfactory - No Action(s) Taken
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Re-inspection	23-Nov-18		Satisfactory - No Action(s) Taken
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	6-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	6-Mar-19	General housekeeping is satisfactory	Corrected During Inspection
Steirerhut Restaurant	20 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	20-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Steirerhut Restaurant	21 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	20-Nov-19	Floors clean and in good repair	Corrected During Inspection
Steve's Premier Pizza	2-162 Front Street, Sturgeon Falls ON P2B 2H8	Routine Inspection	28-Mar-18		Satisfactory - No Action(s) Taken
Steve's Premier Pizza	2-162 Front Street, Sturgeon Falls ON P2B 2H8	Routine Inspection	11-Sep-18		Satisfactory - No Action(s) Taken
Steve's Premier Pizza	2-162 Front Street, Sturgeon Falls ON P2B 2H8	Routine Inspection	3-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Steve's Premier Pizza	2-162 Front Street, Sturgeon Falls ON P2B 2H8	Routine Inspection	3-Apr-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Stoney Lake Variety	80 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	9-Aug-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Stoney Lake Variety	80 Ontario Street, Sundridge ON P0A 1Z0	Re-inspection	11-Mar-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Stoney Lake Variety	80 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	2-Oct-19	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Stoney Lake Variety	80 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	2-Oct-19	Manual dishwashing: Wash, rinse, sanitize technique	
Stoney Lake Variety	80 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	2-Oct-19	Constant supply of potable running water adequate for the operation of the premises	Re-inspection Scheduled
Strand Twin Theatres	61 James Street, Parry Sound ON P2A 1T6	Routine Inspection	30-Nov-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Strand Twin Theatres	61 James Street, Parry Sound ON P2A 1T6	Routine Inspection	23-Dec-19		Satisfactory - No Action(s) Taken
Sturgeon Bay Provincial Park	203 Hwy 529 Pointe au Baril ON P0G 1K0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Sturgeon Falls Community Centre	A-219 O'Hara Street, Sturgeon Falls ON P2B 1A2	Routine Inspection	19-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Sturgeon Falls Community Centre	A-219 O'Hara Street, Sturgeon Falls ON P2B 1A2	Re-inspection	3-Jan-19		Satisfactory - No Action(s) Taken
Sturgeon Falls Community Centre	A-219 O'Hara Street, Sturgeon Falls ON P2B 1A2	Routine Inspection	29-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Sturgeon Falls Community Centre-Canteen	A-219 O'Hara Street, Sturgeon Falls ON P2B 1A2	Routine Inspection	29-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Sturgeon Falls Community Centre-Canteen	A-219 O'Hara Street, Sturgeon Falls ON P2B 1A2	Routine Inspection	29-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
Sturgeon River House Museum	250 Fort Road, Sturgeon Falls ON P2B 2N7	Routine Inspection	14-Jun-18		Satisfactory - No Action(s) Taken
Sturgeon River House Museum	250 Fort Road, Sturgeon Falls ON P2B 2N7	Routine Inspection	23-May-19		Satisfactory - No Action(s) Taken
Sub Bros	170 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	23-Apr-18		Satisfactory - No Action(s) Taken
Sub Bros 2	21 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Jun-18		Satisfactory - No Action(s) Taken
Subway	101 Main Street E, North Bay ON P1B 1A8	Routine Inspection	22-Oct-18		Satisfactory - No Action(s) Taken
Subway	101 Main Street E, North Bay ON P1B 1A8	Routine Inspection	18-Oct-19		Satisfactory - No Action(s) Taken
Subway	113 Front Street, Sturgeon Falls ON P2B 2H5	Routine Inspection	5-Mar-18		Satisfactory - No Action(s) Taken
Subway	180 Shirreff Avenue, North Bay ON P1B 7K9	Routine Inspection	21-Nov-19		Satisfactory - No Action(s) Taken
Subway	2541 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	27-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Subway	2541 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	4-Mar-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Subway	2541 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	9-Dec-19		Satisfactory - No Action(s) Taken
Subway	33 James Street, Parry Sound ON P2A 1T6	Routine Inspection	22-Nov-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Subway	33 James Street, Parry Sound ON P2A 1T6	Routine Inspection	22-Nov-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Subway	33 James Street, Parry Sound ON P2A 1T6	Routine Inspection	22-Nov-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Subway	33 James Street, Parry Sound ON P2A 1T6	Re-inspection	30-Nov-18		Satisfactory - No Action(s) Taken
Subway	33 James Street, Parry Sound ON P2A 1T6	Routine Inspection	2-Jul-19		Satisfactory - No Action(s) Taken
Subway	473 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	6-Apr-18		Satisfactory - No Action(s) Taken
Subway	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	16-Jan-18		Satisfactory - No Action(s) Taken
Subway	500-A-70 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	13-Jun-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Subway	500-A-70 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	11-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Corrected During Inspection
Subway	500-A-70 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	11-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Subway	500-A-70 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	11-Nov-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Subway	500-A-70 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	11-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Corrected During Inspection
Subway	500-A-70 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	11-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Subway	B-210 Front Street, Sturgeon Falls ON P2B 2J3	Routine Inspection	9-Oct-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Subway	B-210 Front Street, Sturgeon Falls ON P2B 2J3	Routine Inspection	9-Oct-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Subway	C8-1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	26-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Subway	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	24-Oct-18		Satisfactory - No Action(s) Taken
Subway	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	22-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Subway	5 Hill Top Road, Burks Falls ON P0A 1C0	Routine Inspection	4-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Subway (Fisher Street)	1128 Fisher Street, North Bay ON P1B 2G7	Routine Inspection	2-Oct-19		Satisfactory - No Action(s) Taken
Subway (Mattawa)	473 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	11-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Subway (Mattawa)	473 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	11-Oct-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Subway (Mattawa)	473 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	11-Oct-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Subway (Mattawa)	473 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	11-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Subway (Mattawa)	473 Valois Drive, Mattawa ON P0H 1V0	Re-inspection	15-Oct-19		Satisfactory - No Action(s) Taken
Subway 62379	C8-1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	2-Feb-18		Satisfactory - No Action(s) Taken
Subway 62379	C8-1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
Subway 62379	C8-1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	8-Mar-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Subway Store 54150	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	2-Feb-18		Satisfactory - No Action(s) Taken
Subway Store 54150	260 Pinewood Park Drive, North Bay ON P1B 4Z8	Routine Inspection	24-Sep-19		Satisfactory - No Action(s) Taken
Suds on Main	108 Main Street, Kearney ON P0A 1M0	Routine Inspection	24-May-18		Satisfactory - No Action(s) Taken
Suds on Main	108 Main Street, Kearney ON P0A 1M0	Routine Inspection	15-Jan-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Suds on Main	108 Main Street, Kearney ON P0A 1M0	Routine Inspection	30-May-19		Satisfactory - No Action(s) Taken
Suds-on-main	8 Main Street, Kearney ON P0A 1M0	Routine Inspection	24-Oct-19		Satisfactory - No Action(s) Taken
Sugar Daddy Cupcake and Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	14-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Sugar Daddy Cupcake and Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	14-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Sugar Daddy Cupcake and Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Re-inspection	21-Aug-18		Satisfactory - No Action(s) Taken
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A 2E6	Routine Inspection	21-Nov-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A 2E6	Routine Inspection	21-Nov-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	14-Dec-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	14-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	14-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	14-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	14-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Re-inspection	19-Dec-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Re-inspection	19-Dec-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Re-inspection	19-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Re-inspection	19-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	23-Apr-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	23-Apr-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	23-Apr-19	General housekeeping is satisfactory	Re-inspection Scheduled
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Re-inspection	8-May-19		Satisfactory - No Action(s) Taken
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	16-Aug-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	16-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	16-Aug-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
SugarDaddy Cupcakes & Catering	540 Lakeshore Drive, North Bay ON P1A2E6	Routine Inspection	16-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
SugarDaddy Cupcakes and Catering	58 Harris Drive, North Bay ON P1A 3Z2	Routine Inspection	28-Mar-18		Satisfactory - No Action(s) Taken
Sundridge Centennial Public School	118 Main Street, Sundridge ON P0A 1M0	Routine Inspection	23-Oct-18		Satisfactory - No Action(s) Taken
Sundridge Centennial Public School	118 Main Street, Sundridge ON P0A 1M0	Routine Inspection	2-Oct-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Sundridge Centennial Public School	118 Main Street, Sundridge ON P0A 1M0	Routine Inspection	2-Oct-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Sundridge Centennial Public School	118 Main Street, Sundridge ON P0A 1M0	Routine Inspection	2-Oct-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Sundridge Food bank	78 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	15-Aug-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Sundridge Food bank	78 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	2-Oct-19		Satisfactory - No Action(s) Taken
Sundridge Foodland	10 John Street, Sundridge ON P0A 1Z0	Routine Inspection	28-May-18		Satisfactory - No Action(s) Taken
Sundridge Foodland	10 John Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Oct-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Sundridge Foodland	10 John Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Oct-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
Sundridge Foodland	10 John Street, Sundridge ON P0A 1Z0		22-May-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Sundridge Foodland	10 John Street, Sundridge ON P0A 1Z0	Routine Inspection	7-Oct-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Sundridge Lions	91 Water Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Aug-18		Satisfactory - No Action(s) Taken
Sundridge Lions	91 Water Street, Sundridge ON P0A 1Z0	Routine Inspection	10-Aug-19		Satisfactory - No Action(s) Taken
Sundridge Lions	91 Water Street, Sundridge ON P0A 1Z0	Routine Inspection	10-Aug-19		Satisfactory - No Action(s) Taken
Sundridge Meats	91 Water Street, Sundridge ON P0A 1Z0	Routine Inspection	9-Aug-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Sundridge Meats and Deli	91 Water Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Jun-19		Satisfactory - No Action(s) Taken
Sundridge Strong Joly Arena banquet	14 Albert Street, Sundridge ON P0A 1Z0	Routine Inspection	14-Nov-18		Satisfactory - No Action(s) Taken
Sundridge Strong Joly Arena Canteen	14 Albert Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Jun-18		Satisfactory - No Action(s) Taken
Sunset Park Public School	1191 Lakeshore Drive, North Bay ON P1B 8Z4	Routine Inspection	6-Nov-19		Satisfactory - No Action(s) Taken
Sunset Park Public School	1191 Lakeshore Drive, North Bay ON P1B 8Z4	Routine Inspection	16-Nov-18		Satisfactory - No Action(s) Taken
Super 8 Continental Breakfast	1 J R Ln Seguin ON P2A 2W8	Routine Inspection	27-Jun-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Super 8 Continental Breakfast	1 J R Ln Seguin ON P2A 2W8	Routine Inspection	27-Jun-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Super 8 Continental Breakfast	1 J R Ln Seguin ON P2A 2W8	Routine Inspection	27-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Frequency of garbage removal	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	General housekeeping is satisfactory	Re-inspection Scheduled
Super 8 Continental Breakfast	1 JR LN, Seguin ON P2A 2W8	Routine Inspection	21-Sep-18	The premises is operated and maintained free from every condition that may be a health hazard	Closure
Super 8 Motel	570 Lakeshore Drive, North Bay ON P1A 2E6	Routine Inspection	19-Mar-18	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
Super 8 Motel	570 Lakeshore Drive, North Bay ON P1A 2E6	Routine Inspection	19-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Super 8 Motel	570 Lakeshore Drive, North Bay ON P1A 2E6	Re-inspection	23-Mar-18		Satisfactory - No Action(s) Taken
Super 8 Motel	570 Lakeshore Drive, North Bay ON P1A 2E6	Routine Inspection	8-Mar-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Syl's Neighbourhood Kitchen	Building C, 850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	15-Mar-18		Satisfactory - No Action(s) Taken
Syl's Neighbourhood Kitchen	Building C, 850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	25-Mar-19		Satisfactory - No Action(s) Taken
Syl's Neighbourhood Kitchen	Building C, 850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	14-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Syl's Neighbourhood Kitchen	Building C, 850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	14-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Corrected During Inspection
T. J.'s Chip Stand	3761 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	11-May-18		Satisfactory - No Action(s) Taken
T.J.'s Chip Stand	3761 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	28-Aug-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
T.J.'s Chip Stand	3761 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	28-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Tai Pan Café	385 Main Street, Mattawa ON P0H 1V0	Re-inspection	15-Oct-19		Satisfactory - No Action(s) Taken
Tai Pan Café	385 Main Street, Mattawa ON P0H 1V0	Routine Inspection	6-Mar-18		Satisfactory - No Action(s) Taken
Tai Pan Café	385 Main Street, Mattawa ON P0H 1V0	Routine Inspection	16-Oct-18		Satisfactory - No Action(s) Taken
Tai Pan Café	385 Main Street, Mattawa ON P0H 1V0	Routine Inspection	28-Mar-19		Satisfactory - No Action(s) Taken
Tai Pan Café	385 Main Street, Mattawa ON P0H 1V0	Routine Inspection	25-Sep-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Tai Pan Café	385 Main Street, Mattawa ON P0H 1V0	Routine Inspection	25-Sep-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Tai Pan Café	385 Main Street, Mattawa ON P0H 1V0	Routine Inspection	25-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tai Pan Café	385 Main Street, Mattawa ON P0H 1V0	Routine Inspection	25-Sep-19	Floors clean and in good repair	Re-inspection Scheduled
Taits Landing Marina	472 Hurdville Road, McKellar ON P2A 0B5	Routine Inspection	6-Sep-18		Satisfactory - No Action(s) Taken
Talon Lake Camp & Marina	185 Talon Lake Road, Rutherglen ON P0H 2E0	Routine Inspection	8-Jul-19		Satisfactory - No Action(s) Taken
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	12-Apr-18		Satisfactory - No Action(s) Taken
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	10-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Food is prepared in a safe manner	Re-inspection Scheduled
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Floors clean and in good repair	Re-inspection Scheduled
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Walls clean and in good repair	Re-inspection Scheduled
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Ceilings clean and in good repair	Re-inspection Scheduled
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	General housekeeping is satisfactory	Re-inspection Scheduled
Tan Tan Wok	FC5 1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	5-Jun-19		Satisfactory - No Action(s) Taken
Tan Tan Wok	FC5-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	19-Nov-19		Satisfactory - No Action(s) Taken
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	11-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	21-Feb-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	21-Feb-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Food handler hygiene	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Maintain records of manufactured meats as per Regulations (maintain for at least 1 year, plant identification)	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	General housekeeping is satisfactory	Re-inspection Scheduled
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	31-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Re-inspection	11-Sep-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	19-Dec-18		Satisfactory - No Action(s) Taken
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	19-Mar-19		Satisfactory - No Action(s) Taken
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	25-Jul-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Tandoori Plus	1260 Algonquin Avenue, North Bay ON P1B 4Y2	Routine Inspection	25-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
TCM Produce Inc	1492 Main Street W, North Bay ON P1B 2X3	Routine Inspection	31-Dec-18		Satisfactory - No Action(s) Taken
TCM Produce Inc	1492 Main Street W, North Bay ON P1B 2X3	Routine Inspection	21-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
TCM Produce Inc	1492 Main Street W, North Bay ON P1B 2X3	Routine Inspection	21-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
TCM Produce Inc	1492 Main Street W, North Bay ON P1B 2X3	Routine Inspection	21-Oct-19	Walls clean and in good repair	Re-inspection Scheduled
TCM Produce Inc	1492 Main Street W, North Bay ON P1B 2X3	Routine Inspection	21-Oct-19	Ceilings clean and in good repair	Re-inspection Scheduled
TCM Produce Inc	1492 Main Street W, North Bay ON P1B 2X3	Re-inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	31-Jan-18		Satisfactory - No Action(s) Taken
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	18-Dec-18	Food is cooled from 60°C (140°F) to 20°C (68°F) within 2 hours	Corrected During Inspection
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	18-Dec-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	18-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	18-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	18-Dec-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Re-inspection	24-Dec-18		Satisfactory - No Action(s) Taken
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	22-May-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	22-May-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	22-May-19	Walls clean and in good repair	Re-inspection Scheduled
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	22-May-19	Ceilings clean and in good repair	Re-inspection Scheduled
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Re-inspection	7-Jun-19		Satisfactory - No Action(s) Taken
Terry's Place	110-524 Lakeshore Drive, North Bay ON P1A 2E4	Routine Inspection	24-Sep-19		Satisfactory - No Action(s) Taken
Testle Brewing Company	9 Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	14-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Testle Brewing Company	9 Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	14-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Testle Brewing Company	9 Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	14-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Testle Brewing Company	9 Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	14-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
The Banger	12 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	17-Apr-19		Satisfactory - No Action(s) Taken
The Banger	12 Hwy 518 E, Emsdale ON P0A 1J0	Routine Inspection	18-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
The Banger	18 Peter Street, Novar ON P0A 1R0	Routine Inspection	1-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Bargain Shop	210 Front Street, Sturgeon Falls ON P2B 2J3	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
The Bargain Shop	42 James Street, Parry Sound ON P2A 1T5	Routine Inspection	3-Oct-19		Satisfactory - No Action(s) Taken
The Blue Roof	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Jun-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
The Blue Roof	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Oct-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Blue Roof	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Oct-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
The Blue Roof	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	29-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Blue Roof	89 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	28-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
The Boat North Bay	285 Memorial Drive, North Bay ON P1B 4G6	Routine Inspection	30-May-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
The Boat North Bay	285 Memorial Drive, North Bay ON P1B 4G6	Routine Inspection	30-May-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
The Boat North Bay	285 Memorial Drive, North Bay ON P1B 4G6	Routine Inspection	30-May-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
The Boat North Bay	285 Memorial Drive, North Bay ON P1B 4G6	Routine Inspection	16-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
The Boat North Bay	285 Memorial Drive, North Bay ON P1B 4G6	Routine Inspection	16-Aug-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
The Boat North Bay	285 Memorial Drive, North Bay ON P1B 4G6	Routine Inspection	11-Jul-19		Satisfactory - No Action(s) Taken
The Breakfast House	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	5-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Breakfast House	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	7-Mar-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	27-Aug-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	27-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	27-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	30-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	30-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	15-Feb-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	15-Feb-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	15-Feb-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	15-Feb-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	4-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Breakfast House - Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	4-Jul-19		Satisfactory - No Action(s) Taken
The Breakfast House - Tiny Italy	2-6 Main Street S, Callander ON P0H 1H0	Routine Inspection	6-Nov-19		Satisfactory - No Action(s) Taken
The Breakfast House-Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	7-Aug-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Breakfast House-Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	7-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Breakfast House-Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	7-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Breakfast House-Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Routine Inspection	7-Aug-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
The Breakfast House-Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	31-Aug-18		Satisfactory - No Action(s) Taken
The Breakfast House-Tiny Italy	2-6 Main Street N, Callander ON P0H 1H0	Re-inspection	31-Aug-18		Satisfactory - No Action(s) Taken
The Canadian Ecology Centre	6902 Highway 17 East, Mattawa ON P0H 1V0	Routine Inspection	22-Nov-19		Satisfactory - No Action(s) Taken
The Capitol Centre	148 Main Street E, North Bay ON P1B 2T5	Routine Inspection	29-Mar-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
The Capitol Centre	148 Main Street E, North Bay ON P1B 2T5	Routine Inspection	7-May-19		Satisfactory - No Action(s) Taken
The Capitol Centre	148 Main Street E, North Bay ON P1B 2T5	Routine Inspection	29-Oct-19		Satisfactory - No Action(s) Taken
The Cedar Tree	183 Main Street E, North Bay ON P1B 1A9	Routine Inspection	17-Apr-18		Satisfactory - No Action(s) Taken
The Cedar Tree	183 Main Street E, North Bay ON P1B 1A9	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
The Cedar Tree	183 Main Street E, North Bay ON P1B 1A9	Routine Inspection	20-Jun-19		Satisfactory - No Action(s) Taken
The Cedar Tree	183 Main Street E, North Bay ON P1B 1A9	Routine Inspection	24-Oct-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
The Cornball Store	1664 Nipissing Road Magnetawan, ON, P0A 1P0	Routine Inspection	23-Aug-18		Satisfactory - No Action(s) Taken
The Cornball Store	1664 Nipissing Road, Magnetawan ON P0A 1P0	Routine Inspection	18-Apr-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
The Cornball Store	1664 Nipissing Road, Magnetawan ON P0A 1P0	Routine Inspection	12-Oct-19		Satisfactory - No Action(s) Taken
The Cornball Store	1664 Nipissing Road, Magnetawan ON P0A 1P0	Routine Inspection	25-Apr-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Routine Inspection	14-Jun-18		Satisfactory - No Action(s) Taken
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Routine Inspection	6-Mar-19	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Routine Inspection	6-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Routine Inspection	6-Mar-19	Mechanical ventilation operable where required	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Routine Inspection	6-Mar-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Re-inspection	26-Mar-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Re-inspection	26-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Re-inspection	26-Mar-19	Mechanical ventilation operable where required	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Re-inspection	26-Mar-19	General housekeeping is satisfactory	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Routine Inspection	20-Aug-19	General housekeeping is satisfactory	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Re-inspection	27-Nov-19		Satisfactory - No Action(s) Taken
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Routine Inspection	27-Nov-19	Walls clean and in good repair	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Routine Inspection	27-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
The Country Gourmet	65 James Street, Parry Sound ON P2A 1T6	Re-inspection	5-Dec-19		Satisfactory - No Action(s) Taken
The Country Way	170 Main Street E, North Bay ON P1B 1A8	Routine Inspection	29-Jan-18		Satisfactory - No Action(s) Taken
The Country Way	170 Main Street E, North Bay ON P1B 1A8	Routine Inspection	22-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Re-inspection	13-Dec-19	Walls clean and in good repair	Re-inspection Scheduled
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Re-inspection	13-Dec-19	Ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	19-Apr-18		Satisfactory - No Action(s) Taken
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Complaint	20-Sep-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Complaint	20-Sep-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Complaint	20-Sep-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Complaint	20-Sep-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Complaint	20-Sep-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Re-inspection	19-Oct-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	11-Feb-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	11-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	11-Feb-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	11-Feb-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	11-Feb-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	16-Aug-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	16-Aug-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	16-Aug-19	Food protected from potential contamination and adulteration	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	16-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Routine Inspection	16-Aug-19	Exclusion of live animals on the premises, subject to exemptions	Corrected During Inspection
The Crown & Beaver Pub	786 Lakeshore Drive, North Bay ON P1A 2G8	Re-inspection	23-Sep-19		Satisfactory - No Action(s) Taken
The Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Routine Inspection	13-Feb-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Routine Inspection	13-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Routine Inspection	13-Feb-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
The Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Routine Inspection	11-Mar-19		Satisfactory - No Action(s) Taken
The Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Routine Inspection	5-Jul-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
The Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Routine Inspection	9-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Davedi Club	313 Airport Road, North Bay ON P1B 8W8	Re-inspection	11-Oct-19		Satisfactory - No Action(s) Taken
The Detour (Convenience) Store	401 Hwy 559, Nobel ON P0G 1G0	Routine Inspection	6-Sep-18		Satisfactory - No Action(s) Taken
The Detour Store	401 Highway 559, Nobel ON P0G 1G0	Routine Inspection	21-Aug-19		Satisfactory - No Action(s) Taken
The Dock Shop / Georgian Bay Cruise Company Inc.	200 Memorial Drive, North Bay ON, P1B 8K5	Routine Inspection	14-Jun-18		Satisfactory - No Action(s) Taken
The Dock Shop / Georgian Bay Cruise Company Inc.	200 Memorial Drive, North Bay ON, P1B 8K5	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
The Dock Shop / Georgian Bay Cruise Company Inc.	200 Memorial Drive, North Bay ON, P1B 8K5	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
The Double Decker	10397 Hwy 124, Sundridge, ON P0A 1Z0	Routine Inspection	12-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
The Farmers Market	83 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
The Fitness Bar Gym & Juice	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	21-Feb-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Fitness Bar Gym & Juice	6 Bowes Street, Parry Sound ON P2A 2K6	Routine Inspection	21-Feb-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
The Fitness Bar Gym & Juice	6 Bowes Street, Parry Sound ON P2A 2K6	Re-inspection	27-Feb-18		Satisfactory - No Action(s) Taken
The Food Truck North Bay	By the North Bay Museum, North Bay, ON	Routine Inspection	27-May-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
The Food Truck North Bay	By the North Bay Museum, North Bay, ON	Routine Inspection	27-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
The Food Truck North Bay	By the North Bay Museum, North Bay, ON	Routine Inspection	27-May-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
The Food Truck North Bay	By the North Bay Museum, North Bay, ON	Routine Inspection	11-Jul-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
The Fork	2504 Hwy 94, Callander ON P0H 1H0	Routine Inspection	28-Jun-18		Satisfactory - No Action(s) Taken
The Fork	2504 Hwy 94, Callander ON P0H 1H0	Routine Inspection	22-Aug-18		Satisfactory - No Action(s) Taken
The Fork	2504 Hwy 94, Callander ON P0H 1H0	Routine Inspection	24-Oct-18		Satisfactory - No Action(s) Taken
The Fork	2504 Hwy 94, Callander ON P0H 1H0	Routine Inspection	14-Feb-19	Food protected from potential contamination and adulteration	Corrected During Inspection
The Fork	2504 Hwy 94, Callander ON P0H 1H0	Routine Inspection	14-Feb-19	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
The Fork	2504 Hwy 94, Callander ON P0H 1H0	Routine Inspection	4-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
The Fork	2504 Hwy 94, Callander ON P0H 1H0	Routine Inspection	4-Jul-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
The Fork	2504 Hwy 94, Callander ON P0H 1H0	Routine Inspection	4-Jul-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
The Fork	Hwy 94, Callander ON P0H 1H0	Routine Inspection	7-Nov-19		Satisfactory - No Action(s) Taken
The Gardens of Parry Sound	12 College Drive, Parry Sound ON P2A 0A9	Routine Inspection	25-Oct-19		Satisfactory - No Action(s) Taken
The Gardens of Parry Sound	12 College Drive, Parry Sound. ON P2A 0A9	Routine Inspection	19-Mar-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Gardens of Parry Sound	12 College Drive, Parry Sound. ON P2A 0A9	Routine Inspection	17-Jul-18		Satisfactory - No Action(s) Taken
The Gardens of Parry Sound	12 College Drive, Parry Sound. ON P2A 0A9	Routine Inspection	20-Feb-19		Satisfactory - No Action(s) Taken
The Gardens of Parry Sound	12 College Drive, Parry Sound. ON P2A 0A9	Routine Inspection	19-Jun-19		Satisfactory - No Action(s) Taken
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Routine Inspection	22-Oct-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Routine Inspection	22-Oct-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Routine Inspection	22-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Re-inspection	22-Nov-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Routine Inspection	8-May-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Routine Inspection	8-May-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Routine Inspection	8-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Routine Inspection	8-May-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
The Gathering Place	1181 Cassells Street, North Bay ON P1B 4B4	Routine Inspection	29-Nov-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
The Gathering Place	392 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	25-Apr-18		Satisfactory - No Action(s) Taken
The General 276	321 Main Street , Mattawa ON P0H 1V0	Routine inspection	2-Feb-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
The General 276	321 Main Street , Mattawa ON P0H 1V0	Routine inspection	2-Feb-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The General 276	321 Main Street , Mattawa ON P0H 1V0	Re-inspection	16-Mar-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Green Store and Outdoor Centre	3761 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	23-May-18		Satisfactory - No Action(s) Taken
The Green Store and Outdoor Centre	3761 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	31-Dec-18		Satisfactory - No Action(s) Taken
The Green Store and Outdoor Centre	3761 Trout Lake Road, North Bay ON P1B 8G4	Routine Inspection	20-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Haven Restaurant	1732 Highway 69, Pointe au Baril ON P0G 1K0	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
The Haven Restaurant	1732 Hwy 69, Pointe Au Beril ON P0G 1K0	Routine Inspection	7-Jun-18		Satisfactory - No Action(s) Taken
The Haven Restaurant	1732 Hwy 69, Pointe Au Beril ON P0G 1K0	Routine Inspection	12-Nov-18		Satisfactory - No Action(s) Taken
The Haven Restaurant	1732 Hwy 69, Pointe Au Beril ON P0G 1K0	Routine Inspection	27-Jun-19		Satisfactory - No Action(s) Taken
The Hummingbird @ King & Main	500 Main Street, Powassan ON P0H 1Z0	Routine Inspection	18-Jul-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
The Hummingbird @ King & Main	500 Main Street, Powassan ON P0H 1Z0	Routine Inspection	18-Jul-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
The Hummingbird @ King & Main	500 Main Street, Powassan ON P0H 1Z0	Routine Inspection	18-Jul-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
The Hummingbird @ King & Main	500 Main Street, Powassan ON P0H 1Z0	Routine Inspection	18-Jul-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
The Hummingbird @ King & Main	500 Main Street, Powassan ON P0H 1Z0	Routine Inspection	18-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Hummingbird @ King & Main	500 Main Street, Powassan ON P0H 1Z0	Re-inspection	6-Aug-19		Satisfactory - No Action(s) Taken
The Ice Cream Shack	1239 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	23-Jul-18		Satisfactory - No Action(s) Taken
The Ice Cream Shack	1239 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	20-Jul-20	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
The Ice Cream Shack	1239 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	20-Jul-20	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Ice Cream Shack	1239 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	20-Jul-20	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
The Ice Cream Shack	1239 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	20-Jul-20	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
The Ice Cream Shack	1239 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	20-Jul-20	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
The Ice Cream Shack	1239 Hwy 518, Seguin ON P2A 0B2	Routine Inspection	20-Jul-20	The premises is operated and maintained free from every condition that may be a health hazard	Closure
The Kabuki House	349 Main Street W, North Bay ON P1B 2T9	Routine Inspection	20-Feb-18	Food handler hygiene	Corrected During Inspection
The Kabuki House	349 Main Street W, North Bay ON P1B 2T9	Routine Inspection	20-Feb-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
The Kabuki House	349 Main Street W, North Bay ON P1B 2T9	Routine Inspection	20-Feb-18	General housekeeping is satisfactory	Re-inspection Scheduled
The Kabuki House	349 Main Street W, North Bay ON P1B 2T9	Re-inspection	22-Feb-18		Satisfactory - No Action(s) Taken
The Kart	30 Pine Drive, Parry Sound ON P2A 2B1	Routine Inspection	29-Mar-18	Food is frozen at -18°C (0°F) or less	Corrected During Inspection
The Kart	30 Pine Drive, Parry Sound ON P2A 2B1	Routine Inspection	29-Mar-18	Food protected from potential contamination and adulteration	Corrected During Inspection
The Kart	30 Pine Drive, Parry Sound ON P2A 2B1	Routine Inspection	4-Sep-18		Satisfactory - No Action(s) Taken
The Kart	30 Pine Drive, Parry Sound ON P2A 2B1	Routine Inspection	25-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
The Kart	30 Pine Drive, Parry Sound ON P2A 2B1	Re-inspection	30-Apr-19		Satisfactory - No Action(s) Taken
The Kart	30 Pine Drive, Parry Sound ON P2A 2B1	Routine Inspection	6-Aug-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
The Kart	30 Pine Drive, Parry Sound ON P2A 2B1	Re-inspection	4-Sep-19		Satisfactory - No Action(s) Taken
The Kearney General Store	98 Main Street, Kearney ON P0A 1M0	Routine Inspection	7-Oct-19		Satisfactory - No Action(s) Taken
The Kearney General Store	98 Main Street, Kearney ON P0A 1M0	Routine Inspection	7-Oct-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Kearney General Store	98 Main Street, Kearney ON P0A 1M0	Routine Inspection	7-Oct-19		Satisfactory - No Action(s) Taken
The Landmark Pub	198 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	29-Jan-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
The Landmark Pub	198 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	29-Jan-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
The Landmark Pub	198 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	29-Jan-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
The Landmark Pub	198 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	29-Jan-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
The Landmark Pub	198 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	24-Oct-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
The Landmark Pub	198 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	24-Oct-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Corrected During Inspection
The Landmark Pub	198 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	14-Jan-19		Satisfactory - No Action(s) Taken
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	19-Dec-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	19-Dec-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	19-Dec-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	19-Dec-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	19-Dec-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	13-Feb-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	13-Feb-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	13-Feb-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	13-Nov-19		Satisfactory - No Action(s) Taken
The Lookout Eatery and Bar at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	16-Aug-19		Satisfactory - No Action(s) Taken
The Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	10-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	10-Dec-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
The Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	23-Jan-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	23-Jan-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
The Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	23-Jan-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
The Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	23-Oct-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
The Noble Steed	123 Delaware Avenue, North Bay ON P1B 6Z6	Routine Inspection	23-Oct-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
The North Star Diner	348 Algonquin Avenue, North Bay ON P1B 4W3	Routine Inspection	16-Mar-18		Satisfactory - No Action(s) Taken
The Office on the Bay-General Store	31 Pengally Bay Road Nobel ON P0G 1G0	Routine Inspection	22-Aug-19		Satisfactory - No Action(s) Taken
The Office on the Bay-Restaurant	31 Pengally Bay Road Nobel ON P0G 1G0	Routine Inspection	22-Aug-19		Satisfactory - No Action(s) Taken
The Pita Pit	112 Main Street W, North Bay ON P1B 2T5	Routine Inspection	29-Mar-18		Satisfactory - No Action(s) Taken
The Pizza Pyre	9 Mary Street, Burks Falls ON P0A1C0	Routine Inspection	11-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
The Pizza Pyre	9 Mary Street, Burks Falls ON P0A1C0	Routine Inspection	11-Aug-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Pizza Pyre	9 Mary Street, Burks Falls ON P0A1C0	Routine Inspection	10-Aug-19		Satisfactory - No Action(s) Taken
The Pizza Pyre	9 Mary Street, Burks Falls ON P0A1C0	Routine Inspection	10-Aug-19		Satisfactory - No Action(s) Taken
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	25-May-18		Satisfactory - No Action(s) Taken
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	5-Dec-18		Satisfactory - No Action(s) Taken
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	5-Jun-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	5-Jun-19	Floors clean and in good repair	Re-inspection Scheduled
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	5-Jun-19	General housekeeping is satisfactory	Re-inspection Scheduled
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Re-inspection	9-Jul-19		Satisfactory - No Action(s) Taken
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	20-Nov-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	20-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	20-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
The Portage	170 Peninsula Road, North Bay ON P1B 8G4	Routine Inspection	20-Nov-19	General housekeeping is satisfactory	Re-inspection Scheduled
The Pot Bellied Stove	61 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	1-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
The Pot Bellied Stove	61 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	14-Sep-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
The Pot Bellied Stove	61 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	14-Sep-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Pot Bellied Stove	61 Ontario Street, Burks Falls ON P0A 1C0	Routine Inspection	22-May-19		Satisfactory - No Action(s) Taken
The Queens of Poutine	82 Ontario Street, Sundridge ON P0A 1Z0	Routine Inspection	19-Jun-18		Satisfactory - No Action(s) Taken
The Red Wagon	290 McConnell Street, Mattawa ON P0H 1V0	Routine Inspection	2-Aug-19		Satisfactory - No Action(s) Taken
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	5-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	5-Jun-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	5-Jun-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	5-Jun-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	5-Jun-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	5-Jun-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	5-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	5-Jun-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	6-Sep-18		Satisfactory - No Action(s) Taken
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	9-Jul-19		Satisfactory - No Action(s) Taken
The Ridge at Manitou	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	9-Oct-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
The Ridge at Manitou - Halfway House	160 The Inn Road, McKellar ON P2A 0B4	Routine Inspection	6-Sep-18		Satisfactory - No Action(s) Taken
The Ridge Golf Club	328 Sunny Ridge Road, Sundridge ON P0A 1Z0	Routine Inspection	28-May-19		Satisfactory - No Action(s) Taken
The Roundstone Inn	5017 Highway 124, Magnetawan ON P0A 1P0	Routine Inspection	15-Mar-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Roundstone Inn	5017 Highway 124, Magnetawan ON P0A 1P0	Routine Inspection	15-Mar-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
The Roundstone Inn	5017 Highway 124, Magnetawan ON P0A 1P0	Re-inspection	23-Mar-18		Satisfactory - No Action(s) Taken
The Roundstone Inn	5017 Highway 124, Magnetawan ON P0A 1P0	Re-inspection	20-Apr-18		Satisfactory - No Action(s) Taken
The Roundstone Inn	5017 Highway 124, Magnetawan ON P0A 1P0	Routine Inspection	23-Aug-18		Satisfactory - No Action(s) Taken
The Roundstone Inn	5017 Highway 124, Magnetawan, ON P0A 1P0	Routine Inspection	22-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Corrected During Inspection
The Roundstone Inn	5017 Highway 124, Magnetawan, ON P0A 1P0	Routine Inspection	12-Dec-19		Satisfactory - No Action(s) Taken
The Submarine Place	955 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	12-Mar-18		Satisfactory - No Action(s) Taken
The Submarine Place	955 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	25-Oct-18		Satisfactory - No Action(s) Taken
The Submarine Place	955 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	25-Mar-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
The Submarine Place	955 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	25-Oct-19		Satisfactory - No Action(s) Taken
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Routine Inspection	13-Mar-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Routine Inspection	13-Mar-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Routine Inspection	13-Mar-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Routine Inspection	13-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Re-inspection	23-Mar-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Satisfactory - No Action(s) Taken
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Re-inspection	23-Mar-18	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Re-inspection	23-Mar-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Routine Inspection	28-Aug-18		Satisfactory - No Action(s) Taken
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Routine Inspection	18-Jun-19		Satisfactory - No Action(s) Taken
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Routine Inspection	16-Dec-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
The Swiss Country House	50 Robinson Drive, Ahmic Harbour ON P0A 1A0	Routine Inspection	16-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
The Urban Café	B-101 Worthington Street E, North Bay ON P1B 1G5	Routine Inspection	9-Aug-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
The Urban Café	B-101 Worthington Street E, North Bay ON P1B 1G5	Re-inspection	7-Sep-18		Satisfactory - No Action(s) Taken
The Urban Café	B-101 Worthington Street E, North Bay ON P1B 1G5	Routine Inspection	11-Mar-19		Satisfactory - No Action(s) Taken
The Urban Café	B-101 Worthington Street E, North Bay ON P1B 1G5	Routine Inspection	18-Oct-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
The Veggie Stand	4309 Hwy 520, Magnetawan ON P0A 1P0	Routine Inspection	11-May-18		Satisfactory - No Action(s) Taken
The Vista at Terrace Suites	2363 Hwy 11B, Callander ON P0H 1H0	Routine Inspection	12-Feb-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
The Wheeler Wagon	1163 Village Road, Astorville ON P0H 1B0	Routine Inspection	24-May-18		Satisfactory - No Action(s) Taken
The White Owl Bistro	639 Lakeshore Drive, North Bay ON P1A 2E9	Re-inspection	4-Oct-19		Satisfactory - No Action(s) Taken
The White Owl Bistro	639 Lakeshore Drive, North Bay ON P1A 2E9	Routine Inspection	5-Feb-18		Satisfactory - No Action(s) Taken
The White Owl Bistro	639 Lakeshore Drive, North Bay ON P1A 2E9	Routine Inspection	22-May-19		Satisfactory - No Action(s) Taken
The White Owl Bistro	639 Lakeshore Drive, North Bay ON P1A 2E9	Routine Inspection	25-Sep-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
The White Owl Bistro	639 Lakeshore Drive, North Bay ON P1A 2E9	Routine Inspection	25-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Tilden Lake Community Hall	46 Village Road, Tilden Lake ON P0H 2K0	Routine Inspection	12-Jul-18		Satisfactory - No Action(s) Taken
Tilden Lake Community Hall	46 Village Road, Tilden Lake ON P0H 2K0	Routine Inspection	9-Aug-19		Satisfactory - No Action(s) Taken
Tim Horton Memorial Camp	539 Lorimer Lake Road, McDougall ON P2A 2W7	Routine Inspection	17-Jul-19		Satisfactory - No Action(s) Taken
Tim Hortons	1050 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	12-Feb-18		Satisfactory - No Action(s) Taken
Tim Hortons	1050 Cassells Street, North Bay ON P1B 4A9	Complaint	22-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Tim Hortons	1050 Cassells Street, North Bay ON P1B 4A9	Complaint	22-Aug-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Tim Hortons	1050 Cassells Street, North Bay ON P1B 4A9	Re-inspection	7-Sep-18		Satisfactory - No Action(s) Taken
Tim Hortons	1050 Cassells Street, North Bay ON P1B 4A9	Routine Inspection	11-Mar-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Tim Hortons	113 Bowes Street Parry Sound ON P2A 2L8	Routine Inspection	30-Jul-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Tim Hortons	113 Bowes Street Parry Sound ON P2A 2L8	Re-inspection	29-Aug-18		Satisfactory - No Action(s) Taken
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	14-Feb-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	14-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	14-Feb-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	14-Feb-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	14-Feb-18	General housekeeping is satisfactory	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	20-Feb-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Satisfactory - No Action(s) Taken
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	20-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Satisfactory - No Action(s) Taken
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	20-Feb-18		Satisfactory - No Action(s) Taken
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Re-inspection	14-Mar-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Satisfactory - No Action(s) Taken
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Complaint	11-Sep-18		Satisfactory - No Action(s) Taken
Tim Hortons	113 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	29-Nov-19		Satisfactory - No Action(s) Taken
Tim Hortons	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	19-Jun-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Tim Hortons	260 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	22-Aug-18		Satisfactory - No Action(s) Taken
Tim Hortons	260 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	19-Feb-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Tim Hortons	260 Pinewood Park Drive, North Bay ON P1B 8Z4	Re-inspection	1-Mar-19		Satisfactory - No Action(s) Taken
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Complaint	12-Jun-18	Food handler hygiene	Corrected During Inspection
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Complaint	12-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Re-inspection	14-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Re-inspection	19-Jun-18		Satisfactory - No Action(s) Taken
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	19-Jun-18	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	19-Jun-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	19-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	19-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	28-Dec-18	Food handler hygiene	Corrected During Inspection
Tim Hortons	2672 Trout Lake Road, North Bay ON P1B 7S7	Re-inspection	10-Jul-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Tim Hortons	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	1-May-18		Satisfactory - No Action(s) Taken
Tim Hortons	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	24-Oct-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Tim Hortons	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	24-Oct-18	Floors, walls, and ceilings clean and in good repair	Corrected During Inspection
Tim Hortons	27 Commercial Drive, Burk's Falls ON P0A 1C0	Re-inspection	15-Apr-19		Satisfactory - No Action(s) Taken
Tim Hortons	3-1 Mall Drive, Parry Sound ON P2A 3A9	Routine Inspection	24-Jun-19		Satisfactory - No Action(s) Taken
Tim Hortons	647 Coursol Road, Sturgeon Falls ON P2B 0A9	Routine Inspection	13-Feb-18		Satisfactory - No Action(s) Taken
Tim Hortons	647 Coursol Road, Sturgeon Falls ON P2B 0A9	Routine Inspection	18-Jan-19		Satisfactory - No Action(s) Taken
Tim Hortons	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	14-Jun-18		Satisfactory - No Action(s) Taken
Tim Horton's	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	22-Oct-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Tim Horton's	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	22-Oct-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Tim Horton's	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	22-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Tim Horton's	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	22-Oct-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Tim Hortons	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	03-Apr-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tim Hortons	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	03-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Tim Hortons	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	03-Apr-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Tim Hortons	27 Commercial Drive, Burk's Falls ON P0A 1C0	Routine Inspection	03-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Tim Horton's - 2292	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	25-Nov-19		Satisfactory - No Action(s) Taken
Tim Hortons - 2432	1000 Algonquin Avenue, North Bay ON P1B 4X7	Routine Inspection	12-Sep-19		Satisfactory - No Action(s) Taken
Tim Hortons - 2628	25 Lakeshore Drive, North Bay ON P1A 2A1	Routine Inspection	12-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Tim Hortons - 270	3-1 Mall Drive, Parry Sound ON P2A 3A9	Routine Inspection	10-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Tim Hortons - 2992	1899 Algonquin Avenue, North Bay ON P1B 4Y8	Routine Inspection	14-May-19		Satisfactory - No Action(s) Taken
Tim Hortons - 583	114 Drury Street, North Bay ON P1A 3Z6	Routine Inspection	9-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Tim Hortons - 633	113 Bowes Street, Parry Sound ON P2A 2L8	Routine Inspection	11-Feb-19		Satisfactory - No Action(s) Taken
Tim Hortons - 674	975 McKeown Avenue, North Bay ON P1B 9P2	Routine Inspection	6-Jun-19		Satisfactory - No Action(s) Taken
Tim Hortons - Mattawa	770 John Street, Mattawa ON P0H 1V0	Routine Inspection	3-Dec-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Tim Hortons - Mattawa	770 John Street, Mattawa ON P0H 1V0	Routine Inspection	3-Dec-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Tim Hortons - Mattawa	770 John Street, Mattawa ON P0H 1V0	Routine Inspection	3-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Tim Hortons - Mattawa	770 John Street, Mattawa ON P0H 1V0	Re-inspection	3-Dec-19		Satisfactory - No Action(s) Taken
Tim Hortons -1263	125-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tim Hortons -2432	1000 Algonquin Avenue, North Bay ON P1B 4X7	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Tim Hortons 270	3-1 Mall Drive, Parry Sound ON P2A 3A9	Complaint	13-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Tim Hortons 270	3-1 Mall Drive, Parry Sound ON P2A 3A9	Complaint	13-Jul-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Tim Hortons 270	3-1 Mall Drive, Parry Sound ON P2A 3A9	Routine Inspection	13-Mar-19		Satisfactory - No Action(s) Taken
Tim Hortons 3035	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	24-Oct-19		Satisfactory - No Action(s) Taken
Tim Hortons Seguin	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	22-Jun-18	Washing hands thoroughly before and after handling food	Corrected During Inspection
Tim Hortons Seguin	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	22-Jun-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Tim Hortons Seguin	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	22-Jun-18	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Tim Hortons Seguin	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	22-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Tim Hortons-3035	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	17-Jun-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Tim Hortons-3035	1 Horseshoe Lake Road, Seguin ON P2A 2W8	Routine Inspection	17-Jun-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Tim Hortons-833	2672 Trout Lake Road, North Bay ON P1B 7S7	Routine Inspection	20-Nov-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
TI-Riv Chip Stand	235 Main Street, Sturgeon Falls ON P2B 1P5	Routine Inspection	10-May-18		Satisfactory - No Action(s) Taken
TI-Riv Chip Stand	235 Main Street, Sturgeon Falls ON P2B 1P5	Routine Inspection	23-May-19		Satisfactory - No Action(s) Taken
TI-Riv Chip Stand	235 Main Street, Sturgeon Falls ON P2B 1P5	Routine Inspection	10-Jul-19		Satisfactory - No Action(s) Taken
TJ's Restaurant	3660 Hwy 11B, Trout Creek ON P0H 2L0	Routine Inspection	14-Feb-18	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
TJ's Restaurant	3660 Hwy 11B, Trout Creek ON P0H 2L0	Routine Inspection	25-Jul-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
TJ's Restaurant	3660 Hwy 11B, Trout Creek ON P0H 2L0	Routine Inspection	25-Jul-18	Dipper well with running water	Corrected During Inspection
TJ's Restaurant	3660 Hwy 11B, Trout Creek ON P0H 2L0	Routine Inspection	15-Mar-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
TJ's Restaurant	3660 Hwy 11B, Trout Creek ON P0H 2L0	Routine Inspection	23-Oct-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Tomiko Restaurant	701 Hwy 11 N, Tilden Lake ON P0H 2K0	Routine Inspection	8-Mar-18		Satisfactory - No Action(s) Taken
Tomiko Restaurant	701 Hwy 11 N, Tilden Lake ON P0H 2K0	Routine Inspection	17-Aug-18		Satisfactory - No Action(s) Taken
Tomiko Restaurant	701 Hwy 11 N, Tilden Lake ON P0H 2K0	Routine Inspection	17-Oct-18		Satisfactory - No Action(s) Taken
Tomiko Restaurant	701 Hwy 11 N, Tilden Lake ON P0H 2K0	Routine Inspection	27-Mar-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Tomiko Restaurant	701 Hwy 11 N, Tilden Lake ON P0H 2K0	Routine Inspection	27-Mar-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Tomiko Restaurant	701 Hwy 11 N, Tilden Lake ON P0H 2K0	Routine Inspection	27-Mar-19	Exclusion of live animals on the premises, subject to exemptions	Corrected During Inspection
Tomiko Restaurant	701 Hwy 11 N, Tilden Lake ON P0H 2K0	Routine Inspection	25-Sep-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Tomiko Restaurant	701 Hwy 11 N, Tilden Lake ON P0H 2K0	Routine Inspection	25-Sep-19	Exclusion of live animals on the premises, subject to exemptions	Corrected During Inspection
Top Nosh Café	92 Hamer Bay Road, Mactier ON P0C 1H0	Routine Inspection	24-Jun-19		Satisfactory - No Action(s) Taken
Toppers Pizza	281 Main Street W, North Bay ON P1B 2T8	Routine Inspection	23-Feb-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Toppers Pizza	281 Main Street W, North Bay ON P1B 2T8	Routine Inspection	30-May-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Toppers Pizza	281 Main Street W, North Bay ON P1B 2T8	Routine Inspection	30-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Toppers Pizza	281 Main Street W, North Bay ON P1B 2T8	Routine Inspection	17-Oct-19		Satisfactory - No Action(s) Taken
Tornados Canadian Resort	14243 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	8-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Tornados Canadian Resort	14243 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	8-Aug-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Tornado's Canadian Resort	14243 Hwy 522, Port Loring ON P0H 1Y0	Routine Inspection	2-Aug-19		Satisfactory - No Action(s) Taken
Totem Point Lodge	Site 2, Box 3, 46 Nature's Trail Rd, Noelville ON P0M 2N0	Routine Inspection	24-May-18		Satisfactory - No Action(s) Taken
Totem Point Lodge	Site 2, Box 3, 46 Nature's Trail Rd, Noelville ON P0M 2N0	Routine Inspection	8-Aug-18		Satisfactory - No Action(s) Taken
Totem Point Lodge	Site 2, Box 3, 46 Nature's Trail Rd, Noelville ON P0M 2N0	Routine Inspection	17-Jun-19		Satisfactory - No Action(s) Taken
Totem Point Lodge	Site 2, Box 3, 46 Nature's Trail Rd, Noelville ON P0M 2N0	Routine Inspection	27-Aug-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Township of Carling Community Centre	2 Carling Bay West Road, Carling ON	Routine Inspection	11-Jan-19		Satisfactory - No Action(s) Taken
Township of Carling Community Centre	4 West Carling Bay Road, Carling Township ON	Routine Inspection	23-Sep-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Trackside Fries	Main Street, Powassan ON P0H 1Z0	Routine Inspection	2-May-19		Satisfactory - No Action(s) Taken
Trader Ted's	6618 Highway 124, Dunchurch ON P0A 1G0	Routine Inspection	18-Oct-18		Satisfactory - No Action(s) Taken
Trailside RV Resort	105 Blue Lake Road, Seguin ON P2A 0B2	Routine Inspection	8-Jul-19		Satisfactory - No Action(s) Taken
Trappers Choice Restaurant & Inn	50 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	14-Dec-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Trappers Choice Restaurant & Inn	50 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	20-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Trappers Choice Restaurant & Inn	50 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	20-Dec-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Trappers' Choice Restaurant & Inn	50 Joseph Street, Parry Sound ON P2A 2G5	Routine Inspection	21-Feb-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Trappers' Choice Restaurant & Inn	50 Joseph Street, Parry Sound ON P2A 2G5	Re-inspection	27-Feb-18		Satisfactory - No Action(s) Taken
Travelodge Airport North Bay	1525 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	1-Mar-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Travelodge North Bay (Lakeshore)	718 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	13-Dec-18		Satisfactory - No Action(s) Taken
Travelodge North Bay (Lakeshore)	718 Lakeshore Drive, North Bay ON P1A 2G4	Routine Inspection	25-Feb-19		Satisfactory - No Action(s) Taken
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	26-Mar-18		Satisfactory - No Action(s) Taken
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	14-Aug-18		Satisfactory - No Action(s) Taken
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	1-Feb-19		Satisfactory - No Action(s) Taken
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	10-May-19	General housekeeping is satisfactory	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	10-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	10-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	10-May-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	10-May-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	10-May-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Re-inspection	13-Jun-19		Satisfactory - No Action(s) Taken
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	20-Sep-19	General housekeeping is satisfactory	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	20-Sep-19	Floors clean and in good repair	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	20-Sep-19	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	20-Sep-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	20-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	20-Sep-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	20-Sep-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Re-inspection	11-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9	Routine Inspection	19-Nov-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Tree House Learning	1404 O'Brien Street, North Bay ON P1B 5X9140	Routine Inspection	10-May-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Trestle Brewing Company	9 Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	20-Mar-19		Satisfactory - No Action(s) Taken
Trestle Brewing Company	9 Great North Road, Parry Sound ON P2A 2X8	Routine Inspection	8-Oct-19		Satisfactory - No Action(s) Taken
Tricker's Treats	5 Gagne Road, Rutherglen ON P0H 2V0	Routine Inspection	10-Jun-19		Satisfactory - No Action(s) Taken
Trinity United Church	111 McIntyre Street E, North Bay ON P1B 1C5	Routine Inspection	17-Apr-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Trinity United Church	111 McIntyre Street E, North Bay ON P1B 1C5	Routine Inspection	18-Sep-18		Satisfactory - No Action(s) Taken
Trinity United Church	111 McIntyre Street E, North Bay ON P1B 1C5	Routine Inspection	13-May-19		Satisfactory - No Action(s) Taken
Trinity United Church	111 McIntyre Street E, North Bay ON P1B 1C5	Routine Inspection	12-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Food is frozen at -18°C (0°F) or less	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	29-Jun-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	4-Jul-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	4-Jul-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	6-Jul-18		Satisfactory - No Action(s) Taken
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	10-Dec-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	20-Feb-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	20-Feb-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	4-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	4-Jul-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	4-Jul-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
Tropical Grill	FC-4-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	19-Nov-19		Satisfactory - No Action(s) Taken
Trout Creek Community Centre	181 Main Street W, Trout Creek ON P0H 2L0	Routine Inspection	19-Nov-18	Either manual or mechanical dishwashing provided	Re-inspection Scheduled
Trout Creek Community Centre	181 Main Street W, Trout Creek ON P0H 2L0	Re-inspection	5-Dec-18		Satisfactory - No Action(s) Taken
Trout Creek Community Centre	181 Main Street W, Trout Creek ON P0H 2L0	Routine Inspection	15-Mar-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
Trout Creek Community Centre	181 Main Street W, Trout Creek ON P0H 2L0	Routine Inspection	23-Oct-19		
Trout Creek Geneal Store	101 Main Street, Trout Creek ON P0H 2L0	Routine Inspection	19-Nov-18		Satisfactory - No Action(s) Taken
Trout Creek Geneal Store	101 Main Street, Trout Creek ON P0H 2L0	Routine Inspection	23-Oct-19		Satisfactory - No Action(s) Taken
Tuck's Bait and Tackle	88 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	30-May-18		Satisfactory - No Action(s) Taken
Tuck's Bait and Tackle	88 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Jun-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Tuck's Bait and Tackle	88 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Jun-19	All foods at the premises are from an inspected source	Corrected During Inspection
Tuck's Bait and Tackle	88 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	12-Jun-19	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Tuck's Bait and Tackle	88 Main Street, Sundridge ON P0A 1Z0	Re-inspection	12-Aug-19	All foods at the premises are from an inspected source	Re-inspection Scheduled
Tuck's Bait and Tackle	88 Main Street, Sundridge ON P0A 1Z0	Re-inspection	12-Aug-19	Constant supply of potable running water adequate for the operation of the premises	Re-inspection Scheduled
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	28-May-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	20-Jul-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	20-Jul-18	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Re-inspection	31-Jul-18		Satisfactory - No Action(s) Taken
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	19-Nov-18		Satisfactory - No Action(s) Taken
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	27-Feb-19	Food is held at 4°C (40°F) or less	Corrected During Inspection
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	27-Feb-19	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	27-Feb-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Re-inspection	8-Mar-19		Satisfactory - No Action(s) Taken
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	7-Aug-19	Proper storage of single-service containers/articles (utensils)	Corrected During Inspection
TW Foods	137 Main Street E, North Bay ON P1B 1A9	Routine Inspection	29-Oct-19		Satisfactory - No Action(s) Taken
Twiggs	473 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	23-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Twiggs Coffee Company	1-501 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	24-Sep-18		Satisfactory - No Action(s) Taken
Twigg's Coffee Company	1-501 McKeown Avenue, North Bay ON P1B 9E4	Routine Inspection	21-Feb-18		Satisfactory - No Action(s) Taken
Twigg's Coffee Company	473 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	8-Aug-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Twigg's Coffee Company	473 Fraser Street, North Bay ON P1B 3X1	Re-inspection	13-Aug-19		Satisfactory - No Action(s) Taken
Twigg's Coffee Company	473 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	28-Nov-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Twigg's Coffee Company	473 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	28-Nov-19	Separate hand washing basin provided for food handlers	Corrected During Inspection
Twigg's Coffee Company	473 Fraser Street, North Bay ON P1B 3X1	Routine Inspection	28-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	1-Mar-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	27-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	27-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	27-Aug-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	11-Dec-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	11-Dec-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Re-inspection	12-Dec-18		Satisfactory - No Action(s) Taken
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Re-inspection	18-Dec-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Re-inspection	20-Feb-19		Satisfactory - No Action(s) Taken
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	12-Apr-19		Satisfactory - No Action(s) Taken
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	12-Jul-19		Satisfactory - No Action(s) Taken
Twiggs Coffee Roasters	2-300 King Street, Sturgeon Falls ON P2B 3A1	Routine Inspection	10-Sep-19		Satisfactory - No Action(s) Taken
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	4-Dec-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	4-Dec-19	Frozen food is kept in a frozen state until sold or prepared for use	Corrected During Inspection
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	4-Dec-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	16-Jul-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	16-Jul-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	16-Jul-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	16-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Re-inspection	22-Jul-19		Satisfactory - No Action(s) Taken
Twigg's Coffee Roasters	595 Cartier Street, North Bay ON P1B 8N2	Routine Inspection	4-Dec-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
UK Food and Gifts	163 Main Street West, North Bay ON P1B 2T6	Routine Inspection	22-Jul-19		Satisfactory - No Action(s) Taken
Urban Café	B-101 Worthington Street E, North Bay ON P1B 1G5	Routine Inspection	11-Apr-18		Satisfactory - No Action(s) Taken
V&P's Hot Spot	160 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	7-Jun-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
V&P's Hot Spot	160 Pinewood Park Drive, North Bay ON P1B 8Z4	Routine Inspection	7-Jun-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
V&P's Hot Spot	160 Pinewood Park Drive, North Bay ON P1B 8Z4	Re-inspection	4-Jul-19		Satisfactory - No Action(s) Taken
Valois Motel & Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	6-Mar-18		Satisfactory - No Action(s) Taken
Valois Motel & Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	22-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Valois Motel & Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	22-Jul-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Valois Motel & Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	22-Jul-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Valois Motel & Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	22-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Valois Motel & Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Re-inspection	22-Aug-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Valois Motel and Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	30-Jan-19	Hand washing basin with supplies of soap and paper towels in dispensers	Re-inspection Scheduled
Valois Motel and Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	30-Jan-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Valois Motel and Restaurant	701 Valois Drive, Mattawa ON P0H 1V0	Routine Inspection	30-Jan-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	25-Apr-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	25-Apr-18	Re-heating to original cooking temperature within 2 hours	Corrected During Inspection
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	25-Apr-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	13-Aug-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	13-Aug-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	13-Aug-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	13-Aug-18	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	13-Aug-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	13-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	20-Aug-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	23-Aug-18		Satisfactory - No Action(s) Taken
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	10-Dec-18	Food handler hygiene	Corrected During Inspection
Vanelli's	FC6-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	10-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Vanelli's	FC6-1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	10-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	27-Apr-18		Satisfactory - No Action(s) Taken
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Washing hands thoroughly before and after handling food	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Ceilings clean and in good repair	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Routine Inspection	28-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Vanelli's	FC6 - 1500 Fisher Street, North Bay ON P1B 2H3	Re-inspection	5-Jun-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Verner Arena	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	5-Dec-18	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Verner Arena	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	5-Dec-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Verner Arena	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	5-Dec-18	General housekeeping is satisfactory	Corrected During Inspection
Verner Arena	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	6-Sep-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
Verner Arena	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	6-Sep-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Verner Arena	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	6-Sep-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Verner Arena	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	6-Sep-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Verner Arena- Canteen	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	5-Dec-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Verner Arena- Canteen	80 Principal Street E, Verner ON P0H 2M0	Routine Inspection	10-Dec-19		Satisfactory - No Action(s) Taken
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Routine Inspection	25-Jun-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Routine Inspection	25-Jun-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Routine Inspection	25-Jun-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Routine Inspection	25-Jun-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Routine Inspection	25-Jun-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Re-inspection	9-Jul-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Re-inspection	9-Jul-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Re-inspection	25-Jul-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Routine Inspection	6-Mar-19		Satisfactory - No Action(s) Taken
Verner Food Town IFT	4 Principal Street, Verner ON POH 2M0	Routine Inspection	14-Aug-19		Satisfactory - No Action(s) Taken
Verner Golf Club	2 Hwy 575, Verner ON P0H 2M0	Routine Inspection	11-Jun-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Verner Golf Course	2 Hwy 575, Verner ON P0H 2M0	Routine Inspection	9-Jul-18		Satisfactory - No Action(s) Taken
Verner Senior Day Program	11795 Hwy 64, Verner ON P0H 2M0	Routine Inspection	27-Feb-18		Satisfactory - No Action(s) Taken
Vested Interest	1407 Main Street N, Callander ON P0H 1H0	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	27-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	27-Apr-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	25-Oct-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	25-Oct-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Jun-19	Separate hand washing basin provided for food handlers	Re-inspection Scheduled
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Jun-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Jun-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	11-Jun-19	General housekeeping is satisfactory	Corrected During Inspection
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Re-inspection	16-Jul-19		Satisfactory - No Action(s) Taken
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	19-Nov-19	General housekeeping is satisfactory	Corrected During Inspection
Village Bins & Sweet Shop	91 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	19-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Vincent Massey Public School	15 Janey Avenue, North Bay ON P1C 1N1	Routine Inspection	30-Aug-18		Satisfactory - No Action(s) Taken
Vincent Massey Public School	15 Janey Avenue, North Bay ON P1C 1N1	Routine Inspection	3-Dec-18		Satisfactory - No Action(s) Taken
Vincent Massey Public School	15 Janey Avenue, North Bay ON P1C 1N1	Routine Inspection	23-May-19		Satisfactory - No Action(s) Taken
Voyageur Outfitting	Kawawaymog Lake, Ballantyne ON P0A 1X0	Routine Inspection	11-Aug-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Voyageur Quest	Round Lake, South River ON P0A 1X0	Routine Inspection	14-Feb-18	Food protected from potential contamination and adulteration	Re-inspection Scheduled
Voyageur Quest	Round Lake, South River ON P0A 1X0	Routine Inspection	14-Feb-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Voyageur Quest	Round Lake, South River ON P0A 1X0	Re-inspection	19-Apr-18	Constant supply of potable hot and cold running water under pressure	Re-inspection Scheduled
Voyageur Quest	Round Lake, South River ON P0A 1X0	Routine Inspection	13-Jun-19		Satisfactory - No Action(s) Taken
W.J. Fricker After School Program	790 Norman Avenue, North Bay ON P1B 8C4	Routine Inspection	21-Nov-18		Satisfactory - No Action(s) Taken
W.J. Fricker Senior Public School	790 Norman Street, North Bay ON P1B 8C4	Routine Inspection	15-Nov-18		Satisfactory - No Action(s) Taken
W.J. Fricker Senior Public School	790 Norman Street, North Bay ON P1B 8C4	Routine Inspection	5-Nov-19		Satisfactory - No Action(s) Taken
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	29-Jun-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	29-Jun-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	29-Jun-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	29-Jun-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	29-Jun-18	General housekeeping is satisfactory	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Re-inspection	6-Jul-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Re-inspection	6-Jul-18	General housekeeping is satisfactory	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Re-inspection	16-Jul-18	Food is held at 4°C (40°F) or less	Corrected During Inspection
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	13-Dec-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	11-Apr-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	11-Apr-19	Adequate protection against the entrance of insects, birds, rodents, and other pests	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Re-inspection	3-May-19		Satisfactory - No Action(s) Taken
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-Aug-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-Aug-19	Proper storage of single-service containers/articles (utensils)	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-Aug-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-Aug-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-Aug-19	Frequency of garbage removal adequate to maintain the premises in a sanitary condition	Corrected During Inspection
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	9-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Re-inspection	16-Aug-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Re-inspection	16-Aug-19	Floors clean and in good repair	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	18-Dec-19	Food handler (not use tobacco while so engaged, clean, clean outer garments, hair confined, Free of infectious disease/skin disease/submit medical exams and tests as required)	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	18-Dec-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	18-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Wacky Wings	1428 Seymour Street, North Bay ON P1B 8G4	Routine Inspection	18-Dec-19	Floors clean and in good repair	Re-inspection Scheduled
Wah-Wash-Kesh Lodge	21-187 Wah Wash Kesh Road, Dunchurch ON P0A 1G0	Routine Inspection	26-Oct-18		Satisfactory - No Action(s) Taken
Wah-Wash-Kesh Lodge	21-187 Wah Wash Kesh Road, Dunchurch ON P0A 1G0	Routine Inspection	26-Aug-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Walmart	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	21-Feb-18		Satisfactory - No Action(s) Taken
Walmart	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	6-Dec-18		Satisfactory - No Action(s) Taken
Walmart	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	5-Jun-19		Satisfactory - No Action(s) Taken
Walmart	1 Pine Drive, Parry Sound ON P2A 3C3	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Wasi Corner Store	2506B Hwy 94, Callander ON P0H 1H0	Routine Inspection	17-Jan-18	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
Wasi Corner Store	2506B Hwy 94, Callander ON P0H 1H0	Re-inspection	25-Jan-18		Satisfactory - No Action(s) Taken
Waters Edge Care Community	401 William Street, North Bay ON P1A 1X5	Routine Inspection	26-Mar-18	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Waters Edge Care Community	401 William Street, North Bay ON P1A 1X5	Routine Inspection	24-Jul-18	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
Waters Edge Care Community	401 William Street, North Bay ON P1A 1X5	Routine Inspection	24-Jul-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Waters Edge Care Community	401 William Street, North Bay ON P1A 1X5	Re-inspection	27-Jul-18		Satisfactory - No Action(s) Taken
Waters Edge Care Community	401 William Street, North Bay ON P1A 1X5	Re-inspection	13-Aug-18		Satisfactory - No Action(s) Taken
Waters Edge Care Community	401 William Street, North Bay ON P1A 1X5	Routine Inspection	5-Mar-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Waters Edge Care Community	401 William Street, North Bay ON P1A 1X5	Routine Inspection	9-Jul-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Waters Edge Care Community	401 William Street, North Bay ON P1A 1X5	Routine Inspection	16-Dec-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Corrected During Inspection
Waubamik Community Centre	RR 1, Site 1, Box 5 Parry Sound ON P2A 2W7	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Waubamik Community Centre	RR 1, Site 1, Box 5 Parry Sound ON P2A 2W7	Routine Inspection	18-Nov-19		Satisfactory - No Action(s) Taken
Waubamik Community Centre	RR1, Site 1, Box 5, Parry Sound ON P2A 2W7	Routine Inspection	29-Nov-18		Satisfactory - No Action(s) Taken
Waubeeek Daycare	66 Waubeeek Street, Parry Sound ON P2A 1C6	Routine Inspection	24-Jan-18		Satisfactory - No Action(s) Taken
Waubeeek Daycare	66 Waubeeek Street, Parry Sound ON P2A 1C6	Routine Inspection	17-Jul-18		Satisfactory - No Action(s) Taken
Waubeeek Daycare Centre	66 Waubeeek Street, Parry Sound ON P2A 1C6	Routine Inspection	23-May-19		Satisfactory - No Action(s) Taken
Waubeeek Daycare Centre	66 Waubeeek Street, Parry Sound ON P2A 1C6	Routine Inspection	21-Oct-19		Satisfactory - No Action(s) Taken
Welcome Centre	170 Ryerson Crescent, Burks Falls ON P0A 1C0	Routine Inspection	24-Sep-18		Satisfactory - No Action(s) Taken
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Nov-18	Food is held at 4°C (40°F) or less	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Nov-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Nov-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Nov-18	Re-heating to original cooking temperature within 2 hours	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Nov-18	Sanitize test kit/thermometer readily available for verifying dishwashing and sanitizing temperatures	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Nov-18	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Nov-18	General housekeeping is satisfactory	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Mar-19	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	13-Mar-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Re-inspection	22-Mar-19		Satisfactory - No Action(s) Taken
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	1-Aug-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	4-Dec-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	4-Dec-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Routine Inspection	4-Dec-19	Floors clean and in good repair	Re-inspection Scheduled
Wellington's Pub & Grill	105 James Street, Parry Sound ON P2A 1T7	Re-inspection	9-Dec-19	Floors clean and in good repair	Corrected During Inspection
Wendigo Lake Expeditions	Forestry Road, Ballantyne, ON	Routine Inspection	5-Jun-19		Satisfactory - No Action(s) Taken
Wendigo Lake Expeditions	Forestry Road, Ballantyne, ON	Routine Inspection	1-Oct-19		Satisfactory - No Action(s) Taken
Wendigo Lake Expeditions	Forestry Road, Ballantyne, ON	Routine Inspection	30-May-18		Satisfactory - No Action(s) Taken
Wendy's	925 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	10-Apr-18	Lighting adequate for food preparation and cleaning	Re-inspection Scheduled
Wendy's	925 McKeown Avenue, North Bay ON P1B 9P3	Re-inspection	19-Apr-18		Satisfactory - No Action(s) Taken
Wendy's Restaurant	925 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	16-May-19	Potentially hazardous food is held at 4°C (40°F) or lower	Corrected During Inspection
Wendy's Restaurant	925 McKeown Avenue, North Bay ON P1B 9P3	Routine Inspection	16-May-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Wendy's Restaurant	925 McKeown Avenue, North Bay ON P1B 9P3	Complaint & Compliance	30-Sep-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Wendy's Restaurant Inc. - Lakeshore Drive	368 Lakeshore Drive, North Bay ON P1A 2C2	Routine Inspection	26-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
West Ferris Community Centre	42 Gertrude Street East, North Bay ON P1A 1J8	Routine Inspection	14-Aug-19		Satisfactory - No Action(s) Taken
West Ferris Day Nursery	60 Marshall Park Drive, North Bay ON P1A 2P2	Routine Inspection	7-Feb-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery	60 Marshall Park Drive, North Bay ON P1A 2P2	Routine Inspection	22-Jun-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery	60 Marshall Park Drive, North Bay ON P1A 2P2	Routine Inspection	2-Apr-19		Satisfactory - No Action(s) Taken
West Ferris Day Nursery	Room 237-60 Marshall Park Drive, North Bay ON P1A 2P2	Routine Inspection	11-Sep-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery	Room 237-60 Marshall Park Drive, North Bay ON P1A 2P2	Routine Inspection	11-Jun-19		Satisfactory - No Action(s) Taken
West Ferris Day Nursery	Room 237-60 Marshall Park Drive, North Bay ON P1A 2P2	Routine Inspection	10-Sep-19		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	5-Feb-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	29-May-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	29-Jan-19		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	14-Sep-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	27-May-19		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Ferris Glen Public School	30 Voyer Road, Corbeil ON P0H 1K0	Routine Inspection	9-Sep-19		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Sunset Park Public School	1191 Lakeshore Drive, North Bay ON P1A 2P2	Routine Inspection	2-Feb-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Sunset Park Public School	1191 Lakeshore Drive, North Bay ON P1A 2P2	Routine Inspection	6-Jul-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Sunset Park Public School	1191 Lakeshore Drive, North Bay ON P1A 2P2	Routine Inspection	18-Sep-18		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Sunset Park Public School	1191 Lakeshore Drive, North Bay ON P1A 2P2	Routine Inspection	8-Mar-19		Satisfactory - No Action(s) Taken
West Ferris Day Nursery-Sunset Park Public School	1191 Lakeshore Drive, North Bay ON P1A 2P2	Routine Inspection	18-Sep-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
West Ferris Secondary School	60 Marshall Park Drive, North Bay ON P1A 2P2	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
West Ferris Secondary School	60 Marshall Park Drive, North Bay ON P1A 2P2	Routine Inspection	23-Oct-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corp. - Verne	73 Principal Street, Verner ON P0H 2M0	Routine Inspection	6-Mar-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corp. - Verner	73 Principal Street Verner ON P0H 2M0	Routine Inspection	7-Jun-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corp. - Verner	73 Principal Street, Verner ON P0H 2M0	Routine Inspection	8-Feb-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corp. - Verner	73 Principal Street, Verner ON P0H 2M0	Routine Inspection	22-May-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corp. - Verner	73 Principal Street, Verner ON P0H 2M0	Routine Inspection	2-Oct-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corp. - Verner	73 Principal Street, Verner ON P0H 2M0	Routine Inspection	10-Sep-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation	131 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	24-Jan-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation	131 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	7-May-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation	131 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation	131 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	28-Jan-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation	131 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	6-May-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation- Ecole Jeunesse Active	130 Lisgar Street, Sturgeon Falls ON P2B 3H4	Routine Inspection	4-Jan-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation- Ecole Jeunesse Active	130 Lisgar Street, Sturgeon Falls ON P2B 3H4	Routine Inspection	11-May-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation- Ecole Jeunesse Active	130 Lisgar Street, Sturgeon Falls ON P2B 3H4	Routine Inspection	5-Sep-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation- Ecole Jeunesse Active	130 Lisgar Street, Sturgeon Falls ON P2B 3H4	Routine Inspection	21-Jan-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation- Ecole Jeunesse Active	130 Lisgar Street, Sturgeon Falls ON P2B 3H4	Routine Inspection	3-May-19	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
West Nipissing Child Care Corporation-Ecole Jeunesse Active	130 Lisgar Street, Sturgeon Falls ON P2B 3H4	Routine Inspection	19-Sep-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	25-Jan-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	9-May-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	5-Sep-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	1-Feb-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	30-May-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	30-May-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	30-May-19	Proper storage of single-service containers/articles (utensils)	Re-inspection Scheduled
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	30-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	31-May-19	General housekeeping is satisfactory	Re-inspection Scheduled
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Re-inspection	6-Jun-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	6-Sep-19	Mechanical ventilation operable where required	Re-inspection Scheduled
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Routine Inspection	6-Sep-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
West Nipissing Child Care Corporation-Ecole La Resurrection	136 Third Street, Sturgeon Falls ON P2B 3C6	Re-inspection	12-Sep-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Service de Garde des Louveteaux	93 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	16-Jan-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Service de Garde des Louveteaux	93 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	8-Aug-18		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
West Nipissing Child Care Corporation-Service de Garde des Louveteaux	93 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	20-Sep-18		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Service de Garde des Louveteaux	93 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	21-Jun-19		Satisfactory - No Action(s) Taken
West Nipissing Child Care Corporation-Service de Garde des Louveteaux	93 Michaud Street, Sturgeon Falls ON P2B 1B9	Routine Inspection	3-Sep-19		Satisfactory - No Action(s) Taken
West Nipissing Community Health Centre OASIS	68 Michaud Street, Sturgeon Falls ON P2B 1B8	Routine Inspection	23-May-19		Satisfactory - No Action(s) Taken
West Nipissing Community Health Centre OASIS	68 Michaud Street, Sturgeon Falls ON P2B 1B8	Routine Inspection	28-Nov-19		Satisfactory - No Action(s) Taken
West Nipissing Food Bank	3-109 Third Street, Sturgeon Falls ON P2B 3A7	Routine Inspection	17-Oct-18		Satisfactory - No Action(s) Taken
West Nipissing Food Bank	3-109 Third Street, Sturgeon Falls ON P2B 3A7	Routine Inspection	13-Nov-19		Satisfactory - No Action(s) Taken
West Nipissing General Hospital	725 Coursol Road, Sturgeon Falls ON P2B 2Y6	Routine Inspection	25-Apr-18		Satisfactory - No Action(s) Taken
West Nipissing General Hospital	725 Coursol Road, Sturgeon Falls ON P2B 2Y6	Routine Inspection	10-Aug-18		Satisfactory - No Action(s) Taken
West Nipissing General Hospital	725 Coursol Road, Sturgeon Falls ON P2B 2Y6	Routine Inspection	16-Apr-19		Satisfactory - No Action(s) Taken
West Nipissing General Hospital	725 Coursol Road, Sturgeon Falls ON P2B 2Y6	Routine Inspection	1-Aug-19		Satisfactory - No Action(s) Taken
West Nipissing General Hospital	725 Coursol Road, Sturgeon Falls ON P2B 2Y6	Routine Inspection	21-Oct-19		Satisfactory - No Action(s) Taken
West Nipissing Resort Wrap Shak	10448 Hwy 64, Lavigne ON P0H 1R0	Routine Inspection	25-Jun-18		Satisfactory - No Action(s) Taken
West Parry Sound District Meals-on-Wheels	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	16-Mar-18		Satisfactory - No Action(s) Taken
West Parry Sound District Meals-on-Wheels	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	17-Jan-19		Satisfactory - No Action(s) Taken
West Parry Sound District Meals-on-Wheels	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	28-May-19		Satisfactory - No Action(s) Taken
West Parry Sound District Meals-on-Wheels	21 Belvedere Avenue, Parry Sound ON P2A 2A2	Routine Inspection	23-Oct-19		Satisfactory - No Action(s) Taken
West Parry Sound Health Centre	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	22-Feb-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
West Parry Sound Health Centre	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	22-Jul-19		Satisfactory - No Action(s) Taken
West Parry Sound Health Centre	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	15-Nov-19		Satisfactory - No Action(s) Taken
West View Resort Store	17 Grisdale Road, Mactier ON P0C 1H0	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
Whatta Pizza	7 Allan Crescent, Seguin ON P2A 2W8	Routine Inspection	18-Oct-18		Satisfactory - No Action(s) Taken
Whatta Pizza	7 Allan Crescent, Seguin ON P2A 2W8	Routine Inspection	3-Jul-19		Satisfactory - No Action(s) Taken
White Woods Public School	177 Ethel Street, Sturgeon Falls ON P2B 2Z8	Routine Inspection	18-Apr-18		Satisfactory - No Action(s) Taken
White Woods Public School	177 Ethel Street, Sturgeon Falls ON P2B 2Z8	Routine Inspection	25-Jun-19	General housekeeping is satisfactory	Re-inspection Scheduled
White Woods Public School	177 Ethel Street, Sturgeon Falls ON P2B 2Z8	Routine Inspection	25-Jun-19	Adequate protection against the entrance of insects, vermin, and rodents	Re-inspection Scheduled
White Woods Public School	177 Ethel Street, Sturgeon Falls ON P2B 2Z8	Re-inspection	17-Sep-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
White Woods Public School	177 Ethel Street, Sturgeon Falls ON P2B 2Z8	Re-inspection	17-Sep-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
White Woods Public School	177 Ethel Street, Sturgeon Falls ON P2B 2Z8	Re-inspection	10-Oct-19		Satisfactory - No Action(s) Taken
Whitestone Lake Before & After School Program	9 Moore Drive, Dunchurch ON P0A 1G0	Routine Inspection	16-Dec-19		Satisfactory - No Action(s) Taken
Whitestone Lake Public School - Nourishment Program	9 Moore Drive, Dunchurch ON P0A 1G0	Routine Inspection	29-Nov-19		Satisfactory - No Action(s) Taken
Whitestone School Nutritional Program	9 Moore Drive, Dunchurch, ON P0A 1G0	Routine Inspection	27-Nov-18		Satisfactory - No Action(s) Taken
Widdifield Secondary School - Breakfast Program	320 Ski Club Road, North Bay ON	Routine Inspection	31-Oct-19		Satisfactory - No Action(s) Taken
Widdifield Secondary School - Breakfast Program	320 Ski Club Road, North Bay ON P1B 7R2	Routine Inspection	21-Nov-18		Satisfactory - No Action(s) Taken
Wings Airport Café	97 Airport Road, Parry Sound ON P2A 2W8	Routine Inspection	30-Apr-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Wings Airport Café	97 Airport Road, Parry Sound ON P2A 2W8	Routine Inspection	18-Sep-19		Satisfactory - No Action(s) Taken
Winners	6-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	6-Apr-18		Satisfactory - No Action(s) Taken
Winners	6-850 McKeown Avenue, North Bay ON P1B 8M1	Routine Inspection	27-Mar-19		Satisfactory - No Action(s) Taken
Wolseley Lodge	2652 Hwy 528, Noelville ON P0M 2N0	Routine Inspection	24-May-18		Satisfactory - No Action(s) Taken
Wolseley Lodge	2652 Hwy 528, Noelville ON P0M 2N0	Routine Inspection	8-Aug-18		Satisfactory - No Action(s) Taken
Wolseley Lodge	2652 Hwy 528, Noelville ON P0M 2N0	Routine Inspection	17-Jun-19		Satisfactory - No Action(s) Taken
Wolseley Lodge	2652 Hwy 528, Noelville ON P0M 2N0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
Wong's Delight Restaurant	100 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	15-Nov-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Wong's Delight Restaurant	101 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	15-Nov-19	General housekeeping is satisfactory	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	20-Apr-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	20-Apr-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	20-Apr-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	20-Apr-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Separate hand washing basin provided for food handlers	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	19-Jun-18	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	22-Nov-18	Food handler hygiene	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	22-Nov-18	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	22-Nov-18	Separate raw foods from ready-to-eat foods during storage and handling	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	22-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	22-Nov-18	Food contact surfaces properly designed, constructed, installed and maintained	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	1-Mar-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	1-Mar-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	1-Mar-19	General housekeeping is satisfactory	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	2-Aug-19	Hot holding: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	2-Aug-19	Hand washing basin with supplies of soap and paper towels in dispensers	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	3-Aug-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	15-Nov-19	Hot holding of potentially hazardous food: minimum of 60°C (140°F) after cooking/rapid re-heating	Corrected During Inspection
Wong's Delight Restaurant	99 Ottawa Street E, South River ON P0A 1X0	Routine Inspection	15-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Woodland Public School	1325 Cedargrove Drive, North Bay ON P1B 4R7	Routine Inspection	15-Nov-18		Satisfactory - No Action(s) Taken
Woodland Public School	1325 Cedargrove Drive, North Bay ON P1B 4R7	Routine Inspection	25-Apr-19		Satisfactory - No Action(s) Taken
World Gym North Bay	300 Lakeshore Drive, North Bay ON P1A 3V2	Routine Inspection	1-Apr-19	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
WPSHC	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	21-Aug-18		Satisfactory - No Action(s) Taken
WPSHC	6 Albert Street, Parry Sound ON P2A 3A4	Routine Inspection	23-Nov-18		Satisfactory - No Action(s) Taken
Wright's Marina Ltd.	1624 Riverside Drive, Britt ON P0G 1A0	Routine Inspection	27-Aug-19		Satisfactory - No Action(s) Taken
YMCA Alliance Early Learning Child Care Centre	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
YMCA Alliance Early Learning Child Care Centre	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	10-Oct-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
YMCA Alliance Early Learning Child Care Centre	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	10-Oct-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
YMCA Alliance Early Learning Child Care Centre	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	10-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
YMCA Alliance Early Learning Child Care Centre	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	10-Oct-19	General housekeeping is satisfactory	Re-inspection Scheduled
YMCA Alliance Early Learning Child Care Centre	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	10-Oct-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
YMCA Alliance Early Learning Child Care Centre	700 Stones Street, North Bay ON P1B 6C1	Routine Inspection	10-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
YMCA Alliance Early Learning Child Care Centre	700 Stones Street, North Bay ON P1B 6C1	Re-inspection	18-Oct-19		Satisfactory - No Action(s) Taken
YMCA Childcare Centre	36 Smith Crescent, Parry Sound ON P2A 2W8	Routine Inspection	6-Nov-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
YMCA Childcare- Parry Sound	36 Smith Crescent, Parry Sound ON P2A 2W8	Routine Inspection	12-Mar-18		Satisfactory - No Action(s) Taken
YMCA Childcare- Parry Sound	36 Smith Crescent, Parry Sound ON P2A 2W8	Routine Inspection	17-Jul-18		Satisfactory - No Action(s) Taken
YMCA Courtside Café	186 Chippewa Street West, North Bay ON P1B 6G2	Routine Inspection	7-Feb-18		Satisfactory - No Action(s) Taken
YMCA Mothers St Bride-Early Learning Child Care Centre	414 Second Avenue N, Bay ON P1B 3L2	Routine Inspection	2-May-19		Satisfactory - No Action(s) Taken
YMCA Mothers St Bride-Early Learning Child Care Centre	414 Second Avenue N, Bay ON P1B 3L2	Routine Inspection	9-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
YMCA Mothers St Bride-Early Learning Child Care Centre	414 Second Avenue N, Bay ON P1B 3L2	Routine Inspection	9-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
YMCA Mothers St Bride-Early Learning Child Care Centre	414 Second Avenue N, Bay ON P1B 3L2	Re-inspection	10-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
YMCA Mothers St Bride-Early Learning Child Care Centre	414 Second Avenue N, Bay ON P1B 3L2	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
YMCA Mothers St Bride-Early Learning Child Care Centre	414 Second Avenue, North Bay ON P1B 3L2	Routine Inspection	29-Oct-19		Satisfactory - No Action(s) Taken
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	24-Apr-18		Satisfactory - No Action(s) Taken
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	10-Aug-18		Satisfactory - No Action(s) Taken
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	28-Nov-18		Satisfactory - No Action(s) Taken
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Complaint	12-Feb-19	Constant supply of potable hot and cold running water under pressure	Closure
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	25-Jun-19	General housekeeping is satisfactory	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	25-Jun-19	Ceilings clean and in good repair	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	25-Jun-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Re-inspection	28-Jun-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Re-inspection	13-Sep-19		Satisfactory - No Action(s) Taken
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Complaint	12-Feb-19	The premises is operated and maintained free from every condition that may be a health hazard	Closure
YMCA North Bay	186 Chippewa Street W, North Bay ON P1B 6G2	Routine Inspection	6-Sep-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street, W North Bay ON P1B 6G2	Routine Inspection	9-Apr-19	Proper use and storage of clean utensils (including single service utensils)	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street, W North Bay ON P1B 6G2	Routine Inspection	9-Apr-19	Food protected from potential contamination and adulteration	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street, W North Bay ON P1B 6G2	Routine Inspection	9-Apr-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street, W North Bay ON P1B 6G2	Routine Inspection	9-Apr-19	Floors, walls, and ceilings clean and in good repair	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street, W North Bay ON P1B 6G2	Routine Inspection	9-Apr-19	Food contact surfaces properly designed, constructed, installed and maintained	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street, W North Bay ON P1B 6G2	Routine Inspection	9-Apr-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
YMCA North Bay	186 Chippewa Street, W North Bay ON P1B 6G2	Routine Inspection	9-Apr-19	General housekeeping is satisfactory	Re-inspection Scheduled
YMCA North Bay (daycare)	186 Chippewa Street W, North Bay ON P1B 6G2	Re-inspection	14-Feb-19		Satisfactory - No Action(s) Taken
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	8-Jan-18		Satisfactory - No Action(s) Taken
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	1-May-18		Satisfactory - No Action(s) Taken
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	12-Sep-18		Satisfactory - No Action(s) Taken
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	24-Jan-19		Satisfactory - No Action(s) Taken
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	17-May-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	8-Oct-19	General housekeeping is satisfactory	Re-inspection Scheduled
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	8-Oct-19	Floors clean and in good repair	Re-inspection Scheduled
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	8-Oct-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	8-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	8-Oct-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	8-Oct-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
YMCA North Bay-EW Norman Public School	599 Lake Heights Road, North Bay ON P1A 3A1	Routine Inspection	8-Oct-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
YMCA North Bay-Our Lady of Fatima	60 Marshall Avenue, North Bay ON P1A 1R1	Routine Inspection	19-Apr-18		Satisfactory - No Action(s) Taken
YMCA North Bay-Our Lady of Fatima	60 Marshall Avenue, North Bay ON P1A 1R1	Routine Inspection	20-Jul-18		Satisfactory - No Action(s) Taken
YMCA North Bay-Our Lady of Fatima	60 Marshall Avenue, North Bay ON P1A 1R1	Routine Inspection	13-Feb-19		Satisfactory - No Action(s) Taken
YMCA North Bay-Our Lady of Fatima	60 Marshall Avenue, North Bay ON P1A 1R1	Routine Inspection	9-May-19		Satisfactory - No Action(s) Taken
YMCA North Bay-Our Lady of Fatima	60 Marshall Avenue, North Bay ON P1A 1R1	Routine Inspection	17-Sep-19		Satisfactory - No Action(s) Taken
YMCA North Bay-South Shore	60 Beatty Street, Nipissing ON P0H 1W0	Routine Inspection	3-Oct-19		Satisfactory - No Action(s) Taken
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Sreet N, Callander ON P0H 1H0	Routine Inspection	14-May-19	Mechanical ventilation operable where required	Re-inspection Scheduled
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Sreet N, Callander ON P0H 1H0	Routine Inspection	14-May-19	General housekeeping is satisfactory	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Sreet N, Callander ON P0H 1H0	Routine Inspection	14-May-19	Food contact surfaces properly designed, constructed, installed, maintained, located (smooth, non-absorbent, cleanable, corrosion resistant and non-toxic)	Re-inspection Scheduled
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Street N, Callander ON P0H 1H0	Routine Inspection	9-Jan-18		Satisfactory - No Action(s) Taken
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Street N, Callander ON P0H 1H0	Routine Inspection	19-Jan-18		Satisfactory - No Action(s) Taken
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Street N, Callander ON P0H 1H0	Routine Inspection	9-May-18		Satisfactory - No Action(s) Taken
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Street N, Callander ON P0H 1H0	Routine Inspection	3-Sep-19		Satisfactory - No Action(s) Taken
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Street N, Callander ON P0H 1H0	Routine Inspection	14-May-19	Food contact surfaces washed/rinsed/sanitized after each use and following any operations when contamination may have occurred	Re-inspection Scheduled
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Street N, Callander ON P0H 1H0	Re-inspection	17-May-19		Satisfactory - No Action(s) Taken
YMCA North Bay-St Theresa Early Learning Child Care Centre	1475 Main Street North, Callander ON P0H 1H0	Routine Inspection	7-Sep-18		Satisfactory - No Action(s) Taken
YMCA Vincent Massey Early Learning Child Care Centre	15 Janey Avenue, North Bay ON P1C 1N1	Routine Inspection	6-Nov-19	Minimum of 1 Certified Food Handler per hour of operation?	Satisfactory - No Action(s) Taken
YMCA Woodland Early Learning Child Care Centre	1325 Cedargrove Drive, North Bay ON P1B 4S5	Routine Inspection	1-Feb-18		Satisfactory - No Action(s) Taken
YMCA Woodland Early Learning Child Care Centre	1325 Cedargrove Drive, North Bay ON P1B 4S5	Routine Inspection	26-Nov-18		Satisfactory - No Action(s) Taken
YMCA Woodland Early Learning Child Care Centre	1325 Cedargrove Drive, North Bay ON P1B 4S5	Routine Inspection	19-Feb-19		Satisfactory - No Action(s) Taken
YMCA Woodland Early Learning Child Care Centre	1325 Cedargrove Drive, North Bay ON P1B 4S5	Routine Inspection	3-May-19		Satisfactory - No Action(s) Taken
YMCA Woodland Early Learning Child Care Centre	1325 Cedargrove Drive, North Bay ON P1B 4S5	Routine Inspection	5-Sep-19		Satisfactory - No Action(s) Taken
YMCA-Our Lady Of Sorrows Early Learning Childcare Centre	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Routine Inspection	13-May-19	Manual dishwashing: Wash, rinse, sanitize technique	Re-inspection Scheduled
YMCA-Our Lady Of Sorrows Early Learning Childcare Centre	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Routine Inspection	13-May-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Re-inspection Scheduled

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
YMCA-Our Lady Of Sorrows Early Learning Childcare Centre	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Routine Inspection	13-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
YMCA-Our Lady Of Sorrows Early Learning Childcare Centre	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Re-inspection	13-May-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
YMCA-Our Lady Of Sorrows Early Learning Childcare Centre	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Re-inspection	21-May-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
YMCA-Our Lady Of Sorrows Early Learning Childcare Centre	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Routine Inspection	28-Aug-19		Satisfactory - No Action(s) Taken
YMCA-Our Lady Of Sorrows Early Learning Childcare Centre	680 Coursol Road, Sturgeon Falls ON P2B 3L1	Routine Inspection	15-Oct-19		Satisfactory - No Action(s) Taken
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	9-Apr-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	9-Apr-18	Proper use and storage of clean utensils (including single service utensils)	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	9-Apr-18	Adequate protection against the entrance of insects, birds, rodents, and other pests	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Re-inspection	19-Oct-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Re-inspection	19-Oct-18	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	19-Mar-19		Satisfactory - No Action(s) Taken
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	15-Jul-19	Thermometers used to verify food preparation and storage temperatures	Re-inspection Scheduled
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	15-Jul-19	Food protected from potential contamination and/or adulteration	Re-inspection Scheduled
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	15-Jul-19	Toxic/poisonous substances (chemicals/pesticides) to be stored separately from food	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	15-Jul-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	15-Jul-19	Adequate protection against the entrance of insects, vermin, and rodents	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Re-inspection	18-Jul-19		Satisfactory - No Action(s) Taken

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	29-Nov-19	Washing hands thoroughly before and after handling food	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	29-Nov-19	Hand washing basin with supplies of soap in a dispenser and single-use towels	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	29-Nov-19	Food protected from potential contamination and/or adulteration	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	29-Nov-19	Equipment, non-food contact surfaces and linen are maintained, designed, constructed, installed and accessible for cleaning	Re-inspection Scheduled
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	29-Nov-19	Sanitary maintenance of and provision of required supplies in staff/public washroom facilities	Corrected During Inspection
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Routine Inspection	29-Nov-19	Floors clean and in good repair	Re-inspection Scheduled
Yogurtz	10-789 McKeown Avenue, North Bay ON P1B 0C8	Re-inspection	6-Dec-19		Satisfactory - No Action(s) Taken
Young at Heart Senior Centre	39 Copeland Street, Burks Falls Ontario P0A 1C0	Routine Inspection	19-Oct-18	Manual dishwashing: Wash, rinse, sanitize technique	Corrected During Inspection
Young at Heart Senior Centre	39 Copeland Street, Burks Falls Ontario P0A 1C0	Routine Inspection	3-Oct-19		Satisfactory - No Action(s) Taken
Young Learner's Academy	620 Dutrisac Road, Sturgeon Falls ON P2B 2K1	Routine Inspection	17-Apr-18		Satisfactory - No Action(s) Taken
Young Learner's Academy	620 Dutrisac Road, Sturgeon Falls ON P2B 2K1	Routine Inspection	9-Aug-18		Satisfactory - No Action(s) Taken
Young Learner's Academy	620 Dutrisac Road, Sturgeon Falls ON P2B 2K1	Routine Inspection	14-Sep-18		Satisfactory - No Action(s) Taken
Young's South Shore Centre	RR 1-2536 Hwy 654, Callander ON P0H 1H0	Routine Inspection	28-Nov-18	Food protected from potential contamination and adulteration	Corrected During Inspection
Young's South Shore Centre	RR 1-2536 Hwy 654, Callander ON P0H 1H0	Routine Inspection	9-Jul-19	Potentially hazardous food is held at 4°C (40°F) or lower	Re-inspection Scheduled
Za'atar Middle Eastern Foods Inc.	58 Bowes Street, Parry Sound ON P2A 2L3	Routine Inspection	29-Aug-19		Satisfactory - No Action(s) Taken
Zack's Corner Restaurant	407 Ferguson Street, North Bay ON P1B 1X3	Routine Inspection	18-May-18	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Corrected During Inspection
Zack's Corner Restaurant	407 Ferguson Street, North Bay ON P1B 1X3	Routine Inspection	30-Jan-18	Food protected from potential contamination and adulteration	Corrected During Inspection

Premises Name	Address	Type of Inspection	Inspection Date	Summary of Infractions	Action(s) Taken
Zack's Corner Restaurant	407 Ferguson Street, North Bay ON P1B 1X3	Routine Inspection	12-Feb-19	Mechanical dishwashing: Wash/rinse water clean, water temperature, timing cycles, sanitizer	Re-inspection Scheduled
Zack's Corner Restaurant	407 Ferguson Street, North Bay ON P1B 1X3	Re-inspection	14-Feb-19		Satisfactory - No Action(s) Taken
Zack's Corner Restaurant	407 Ferguson Street, North Bay ON P1B 1X3	Routine Inspection	22-Oct-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Zack's Corner Restaurant	407 Ferguson Street, North Bay ON P1B 1X3	Routine Inspection	22-Oct-19	Thermometers used to verify food preparation and storage temperatures	Corrected During Inspection
Zak's	10 John Street, Sundridge ON P0A 1Z0	Routine Inspection	27-Apr-18		Satisfactory - No Action(s) Taken
Zak's	10 John Street, Sundridge ON P0A 1Z0	Routine Inspection	28-Mar-19		Satisfactory - No Action(s) Taken
Zak's	10 John Street, Sundridge ON P0A 1Z0	Routine Inspection	22-Nov-19		Satisfactory - No Action(s) Taken
Zehr's Bakery	292 Boundary Road, Chisholm ON P0H 1Z0	Routine Inspection	10-Dec-19	Minimum of 1 Certified Food Handler per hour of operation?	Re-inspection Scheduled
Zehr's Bakery	292 Boundary Road, Chisholm ON P0H 1Z0	Routine Inspection	10-Dec-19	Constant supply of hot and cold running water under pressure	Corrected During Inspection
Zehr's Bakery	292 Boundary Road, Chisholm ON P0H 1Z0	Routine Inspection	10-Oct-18		Satisfactory - No Action(s) Taken
Zion United Church	51 Main Street, Sundridge ON P0A 1Z0	Routine Inspection	13-Sep-18		Satisfactory - No Action(s) Taken